

B530-A




B585-A



B695-A




B780-A




R670-A




Blue\_LaserDelay



Red\_LaserDelay




FSC-A




### FSC-H




### FSC-W




### SSC-A



SSC-H



SSC-W




B530-A\_Gain




B585-A\_Gain



B695-A\_Gain




B780-A\_Gain




R670-A\_Gain




R780-A\_Gain




FSC-A\_Gain



SSC-A\_Gain



Blue\_LaserDelay



Red\_LaserDelay





Blue\_AreaScalingFactor




Red\_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV



B695-A-% rCV



B780-A-% rCV




The graph displays the daily number of COVID-19 cases in the United States. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through late February. Starting in late February, there is a rapid and significant increase in cases, reaching a peak of approximately 100,000 in early March. Following the peak, the number of cases begins to decline, returning to levels below 10,000 by mid-March and remaining relatively stable through April.

The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data points show a steady increase in cases starting in late February, reaching a peak of approximately 100,000 cases in early March, followed by a sharp decline.


The graph displays the daily number of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. Starting in late February, there is a significant upward trend, with a major peak of approximately 100,000 cases occurring in early March. Following this peak, the number of cases drops sharply but remains elevated, fluctuating between 10,000 and 30,000 through April.

Date	Number of Cases (Approximate)
Jan 1	5,000
Jan 15	6,000
Jan 30	10,000
Feb 1	12,000
Feb 15	15,000
Feb 20	25,000
Feb 25	100,000
Mar 1	30,000
Mar 15	15,000
Mar 30	20,000
Apr 1	20,000


FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

