




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through mid-February. Starting in late February, there is a rapid and significant increase in cases, reaching a peak of approximately 100,000 in early March. Following this peak, the number of cases begins to decline, showing some fluctuations but generally staying below 20,000 by the end of the period shown.


The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through mid-February. Starting in late February, there is a rapid and significant increase in cases, reaching a peak of approximately 100,000 in early March. Following the peak, the number of cases declines sharply, returning to levels below 10,000 by mid-March, and remains relatively stable with minor fluctuations through April.

The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time in months (Jan, Feb, Mar, Apr), and the y-axis represents the number of cases, ranging from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. A significant surge begins in late February, reaching a peak of approximately 100,000 cases in early March. Following the peak, the number of cases declines, with some minor fluctuations, and remains relatively low (mostly below 10,000) through April.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

