




B530-A



B585-A




B695-A




The graph displays the daily number of COVID-19 cases in the United States from November to April. The x-axis represents time, with labels for November, December, January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. A vertical dashed red line is positioned at the end of December, indicating the start of the period of rapid increase. The data shows a significant rise in cases starting in late December, peaking in early March at approximately 100,000 cases, and then declining towards April.

The graph displays the daily number of COVID-19 cases in the Netherlands. The x-axis represents time from November to April, and the y-axis represents the number of cases. A vertical dashed red line is positioned at the start of the period from December 1st to March 1st. The data shows a period of relative stability in November, followed by a sharp increase in late December. The number of cases continues to rise through January, reaching a peak in late February/early March, and then declines sharply in April.


Blue\_LaserDelay




Red\_LaserDelay




FSC-A




### FSC-H




### FSC-W




### SSC-A




SSC-H




SSC-W




B530-A\_Gain




B585-A\_Gain




B695-A\_Gain




B780-A\_Gain




R670-A\_Gain




R780-A\_Gain




FSC-A\_Gain




SSC-A\_Gain



Blue\_LaserDelay




Red\_LaserDelay







### Blue\_AreaScalingFactor




### Red\_AreaScalingFactor




### B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




### R670-A-% rCV




### R780-A-% rCV




### FSC-A-% rCV




### FSC-H-% rCV



### FSC-W-% rCV



### SSC-A-% rCV



The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 100,000 in increments of 20,000. The x-axis shows months from November to April. A red dashed vertical line is positioned at the beginning of December, indicating the start of the second wave. The data shows a first wave peaking in late October at approximately 40,000 cases. After a period of relative stability, a massive spike occurs in early March, reaching nearly 100,000 cases. Following this peak, the number of cases drops sharply and remains relatively low until a slight uptick in April.

The graph displays the daily number of COVID-19 cases in the Netherlands from October to April. The y-axis represents the number of cases, ranging from 0 to 20. The x-axis shows the months from November to April. A vertical dashed red line is positioned at the beginning of December, indicating the start of the second wave. The data shows a period of relative stability in late October and early November, followed by a sharp increase in late November and early December. After a decline in mid-December, the number of cases remains low until late February, when a massive spike occurs, reaching over 20 cases. Following this peak, the number of cases drops sharply and remains relatively low through April.

Month	Approximate Number of Cases
Nov 1	8
Nov 15	10
Nov 30	8
Dec 15	14
Dec 30	13
Jan 15	7
Feb 1	7
Feb 25	21
Mar 1	7
Mar 15	7
Apr 1	7