




B530-A




B585-A




B695-A



B780-A




R670-A







### FSC-H




### FSC-W




### SSC-A




SSC-H




SSC-W




B530-A\_Gain




B585-A\_Gain




B695-A\_Gain




B780-A\_Gain




### R670-A\_Gain




### R780-A\_Gain




### FSC-A\_Gain




SSC-A\_Gain




Blue\_LaserDelay




Red\_LaserDelay




Blue\_AreaScalingFactor



Red\_AreaScalingFactor



B530-A-% rCV




The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000. The x-axis shows the months from December to April. A vertical dashed red line indicates the start of the epidemic in early January. The data shows a significant increase in cases starting in late December, peaking in early January at nearly 10,000 cases. After a period of relative stability, there is a second, even sharper increase starting in late February, peaking in early March at over 10,000 cases, and then a decline in April.

The graph illustrates the progression of COVID-19 cases in the Netherlands. The data shows a period of low activity from December through early January, followed by a rapid ascent to a peak of nearly 10,000 cases in early February. After a period of fluctuation and a slight downward trend, a second peak of around 3,000 cases occurred in late February/early March, followed by a gradual decline towards the end of the period shown in April.


The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time from December 2019 to April 2020. The y-axis represents the number of cases, with a scale break between 100 and 1,000. A vertical dashed red line is positioned at approximately December 15, 2019, indicating the date of the first confirmed case. The data shows a period of low activity until late December, followed by a rapid ascent to a peak of nearly 1,000 cases in early March. After the peak, the case count declines, with a small secondary rise in late April.

Date	Number of Cases (approximate)
Dec 15, 2019	1
Dec 20, 2019	10
Dec 25, 2019	20
Dec 30, 2019	50
Jan 5, 2020	100
Jan 10, 2020	150
Jan 15, 2020	200
Jan 20, 2020	250
Jan 25, 2020	300
Jan 30, 2020	350
Feb 5, 2020	400
Feb 10, 2020	450
Feb 15, 2020	500
Feb 20, 2020	550
Feb 25, 2020	600
Feb 30, 2020	650
Mar 5, 2020	700
Mar 10, 2020	750
Mar 15, 2020	800
Mar 20, 2020	850
Mar 25, 2020	900
Mar 30, 2020	950
Apr 5, 2020	1,000


### R670-A-% rCV




### R780-A-% rCV




### FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

