


B530-A



B585-A



B695-A



B780-A



R670-A



R780-A



Blue\_LaserDelay



Red\_LaserDelay



FSC-A



# FSC-H



# FSC-W



# SSC-A



SSC-H




SSC-W




B530-A\_Gain




B585-A\_Gain



B695-A\_Gain




B780-A\_Gain




R670-A\_Gain




R780-A\_Gain




FSC-A\_Gain



SSC-A\_Gain



Blue\_LaserDelay



Red\_LaserDelay





Blue\_AreaScalingFactor



Red\_AreaScalingFactor



B530-A-% rCV



The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000 in increments of 2,000. The x-axis is labeled 'Date' and shows months from September to April. A red dashed vertical line is positioned at the beginning of March, indicating the start of the nationwide lockdown. The data shows a very high initial peak in early September (around 10,000 cases), followed by a period of relative stability with minor fluctuations between 1,000 and 3,000 cases. Starting in February, there is a noticeable upward trend in cases, peaking just before the lockdown in March at approximately 4,000 cases. Immediately following the lockdown, the number of cases drops sharply to around 1,000 and remains at this low level through April, with a small secondary peak in late March/early April.

The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000. The x-axis shows the months from October to April. A vertical dashed red line indicates the start of the lockdown in late November. The data shows a sharp increase in cases in late September, peaking at nearly 10,000. Following this, there is a period of fluctuation with cases generally increasing until late November. After the lockdown, there is a significant drop in cases, followed by a period of low activity and a small spike in late March.

The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000 in increments of 2,000. The x-axis is labeled 'Date' and shows months from Sep to Apr. A vertical dashed red line is positioned at the beginning of March. The data shows a very high initial peak in late September, followed by a period of low case counts with some minor fluctuations. A second, smaller peak is visible in late March, followed by a decline and then a slight increase in April.

R670-A-% rCV



R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

