




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The y-axis is logarithmic, with major ticks at 100,000 and 1,000,000. The x-axis spans from October to April. A red dashed vertical line is positioned at the beginning of the data series in early November. The data shows a period of fluctuation between approximately 100,000 and 500,000 cases from November to early January. A massive spike occurs in early January, peaking at over 1,000,000 cases. Following this peak, the case count drops sharply and remains relatively low, fluctuating between 100,000 and 200,000 cases through April.

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 5, 10, 15, and 20. The x-axis is labeled with months: Oct, Jan, and Apr. A vertical dashed red line is positioned at the end of December. The data shows a period of relative stability around 5 cases in late September, followed by a rise to a peak of approximately 14 cases in late December. After the red line, there is a sharp decline to around 5 cases in early January, followed by a massive spike to over 20 cases in early January, and then a return to a low level of around 5 cases by mid-February, with minor fluctuations thereafter.