




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




Yellow_AreaScalingFactor




Red_AreaScalingFactor




V450-A-% rCV




V530-A-% rCV



V710-A-% rCV



B530-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States from December to April. The x-axis represents time, with labels for Dec, Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a grid line at 100,000. The data shows a period of low case counts in December and January, followed by a significant rise starting in late February. A major peak occurs in early March, reaching nearly 200,000 cases. After this peak, the case counts fluctuate but generally trend downwards through April.


The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time from December 2019 to April 2020. The y-axis represents the number of cases, with a scale break between 100 and 1,000. The data shows a period of low case counts (mostly below 100) from December through early February. Starting in late February, there is a rapid and significant increase in cases, reaching a peak of nearly 1,000 cases in early March. Following the peak, the number of cases begins to decline, showing a downward trend through April, though with some fluctuations.

The figure is a line plot with green circular markers connected by a green line, showing the daily number of COVID-19 cases in the United States from December to April. The x-axis is labeled with the months 'Dec', 'Jan', 'Feb', 'Mar', and 'Apr'. The y-axis has a grid with major lines every 20,000 units, from 0 to 100,000. The data shows a very low number of cases (below 10,000) from December through early February. A massive spike occurs in early March, with the number of cases peaking at approximately 95,000. Following this peak, the number of cases drops sharply to around 10,000 and remains relatively stable with minor fluctuations through April.


Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

