




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




Yellow_AreaScalingFactor




Red_AreaScalingFactor




V450-A-% rCV




V530-A-% rCV




V710-A-% rCV




B530-A-% rCV




B695-A-% rCV



Y590-A-% rCV



Y610-A-% rCV




The graph displays the daily number of new COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of new cases' and ranges from 0 to 10,000 in increments of 2,000. The x-axis shows the months from November to April. The data shows a period of low activity in November, followed by a rise in December. A major peak occurs in late February/early March, reaching approximately 9,500 cases. This is followed by a sharp decline and a smaller peak in late March.

The graph displays the daily number of COVID-19 cases in the United States from December to April. The x-axis represents time, with labels for Dec, Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from December through early February. Starting in late February, there is a sharp and rapid increase in cases, reaching a peak of approximately 100,000 in early March. Following this peak, the number of cases begins to decline, showing a downward trend through April, though it remains higher than the initial December period.


The graph displays the daily count of COVID-19 cases in the United States from November 1st to April 1st. The y-axis represents the number of cases, ranging from 0 to 120,000 in increments of 20,000. The x-axis shows the months from November to April. The data points are connected by a dark red line, showing a general upward trend with significant daily fluctuations. A major peak occurs in early March, reaching approximately 110,000 cases. Following this peak, the case count drops sharply and then fluctuates between 20,000 and 40,000 cases through April.

Date	Number of Cases (Approximate)
Nov 1	10,000
Nov 15	15,000
Dec 1	25,000
Dec 15	30,000
Jan 1	35,000
Jan 15	40,000
Feb 1	45,000
Feb 15	50,000
Mar 1	110,000
Mar 15	30,000
Apr 1	20,000


R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

