




V450-A




V525-A




V610-A




V670-A




B530-A




B710-A




Y590-A




Y615-A




Y710-A




Y780-A




R670-A




R730-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V525-A_Gain




V610-A_Gain




V670-A_Gain




B530-A_Gain




B710-A_Gain




Y590-A_Gain




Y615-A_Gain




Y710-A_Gain




Y780-A_Gain




R670-A_Gain




R730-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




yellow green_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




yellow green_AreaScalingFactor




Red_AreaScalingFactor




V450-A-% rCV




V525-A-% rCV




V610-A-% rCV




V670-A-% rCV




B530-A-% rCV




B710-A-% rCV




Y590-A-% rCV




Y615-A-% rCV




Y710-A-% rCV




Y780-A-% rCV



R670-A-% rCV




R730-A-% rCV




The graph displays the percentage of relative coefficient of variation (%rCV) over time. The x-axis represents months from November to April. The y-axis represents %rCV, ranging from 5 to 20. The data shows a period of low variability (around 5-7% rCV) from November to late November, followed by a sharp increase in variability starting in December, peaking around 23% rCV in late February, and then fluctuating between 5% and 15% rCV through April. Two vertical dashed red lines are present: one at approximately November 15th and another at approximately November 28th.

The graph displays the daily number of COVID-19 cases in the Netherlands from November to April. The y-axis is labeled with values 4, 6, and 8, representing the number of cases. The x-axis shows the months: Nov, Dec, Jan, Feb, Mar, and Apr. A horizontal line is drawn at y=5. Two vertical dashed red lines are positioned at the end of November and the end of October. The data shows a period of low case counts (around 4-5) from November to January, followed by a sharp increase in February, peaking in late March/early April at nearly 10 cases.


FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

