




B530-A



B585-A



B695-A




The graph displays the daily number of COVID-19 cases in the Netherlands from November to April. The y-axis represents the number of cases, ranging from 0 to 10,000. The x-axis shows the months from November to April. A vertical red dashed line is positioned at approximately December 20th, 2019, indicating the start of the period from December 20th to January 1st, 2020. The data shows a sharp increase in cases starting in late December, peaking in early January at nearly 10,000 cases, and then fluctuating at a high level through April.


The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for November, December, January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. A vertical dashed red line is positioned at the end of February, marking the beginning of the lockdown. The data shows a consistent upward trend in cases from November through February, peaking in late February. Following the lockdown, there is a significant and rapid decrease in the number of cases, which remains low through April.

The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for November, December, January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. A vertical dashed red line is positioned at approximately December 15, 2019. The data shows a period of relative stability around 20,000 cases in November, followed by a rise to nearly 50,000 by mid-December. A sharp decline occurs in early March, reaching near zero, before a rapid recovery to over 80,000 cases by mid-March. The data ends in early April with cases around 20,000.


Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph illustrates the daily reported COVID-19 cases in the Netherlands. The data shows a period of high volatility and increasing case counts from late October through late December, peaking at nearly 10,000 cases. Following the implementation of the lockdown (indicated by the red dashed line), there is a rapid and sustained decrease in daily case counts. While cases remain relatively low for most of the period, there is a significant resurgence in early March, with a spike reaching approximately 8,000 cases, before returning to a low level by mid-March and remaining stable through April.


The graph illustrates the daily reported COVID-19 cases in the Netherlands. The data shows a period of high volatility and high case counts in late 2020, followed by a period of low case counts after the lockdown. A significant resurgence is visible in early 2021, characterized by a sharp spike in cases.

The graph displays the daily count of COVID-19 cases in the United States. The data begins in early December, showing a period of relative stability with minor fluctuations between 10,000 and 20,000 cases. Starting in late December, there is a rapid and significant increase in cases, reaching a peak of nearly 100,000 in early March. Following this peak, the number of cases declines sharply, remaining below 20,000 for the rest of the period shown, with a small secondary rise in early April.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The data points are connected by a solid black line. A vertical dashed red line marks the end of December. The most prominent feature is a massive spike in early March, where the number of cases reaches approximately 95,000. Before this spike, the case counts were relatively low, fluctuating between 10,000 and 20,000. After the spike, the cases dropped sharply and then showed a slight upward trend towards the end of the period shown.

The graph displays the daily number of COVID-19 cases in the Netherlands from October to April. The y-axis represents the number of cases, ranging from 0 to 20. The x-axis shows the months from October to April. A vertical dashed red line is positioned at the beginning of December, indicating the start of the second wave. The data shows a period of relative stability in October and November, followed by a sharp increase in early December. The number of cases remains high through January and February, with a significant peak in early March, reaching over 20 cases. Following this peak, the number of cases drops sharply and remains low through April.

Month	Approximate Number of Cases
Oct	8-12
Nov	8-13
Dec	10-14
Jan	7-8
Feb	7-8
Mar	2-21
Apr	7-8