


The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January 1 to late February. Starting in late February, there is a significant upward trend, with cases reaching a peak of approximately 100,000 in early March. Following the peak, the number of cases begins to decline, showing a slight uptick in late March before continuing its downward trend towards the end of the period shown.


The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February, March, and April. The y-axis represents the number of cases, with a grid extending up to 100,000. The data shows a period of low case counts (mostly below 10,000) from early January to late February. Starting in late February, there is a rapid and significant increase in cases, reaching a peak of approximately 100,000 in early March. Following the peak, the number of cases begins to decline, showing a steady downward trend through April, though it remains higher than the initial January period.

The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through mid-February. Starting in late February, there is a significant upward trend, with cases reaching a peak of approximately 100,000 in early March. Following this peak, the number of cases begins to decline, showing a steady decrease through April, though it remains higher than the initial January period.


B530-A




B695-A




Y590-A




Y610-A



Y670-A



Y780-A



R660-A



R780-A



FSC-A




FSC-H



FSC-W



SSC-A



The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February, March, and April. The y-axis represents the number of cases, with a grid line at 100,000. The data shows a period of relative stability around 50,000 cases in January, followed by a sharp rise in late February. Cases peaked at approximately 150,000 in early April before declining to around 100,000 by the end of the month.

The graph displays the daily death toll in the United States during the early stages of the COVID-19 pandemic. The data shows high volatility in January and February, with several sharp drops to near zero. A major peak occurred in early March, followed by a period of high daily death counts (around 140,000) that persisted through April.

The graph shows the gain for the 10th iteration over time. The gain is constant at 558.00 for most of the period, but there are several sharp drops to 557.00. These drops occur at approximately the following times: 00:00 on Feb 1, 00:00 on Feb 2, 00:00 on Mar 1, 00:00 on Mar 2, 00:00 on Mar 3, and 00:00 on Mar 31. The gain returns to 558.00 immediately after each drop.

V530-A_Gain



V710-A_Gain



B530-A_Gain



B695-A_Gain




Y590-A_Gain



Y610-A_Gain




Y670-A_Gain




Y780-A_Gain



R660-A_Gain



R780-A_Gain



FSC-A_Gain



SSC-A_Gain



Violet_LaserDelay



Blue_LaserDelay



Yellow_LaserDelay




Red_LaserDelay



Violet_AreaScalingFactor



Blue_AreaScalingFactor




Yellow_AreaScalingFactor



Red_AreaScalingFactor



V450-A-% rCV




The line graph illustrates the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for February, March, and April. The y-axis represents the number of cases, with a grid extending up to 100,000. The data shows a period of low activity in January, followed by a significant surge starting in late February. A major peak occurs in early March, reaching nearly 100,000 cases. Following this peak, there is a period of fluctuation with a secondary, smaller peak in mid-March, followed by a general decline through April, ending at approximately 10,000 cases.

Date	Number of Cases (Approximate)
Jan 1	10,000
Jan 15	15,000
Jan 20	25,000
Jan 25	15,000
Jan 30	20,000
Feb 5	25,000
Feb 10	20,000
Feb 15	25,000
Feb 20	45,000
Feb 25	30,000
Feb 30	35,000
Mar 5	30,000
Mar 10	40,000
Mar 15	35,000
Mar 20	45,000
Mar 25	30,000
Mar 30	35,000
Apr 1	10,000


The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of relative stability in January, followed by a significant surge in late February. A major peak occurs in early March, reaching nearly 100,000 cases. Following this peak, there is a period of fluctuation with a secondary, smaller peak in mid-March, before the cases begin to decline towards the end of the month.

The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February, March, and April. The y-axis represents the number of cases, with a grid extending up to 100,000. The data shows a period of relative stability with minor fluctuations until late February. A significant surge begins in late February, reaching a peak of approximately 100,000 cases in early March. Following this peak, the number of cases declines sharply, returning to a level similar to the initial January period by mid-March, and then shows a slight uptick towards the end of the period shown.


B695-A-% rCV



Y590-A-% rCV



Y610-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of relative stability with minor fluctuations until late February, followed by a rapid ascent to a peak of approximately 100,000 cases in early March. After the peak, the number of cases begins a steady decline, with some minor fluctuations, reaching a level around 20,000 by early April.

The graph displays the daily count of new COVID-19 cases in the United States. The data shows a period of low activity in January, followed by a gradual increase in February. A major surge occurs in early March, peaking at approximately 95,000 cases. This is followed by a sharp drop and then a period of fluctuation between 20,000 and 30,000 cases through April. The overall trend indicates a significant increase in cases during the first quarter of 2020, with a notable peak in March.


The graph displays the daily count of new COVID-19 cases in the United States. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a grid line at 100. The data shows a period of low activity in early January, followed by a rise in late January and a major peak in late February. After the peak, there is a sharp drop and then a period of fluctuation between 20 and 30 cases per day through March and April.

Date	Number of New Cases
Jan 1	20
Jan 2	20
Jan 3	25
Jan 4	20
Jan 5	20
Jan 6	22
Jan 7	22
Jan 8	22
Jan 9	25
Jan 10	25
Jan 11	35
Jan 12	20
Jan 13	25
Jan 14	45
Jan 15	35
Jan 16	30
Jan 17	32
Jan 18	35
Jan 19	20
Jan 20	35
Jan 21	20
Jan 22	25
Jan 23	35
Jan 24	30
Jan 25	28
Jan 26	25
Jan 27	28
Jan 28	28
Jan 29	28
Jan 30	28
Jan 31	28
Feb 1	20
Feb 2	25
Feb 3	35
Feb 4	20
Feb 5	35
Feb 6	20
Feb 7	25
Feb 8	35
Feb 9	30
Feb 10	28
Feb 11	25
Feb 12	28
Feb 13	28
Feb 14	28
Feb 15	28
Feb 16	28
Feb 17	28
Feb 18	28
Feb 19	28
Feb 20	28
Feb 21	28
Feb 22	28
Feb 23	28
Feb 24	28
Feb 25	28
Feb 26	28
Feb 27	28
Feb 28	28
Feb 29	28
Mar 1	28
Mar 2	28
Mar 3	28
Mar 4	28
Mar 5	28
Mar 6	28
Mar 7	28
Mar 8	28
Mar 9	28
Mar 10	28
Mar 11	28
Mar 12	28
Mar 13	28
Mar 14	28
Mar 15	28
Mar 16	28
Mar 17	28
Mar 18	28
Mar 19	28
Mar 20	28
Mar 21	28
Mar 22	28
Mar 23	28
Mar 24	28
Mar 25	28
Mar 26	28
Mar 27	28
Mar 28	28
Mar 29	28
Mar 30	28
Mar 31	28
Apr 1	28


R780-A-% rCV



FSC-A-% rCV



FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

