




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain



Blue_LaserDelay



Red_LaserDelay



The scatter plot displays daily COVID-19 case counts. The y-axis is labeled with values 0, 20, 40, 60, 80, and 100. The x-axis is labeled with months: Nov, Dec, Jan, Feb, Mar, and Apr. A vertical dashed red line is positioned at the beginning of December. Data points are as follows:

Month	Day (approx.)	Cases (approx.)
Nov	1	10
Nov	5	10
Nov	10	10
Nov	20	10
Nov	25	10
Dec	1	10
Dec	2	10
Dec	5	100
Jan	10	100
Jan	12	100
Jan	18	100
Feb	25	100
Mar	15	100


Month	Day	Number of Tweets
Nov	1	10
Nov	2	10
Nov	3	10
Nov	10	10
Nov	11	10
Dec	25	10
Dec	26	10
Dec	27	90
Jan	1	90
Jan	2	90
Jan	8	90
Feb	1	90
Feb	15	90

[illegible]


The graph illustrates the impact of the COVID-19 lockdown in the Netherlands. The number of daily cases was high and volatile before the lockdown, with a peak of approximately 9,500 cases in early December. Following the implementation of the lockdown in late October, the number of cases dropped dramatically, remaining mostly below 1,000 per day. A significant spike occurred in early March, reaching about 8,000 cases, before returning to low levels.

The graph illustrates the daily reported COVID-19 cases in the Netherlands. The data shows high volatility in late 2020, with a major peak in late December reaching nearly 10,000 cases. Following the lockdown, the number of cases dropped significantly and remained relatively low through February. A small resurgence occurred in early March, but cases remained low until a final sharp increase in late April, reaching approximately 8,000 cases.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

