




V450-A




V530-A




V710-A




B530-A



B695-A




Y590-A




The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February, March, and April. The y-axis represents the number of cases, with a grid extending to 100,000. The data shows a period of relative stability with minor fluctuations until late February. A sharp, vertical spike occurs in early March, reaching a peak of approximately 100,000 cases. Following this peak, the number of cases declines steadily, returning to a level near the baseline by mid-April.

The graph displays the daily number of COVID-19 cases in the Netherlands. The x-axis represents time from January 2020 to April 2020, with labels for Feb, Mar, and Apr. The y-axis represents the number of cases, with a scale from 0 to 10,000. The data shows a period of low case counts (mostly below 1,000) from January through mid-February. Starting in late February, there is a significant and rapid increase in cases, reaching a peak of approximately 10,000 cases in early March. Following the peak, the number of cases begins to decline, showing a downward trend through April, though some daily fluctuations are still visible.


R660-A




R780-A




FSC-H



FSC-W




SSC-A




The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a general upward trend, with a notable increase in the rate of growth starting in late March, culminating in a sharp rise in early April.

The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through mid-February. Starting around February 15th, there is a significant upward trend. The cases reach a peak of approximately 100,000 in early March. Following the peak, the number of cases begins to decline, showing some fluctuations but generally trending downwards towards the end of the period shown in April.


V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




Yellow_AreaScalingFactor




Red_AreaScalingFactor




V450-A-% rCV




V530-A-% rCV




V710-A-% rCV




B530-A-% rCV




B695-A-% rCV




Y590-A-% rCV




Y610-A-% rCV




Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

