




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor




B530-A-% rCV




The graph displays the daily number of COVID-19 cases in the United States from October to April. The y-axis represents the number of cases, and the x-axis represents time. A vertical dashed red line marks the start of the 'lockdown' period in late November. The graph shows a significant increase in cases during the lockdown, peaking in early January, followed by a sharp decline and a period of relative stability.

The graph displays the daily number of COVID-19 cases in the United States from October to April. The y-axis represents the number of cases, and the x-axis represents time. A vertical dashed red line marks the start of the 'lockdown' period in late November. Cases show a significant peak in late November, followed by a sharp decline and a period of low activity, with a notable spike in early March.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 10, 15, and 20. The x-axis is labeled with months: Oct, Jan, and Apr. A red dashed vertical line is positioned at approximately November 1, 2020. The data shows a period of fluctuating case counts between 5 and 15 from October to late January. A major peak occurs in early February, reaching approximately 21 cases. Following this peak, the case counts drop sharply and remain relatively low, mostly below 10, through April.