




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The data points are connected by a solid black line. A vertical dashed red line marks the end of December. The most prominent feature is a massive spike in early March, where cases peaked at approximately 95,000. Before this spike, the case count was relatively stable, fluctuating between 10,000 and 20,000. After the spike, the number of cases dropped sharply and then began to rise again in April, reaching about 25,000 by the end of the period shown.

The graph displays the daily number of COVID-19 cases in the Netherlands from October to April. The y-axis represents the number of cases, ranging from 0 to 20. The x-axis shows the months from October to April. A vertical dashed red line is positioned at the beginning of December, indicating the start of the second wave. The data shows a period of relative stability in October and November, followed by a sharp increase in early December. The number of cases remains high through January and February, with a significant peak in early March, reaching over 20 cases. The data then shows a decline in April.

Month	Approximate Number of Cases
Oct	8-12
Nov	8-13
Dec	10-14
Jan	7-8
Feb	7-8
Mar	7-21
Apr	7-8