




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV



B695-A-% rCV



B780-A-% rCV




The graph displays the daily count of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000 in increments of 2,000. The x-axis is labeled 'Date' and shows the months of January, February, March, and April. The data points are connected by a line, showing a period of low case counts in January and early February, followed by a sharp increase starting in late February, peaking in early March at approximately 10,000 cases, and then a rapid decline and a subsequent rise in April.

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled 'Number of cases' and ranges from 0 to 1,000,000 in increments of 200,000. The x-axis is labeled 'Date' and shows the months of January, February, March, and April. The data points are connected by a line, showing a sharp rise in cases starting in late February, reaching a peak of nearly 1,000,000 cases in early March, followed by a steep decline and then a period of relative stability around 500,000 cases through April.


The graph displays the daily number of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. Starting in late February, there is a significant upward trend, with a major peak of approximately 100,000 cases occurring in early March. Following this peak, the number of cases drops sharply but remains elevated, fluctuating between 10,000 and 30,000 through April.

Date	Number of Cases (Approximate)
Jan 1	5,000
Jan 15	6,000
Jan 30	10,000
Feb 1	12,000
Feb 15	15,000
Feb 25	25,000
Mar 1	100,000
Mar 15	25,000
Mar 30	15,000
Apr 1	15,000


FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

