




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph displays the daily number of COVID-19 cases in the Netherlands. The data shows a period of fluctuating case counts from October through late December, with a peak of approximately 10,000 cases in late December. Following the implementation of the lockdown (indicated by the dashed red line), the number of cases drops sharply to around 1,000. There is a period of low case counts from January through February, followed by a small resurgence in early March, peaking at about 2,000 cases, before declining again.


The graph illustrates the daily number of COVID-19 cases in the Netherlands. The data shows a period of high case counts and volatility from October through late November, with peaks reaching nearly 10,000 cases. Following the implementation of the lockdown (marked by the dashed red line), the number of cases drops sharply and remains relatively low, with a notable spike in early March reaching approximately 9,000 cases, before declining again.

The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 100,000 in increments of 20,000. The x-axis shows months from October to April. A vertical dashed red line is positioned at the beginning of December. The data shows a first wave peaking in late November at approximately 80,000 cases, followed by a decline. A second wave begins in early December, peaks in early March at over 100,000 cases, and then declines. A third wave starts in late April, peaking at approximately 60,000 cases.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

