




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a major grid line at 200,000. The data shows a period of low case counts (mostly below 20,000) from January through early March, followed by a massive spike to over 200,000 cases in early March. After the spike, the case count drops sharply and then fluctuates at a low level (mostly below 20,000) through April.

Date	Number of Cases (Approximate)
Jan 1	10,000
Jan 15	12,000
Jan 30	15,000
Feb 1	18,000
Feb 15	15,000
Feb 28	12,000
Mar 1	10,000
Mar 2	210,000
Mar 3	10,000
Mar 15	15,000
Mar 30	12,000
Apr 1	10,000
Apr 15	15,000
Apr 30	18,000

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 5, 10, 15, and 20. The x-axis is labeled with the months Jan, Feb, Mar, and Apr. A prominent spike occurs in early March, where the number of cases exceeds 20. Following this peak, the case count drops and then shows a slight upward trend in April.

Date (Approx.)	Number of Cases (Approx.)
Jan 1	7.5
Jan 5	7.5
Jan 10	7.5
Jan 15	7.5
Jan 20	7.5
Jan 25	7.5
Jan 30	7.5
Feb 1	7.5
Feb 5	7.5
Feb 10	7.5
Feb 15	7.5
Feb 20	7.5
Feb 25	7.5
Feb 30	7.5
Mar 1	7.5
Mar 5	7.5
Mar 10	7.5
Mar 15	7.5
Mar 20	7.5
Mar 25	7.5
Mar 30	7.5
Apr 1	7.5
Apr 5	7.5
Apr 10	7.5
Apr 15	7.5
Apr 20	7.5
Apr 25	7.5
Apr 30	7.5