




B530-A




B585-A




B695-A




B780-A




R670-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States. The x-axis is labeled with months: Nov, Dec, Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a grid extending to 100,000. A vertical dashed red line is positioned at the beginning of the data series in early December. The data shows a significant rise in cases starting in late December, reaching a peak of approximately 100,000 cases in early January. Following the peak, the number of cases declines steadily through February and March, with a notable spike in late March reaching about 20,000 cases, before settling back down in April.


The graph illustrates the impact of the COVID-19 lockdown in the Netherlands. Before the lockdown (late November), the number of daily cases was high, fluctuating between approximately 2,000 and 10,000. Following the lockdown, there was a significant and sustained reduction in cases, with most days reporting fewer than 1,000 cases. A sharp spike in cases occurred in early March, reaching nearly 10,000, before returning to the low levels maintained during the rest of the period.

The graph illustrates the impact of the COVID-19 lockdown in the Netherlands. Before the lockdown (late November), the number of daily cases was high, fluctuating between approximately 2,000 and 10,000. Following the lockdown, the number of cases dropped significantly, remaining mostly below 1,000 per day. A notable exception is a sharp spike in early March, where cases reached over 10,000 again, followed by a rapid decline and then a slight increase towards the end of the period shown.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

