




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States. The data points are connected by a blue line, and a vertical dashed red line marks the end of December. The cases show a rapid increase in late December, a peak in early January, a decline, a major spike in late February, and then a period of relative stability with a slight upward trend in April.

Month	Approximate Number of Cases
Dec 1	10,000
Dec 15	95,000
Dec 20	100,000
Dec 25	10,000
Jan 5	10,000
Jan 15	10,000
Jan 25	10,000
Feb 5	10,000
Feb 15	10,000
Feb 25	10,000
Mar 5	80,000
Mar 15	10,000
Mar 25	10,000
Apr 5	10,000
Apr 15	10,000
Apr 25	10,000


The graph displays the daily count of COVID-19 cases in the United States. The data points are connected by a blue line. A vertical dashed red line marks the end of December. The cases show a sharp rise in late December, peaking in early January, followed by a decline and then a significant spike in late February/early March reaching nearly 100,000 cases again, before stabilizing at a lower level in April.

The graph displays the daily count of COVID-19 cases in the United States. The data begins in early December with a low number of cases. A significant surge begins in late February, reaching a peak of nearly 1,000,000 cases in early March. Following this peak, the number of cases declines but remains elevated compared to the initial period, with a final uptick in late April.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

