




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




Yellow_AreaScalingFactor




Red_AreaScalingFactor




V450-A-% rCV




V530-A-% rCV



V710-A-% rCV



B530-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States from December to April. The x-axis represents time in months (Dec, Jan, Feb, Mar, Apr), and the y-axis represents the number of cases, ranging from 0 to 100,000. The data shows a period of relative stability with low case counts from December through early February. Starting in late February, there is a rapid and significant increase in cases, reaching a peak of approximately 100,000 cases in early March. Following the peak, the number of cases begins to decline, showing a downward trend through April.


The graph displays the daily number of COVID-19 cases in the United States from December to April. The x-axis represents time, with labels for Dec, Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts in December and January, followed by a significant increase starting in late February. The number of cases peaks in early March at approximately 100,000, then declines through April.

The line plot displays the daily number of COVID-19 cases in the Netherlands from December 1st to April 1st. The y-axis represents the number of cases, ranging from 0 to 18,000 in increments of 2,000. The x-axis shows the months: Dec, Jan, Feb, Mar, and Apr. The data points are connected by a dark blue line. A significant peak is observed in early March, reaching approximately 17,000 cases. Following this peak, the number of cases drops sharply and remains relatively stable, fluctuating between 1,000 and 2,000 cases through April.


Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

