




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




Yellow_AreaScalingFactor




Red_AreaScalingFactor




V450-A-% rCV




V530-A-% rCV



V710-A-% rCV



B530-A-% rCV




The graph displays the daily number of COVID-19 cases in the United States from December to April. The x-axis represents time in months, and the y-axis represents the number of cases. The data shows a period of low case counts from December through early February, followed by a rapid and significant increase in cases, reaching a peak in early March. After the peak, the number of cases begins to decline, showing a downward trend through April.


The line graph displays the daily number of COVID-19 cases in the United States from December to April. The x-axis represents time, with labels for December, January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts in December and January, followed by a sharp increase starting in late February. The number of cases peaks in early March at approximately 100,000, then declines significantly, with a small resurgence in late March and early April.

The graph displays the daily count of COVID-19 cases in the Netherlands. The data shows a period of low activity from December through early February, followed by a rapid ascent to a peak of nearly 100,000 cases in early March. After the peak, the number of cases begins to decline, returning to a low level by the end of April.


Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

