




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




V530-A-% rCV



V710-A-% rCV



B530-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States from December 1st to April 1st. The x-axis represents time in months (Dec, Jan, Feb, Mar, Apr), and the y-axis represents the number of cases, ranging from 0 to 1,000,000. The data shows a period of low case counts from December through early February, followed by a rapid and significant increase in cases, peaking at approximately 1,000,000 cases in early March. After the peak, the number of cases begins to decline, showing a downward trend through April.


The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time from December 2019 to April 2020. The y-axis represents the number of cases, with a scale break between 100 and 1,000. The data shows a period of low case counts (mostly below 100) from December through early January. Starting in late January, there is a significant upward trend, with cases rising sharply to a peak of over 1,000 in early March. Following the peak, the number of cases begins to decline, showing a downward trend through April.

The line plot displays the daily number of COVID-19 cases in the Netherlands. The x-axis represents time from December 2019 to April 2020, with major ticks for each month. The y-axis represents the number of cases, with a grid line at 10,000. The data shows a very low and stable number of cases (near zero) from December through early February. A sharp, vertical spike occurs in early February, reaching a peak of approximately 10,000 cases. Following this peak, the number of cases drops sharply and remains at a low level (below 1,000) through April 2020.


Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

