




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




## Blue\_LaserDelay




## Red\_LaserDelay




# FSC-A




### FSC-H




### FSC-W




### SSC-A




SSC-H




SSC-W




B530-A\_Gain




B585-A\_Gain




B695-A\_Gain




B780-A\_Gain




R670-A\_Gain




R780-A\_Gain




FSC-A\_Gain




SSC-A\_Gain



Blue\_LaserDelay



Red\_LaserDelay





The scatter plot displays the daily number of cases in the Netherlands from November to April. The y-axis, labeled 'Number of cases per day', ranges from 1.26 to 1.35. The x-axis shows the months: Nov, Dec, Jan, Feb, Mar, and Apr. A vertical dashed red line is positioned at the end of December. The data points indicate a low number of cases (around 1.27) in November and December, followed by a sharp increase in January, reaching a plateau of approximately 1.35 cases per day from mid-February onwards.


Month	Day (approx.)	Number of cases per day (approx.)
Nov	1	1.27
Nov	2	1.27
Dec	1	1.27
Dec	2	1.27
Dec	25	1.35
Jan	10	1.35
Jan	11	1.35
Jan	15	1.35
Feb	1	1.35
Feb	15	1.35

The scatter plot displays the daily number of cases in the Netherlands from November to April. The y-axis, labeled 'Number of cases per day', ranges from 1.15 to 1.25. The x-axis shows the months: Nov, Dec, Jan, Feb, Mar, and Apr. A vertical dashed red line is positioned at the end of December. The data points indicate a significant increase in cases starting in early January, peaking at approximately 1.24 cases per day in late January and early February, before showing a slight downward trend in March and April.


Month	Day (approx.)	Number of cases per day (approx.)
Nov	1	1.15
Nov	2	1.15
Dec	1	1.15
Dec	2	1.15
Dec	15	1.24
Jan	10	1.24
Jan	11	1.24
Jan	15	1.24
Feb	1	1.24
Feb	15	1.24

[illegible]


B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




### R670-A-% rCV



### R780-A-% rCV



### FSC-A-% rCV



The graph displays the daily number of COVID-19 cases in the Netherlands. The first wave peaks at approximately 4,000 cases in late October. After a period of relative stability, a second wave begins in early December, marked by a vertical dashed red line. This second wave reaches a much higher peak of nearly 10,000 cases in late February/early March before declining again.

The graph displays the daily number of COVID-19 cases in the Netherlands from October to April. The y-axis represents the number of cases, ranging from 0 to 15. The x-axis represents time in months, with labels for Nov, Dec, Jan, Feb, Mar, and Apr. A red dashed vertical line is positioned at the end of November, indicating the start of the second wave. The data shows a first wave peaking in early December at approximately 12 cases, followed by a decline and a second, even higher wave peaking in early March at 15 cases. The number of cases remains relatively low (below 3) from January through February, with a slight increase in late February and early March.

Month	Day (approx.)	Cases (approx.)
Oct	25	5
Nov	1	4
Nov	5	5
Nov	10	4
Nov	15	3
Nov	20	4
Nov	25	6
Nov	30	7
Dec	5	11
Dec	10	12
Dec	15	6
Dec	20	3
Dec	25	3
Dec	30	3
Jan	5	2
Jan	10	2
Jan	15	2
Jan	20	2
Jan	25	2
Feb	5	3
Feb	10	3
Feb	15	3
Feb	20	3
Feb	25	3
Mar	1	15
Mar	5	8
Mar	10	2
Mar	15	2
Mar	20	2
Mar	25	2
Apr	1	2
Apr	5	2
Apr	10	2
Apr	15	2
Apr	20	2
Apr	25	2

The graph displays the daily number of COVID-19 cases in the United States from November to April. The y-axis is labeled with values 7.5, 10.0, 12.5, and 15.0. The x-axis is labeled with months: Nov, Dec, Jan, Feb, Mar, and Apr. A vertical dashed red line is positioned at the end of December. The data shows a general upward trend from November through late December, peaking at approximately 14.5 cases in early January. Following the red line, there is a sharp decline to around 7.5 cases by mid-January. The number of cases remains relatively stable, fluctuating between 6.5 and 8.0, through February and March. A significant spike occurs in early March, reaching 15.0 cases, before returning to the baseline level. The data continues to fluctuate slightly around 7.5 cases through April.

The graph displays the daily count of COVID-19 cases in the United States. The data begins in early December, indicated by a red dashed line. The case count remains relatively low, generally below 10,000, until late February. A massive spike occurs in early March, with cases peaking at approximately 95,000. Following this peak, the case count drops sharply and then shows a gradual upward trend through April, ending at around 15,000 cases.

The graph displays the daily number of COVID-19 cases in the Netherlands from November to April. The y-axis is labeled 'Number of cases' and ranges from 0 to 20. The x-axis shows the months: Nov, Dec, Jan, Feb, Mar, and Apr. A red dashed vertical line is positioned at the end of December, indicating the start of the second wave. The data shows a first wave peaking in late December, followed by a decline and then a second, much larger wave peaking in early March at over 20 cases. The number of cases then gradually declines through April.

Month	Day (approx.)	Number of cases
Nov	1	10
Nov	5	13
Nov	10	10
Nov	15	10
Nov	20	7
Nov	25	10
Nov	30	12
Dec	5	10
Dec	10	12
Dec	15	11
Dec	20	12
Dec	25	10
Dec	30	13
Dec	31	14
Jan	1	13
Jan	5	9
Jan	10	6
Jan	15	7
Jan	20	6
Jan	25	7
Jan	30	7
Feb	5	7
Feb	10	7
Feb	15	7
Feb	20	7
Feb	25	7
Feb	30	7
Mar	5	7
Mar	10	7
Mar	15	7
Mar	20	7
Mar	25	7
Mar	30	7
Apr	5	7
Apr	10	7
Apr	15	7
Apr	20	7
Apr	25	7
Apr	30	7