




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue\_LaserDelay




Red\_LaserDelay




FSC-A




### FSC-H




### FSC-W




### SSC-A




SSC-H




SSC-W




B530-A\_Gain




B585-A\_Gain




B695-A\_Gain




B780-A\_Gain




R670-A\_Gain




R780-A\_Gain




FSC-A\_Gain




SSC-A\_Gain



Blue\_LaserDelay




Red\_LaserDelay







Blue\_AreaScalingFactor



Red\_AreaScalingFactor




B530-A-% rCV




The graph displays the daily number of COVID-19 cases in the United States from October to April. The y-axis represents the number of cases, and the x-axis represents time. A blue line with circular markers shows the daily case counts. A vertical dashed red line marks the date of the first case in Washington state (January 15, 2020). The graph shows a significant increase in cases starting in late December, peaking in early January, and then declining with some fluctuations.

The graph displays the daily count of COVID-19 cases in the United States. The data begins in late December, showing a rapid increase to a peak of nearly 100,000 cases in early January. Following this peak, the case count drops significantly and remains relatively stable at a low level, with a minor spike in late January, through April.


R670-A-% rCV



R780-A-% rCV



FSC-A-% rCV



The graph displays the daily number of COVID-19 cases in the Netherlands from October to April. The y-axis represents the number of cases, ranging from 0 to 15. The x-axis represents time, with labels for October, January, and April. A red dashed vertical line is drawn at the end of December, indicating the start of the second wave. The first wave peaks in late December at approximately 12 cases. The second wave is significantly larger, peaking in early April at 15 cases.

Month	Day	Cases
Oct	1	3.5
Oct	5	3.0
Oct	10	3.5
Oct	15	4.5
Oct	20	4.5
Oct	25	5.5
Oct	30	5.0
Oct	31	5.0
Nov	1	4.0
Nov	5	5.0
Nov	10	4.0
Nov	15	3.0
Nov	20	3.5
Nov	25	5.0
Nov	30	3.0
Dec	5	4.5
Dec	10	6.0
Dec	15	7.5
Dec	20	5.0
Dec	25	6.5
Dec	30	4.5
Dec	31	6.5
Jan	5	8.0
Jan	10	11.0
Jan	15	10.0
Jan	20	12.0
Jan	25	6.0
Jan	30	3.0
Feb	5	3.5
Feb	10	2.0
Feb	15	2.0
Feb	20	2.0
Feb	25	2.0
Feb	30	2.0
Mar	5	2.5
Mar	10	3.0
Mar	15	2.5
Mar	20	2.5
Mar	25	3.0
Mar	30	2.5
Mar	31	2.5
Apr	1	2.5
Apr	5	2.5
Apr	10	2.5
Apr	15	2.5
Apr	20	2.5
Apr	25	2.5
Apr	30	2.5
Apr	31	2.5

The graph displays the daily number of COVID-19 cases in the United States. The y-axis is labeled with values 7.5, 10.0, 12.5, and 15.0. The x-axis is labeled with months: Oct, Jan, and Apr. A red dashed vertical line is positioned at approximately January 20, 2020, indicating the date of the first case. The data shows a period of low activity from October to early January, followed by a sharp increase in cases, peaking at approximately 15.0 cases in late March/early April, and then a decline to around 7.5 cases by April.

The graph displays the daily number of COVID-19 cases in the United States from October to April. The y-axis represents the number of cases, and the x-axis represents time. A vertical dashed red line marks the start of the data series. The graph shows a significant spike in cases in early April, reaching a peak of approximately 100,000 cases, followed by a sharp decline and a subsequent rise in late April.

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 10, 15, and 20. The x-axis is labeled with months: Oct, Jan, and Apr. A red dashed vertical line is positioned at approximately October 28th. The data shows a period of fluctuation between 5 and 15 cases from late October to late November. A major peak occurs in early January, reaching approximately 21 cases. Following this peak, the case count drops sharply and remains relatively low, mostly below 5 cases, through April.