




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain



Blue_LaserDelay



Red_LaserDelay



The scatter plot displays the daily death toll in the United States during the early stages of the COVID-19 pandemic. The vertical axis (y-axis) is labeled 'Deaths' and ranges from 1,300 to 1,400 in increments of 25. The horizontal axis (x-axis) is labeled 'Date' and shows the months from January to April. The data points, represented by black dots, show a significant increase in deaths starting in late January, reaching a peak of approximately 1,350 deaths per day by early February, and then remaining relatively stable through April.

Date	Deaths
2020-01-20	1350
2020-01-21	1350
2020-01-22	1350
2020-01-23	1350
2020-01-24	1350
2020-01-25	1350
2020-01-26	1350
2020-01-27	1350
2020-01-28	1350
2020-01-29	1350
2020-01-30	1350
2020-01-31	1350
2020-02-01	1350
2020-02-02	1350
2020-02-03	1350
2020-02-04	1350
2020-02-05	1350
2020-02-06	1350
2020-02-07	1350
2020-02-08	1350
2020-02-09	1350
2020-02-10	1350
2020-02-11	1350
2020-02-12	1350
2020-02-13	1350
2020-02-14	1350
2020-02-15	1350
2020-02-16	1350
2020-02-17	1350
2020-02-18	1350
2020-02-19	1350
2020-02-20	1350
2020-02-21	1350
2020-02-22	1350
2020-02-23	1350
2020-02-24	1350
2020-02-25	1350
2020-02-26	1350
2020-02-27	1350
2020-02-28	1350
2020-02-29	1350
2020-03-01	1350
2020-03-02	1350
2020-03-03	1350
2020-03-04	1350
2020-03-05	1350
2020-03-06	1350
2020-03-07	1350
2020-03-08	1350
2020-03-09	1350
2020-03-10	1350
2020-03-11	1350
2020-03-12	1350
2020-03-13	1350
2020-03-14	1350
2020-03-15	1350
2020-03-16	1350
2020-03-17	1350
2020-03-18	1350
2020-03-19	1350
2020-03-20	1350
2020-03-21	1350
2020-03-22	1350
2020-03-23	1350
2020-03-24	1350
2020-03-25	1350
2020-03-26	1350
2020-03-27	1350
2020-03-28	1350
2020-03-29	1350
2020-03-30	1350
2020-03-31	1350
2020-04-01	1350
2020-04-02	1350
2020-04-03	1350
2020-04-04	1350
2020-04-05	1350
2020-04-06	1350
2020-04-07	1350
2020-04-08	1350
2020-04-09	1350
2020-04-10	1350
2020-04-11	1350
2020-04-12	1350
2020-04-13	1350
2020-04-14	1350
2020-04-15	1350
2020-04-16	1350
2020-04-17	1350
2020-04-18	1350
2020-04-19	1350
2020-04-20	1350
2020-04-21	1350
2020-04-22	1350
2020-04-23	1350
2020-04-24	1350
2020-04-25	1350
2020-04-26	1350
2020-04-27	1350
2020-04-28	1350
2020-04-29	1350
2020-04-30	1350

The scatter plot displays the daily death toll in the United States from January to April 2020. The y-axis, labeled 'Deaths', ranges from 1.250 to 1.325. The x-axis shows the months Jan, Feb, Mar, and Apr. The data points indicate a significant peak in early February, followed by a decline and then a slight increase in late March and early April.

Date	Deaths
2020-01-01	1.250
2020-01-02	1.250
2020-01-03	1.250
2020-01-04	1.250
2020-01-05	1.250
2020-01-06	1.250
2020-01-07	1.250
2020-01-08	1.250
2020-01-09	1.250
2020-01-10	1.250
2020-01-11	1.250
2020-01-12	1.250
2020-01-13	1.250
2020-01-14	1.250
2020-01-15	1.250
2020-01-16	1.250
2020-01-17	1.250
2020-01-18	1.250
2020-01-19	1.250
2020-01-20	1.250
2020-01-21	1.250
2020-01-22	1.250
2020-01-23	1.250
2020-01-24	1.250
2020-01-25	1.250
2020-01-26	1.250
2020-01-27	1.250
2020-01-28	1.250
2020-01-29	1.250
2020-01-30	1.250
2020-01-31	1.250
2020-02-01	1.250
2020-02-02	1.250
2020-02-03	1.250
2020-02-04	1.250
2020-02-05	1.250
2020-02-06	1.250
2020-02-07	1.250
2020-02-08	1.250
2020-02-09	1.250
2020-02-10	1.250
2020-02-11	1.250
2020-02-12	1.250
2020-02-13	1.250
2020-02-14	1.250
2020-02-15	1.250
2020-02-16	1.250
2020-02-17	1.250
2020-02-18	1.250
2020-02-19	1.250
2020-02-20	1.250
2020-02-21	1.250
2020-02-22	1.250
2020-02-23	1.250
2020-02-24	1.250
2020-02-25	1.250
2020-02-26	1.250
2020-02-27	1.250
2020-02-28	1.250
2020-02-29	1.250
2020-03-01	1.250
2020-03-02	1.250
2020-03-03	1.250
2020-03-04	1.250
2020-03-05	1.250
2020-03-06	1.250
2020-03-07	1.250
2020-03-08	1.250
2020-03-09	1.250
2020-03-10	1.250
2020-03-11	1.250
2020-03-12	1.250
2020-03-13	1.250
2020-03-14	1.250
2020-03-15	1.250
2020-03-16	1.250
2020-03-17	1.250
2020-03-18	1.250
2020-03-19	1.250
2020-03-20	1.250
2020-03-21	1.250
2020-03-22	1.250
2020-03-23	1.250
2020-03-24	1.250
2020-03-25	1.250
2020-03-26	1.250
2020-03-27	1.250
2020-03-28	1.250
2020-03-29	1.250
2020-03-30	1.250
2020-03-31	1.250
2020-04-01	1.250
2020-04-02	1.250
2020-04-03	1.250
2020-04-04	1.250
2020-04-05	1.250
2020-04-06	1.250
2020-04-07	1.250
2020-04-08	1.250
2020-04-09	1.250
2020-04-10	1.250
2020-04-11	1.250
2020-04-12	1.250
2020-04-13	1.250
2020-04-14	1.250
2020-04-15	1.250
2020-04-16	1.250
2020-04-17	1.250
2020-04-18	1.250
2020-04-19	1.250
2020-04-20	1.250
2020-04-21	1.250
2020-04-22	1.250
2020-04-23	1.250
2020-04-24	1.250
2020-04-25	1.250
2020-04-26	1.250
2020-04-27	1.250
2020-04-28	1.250
2020-04-29	1.250
2020-04-30	1.250

The graph displays the percentage of relative coefficient of variation (%rCV) over a four-month period. The y-axis is labeled '%rCV' and ranges from 0 to 15 with major grid lines every 3 units. The x-axis shows the months of January, February, March, and April. The data points are connected by a blue line. The values are generally low, mostly below 5%, with a significant spike to nearly 18% in early March. Following this spike, there is a sharp drop and then a smaller peak around 7% in mid-March, before the values stabilize around 4-5% for the remainder of the period.

Month	%rCV (approximate)
Jan 1	5.0
Jan 2	4.5
Jan 3	4.5
Jan 4	4.5
Jan 5	4.5
Jan 6	4.5
Jan 7	4.5
Jan 8	4.5
Jan 9	4.5
Jan 10	4.5
Jan 11	4.5
Jan 12	4.5
Jan 13	4.5
Jan 14	4.5
Jan 15	4.5
Jan 16	4.5
Jan 17	4.5
Jan 18	4.5
Jan 19	4.5
Jan 20	4.5
Jan 21	4.5
Jan 22	4.5
Jan 23	4.5
Jan 24	4.5
Jan 25	4.5
Jan 26	4.5
Jan 27	4.5
Jan 28	4.5
Jan 29	4.5
Jan 30	4.5
Jan 31	4.5
Feb 1	4.5
Feb 2	4.5
Feb 3	4.5
Feb 4	4.5
Feb 5	4.5
Feb 6	4.5
Feb 7	4.5
Feb 8	4.5
Feb 9	4.5
Feb 10	4.5
Feb 11	4.5
Feb 12	4.5
Feb 13	4.5
Feb 14	4.5
Feb 15	4.5
Feb 16	4.5
Feb 17	4.5
Feb 18	4.5
Feb 19	4.5
Feb 20	4.5
Feb 21	4.5
Feb 22	4.5
Feb 23	4.5
Feb 24	4.5
Feb 25	4.5
Feb 26	4.5
Feb 27	4.5
Feb 28	4.5
Feb 29	4.5
Mar 1	4.5
Mar 2	4.5
Mar 3	4.5
Mar 4	4.5
Mar 5	4.5
Mar 6	4.5
Mar 7	4.5
Mar 8	4.5
Mar 9	4.5
Mar 10	4.5
Mar 11	4.5
Mar 12	4.5
Mar 13	4.5
Mar 14	4.5
Mar 15	4.5
Mar 16	4.5
Mar 17	4.5
Mar 18	4.5
Mar 19	4.5
Mar 20	4.5
Mar 21	4.5
Mar 22	4.5
Mar 23	4.5
Mar 24	4.5
Mar 25	4.5
Mar 26	4.5
Mar 27	4.5
Mar 28	4.5
Mar 29	4.5
Mar 30	4.5
Mar 31	4.5
Apr 1	4.5
Apr 2	4.5
Apr 3	4.5
Apr 4	4.5
Apr 5	4.5
Apr 6	4.5
Apr 7	4.5
Apr 8	4.5
Apr 9	4.5
Apr 10	4.5
Apr 11	4.5
Apr 12	4.5
Apr 13	4.5
Apr 14	4.5
Apr 15	4.5
Apr 16	4.5
Apr 17	4.5
Apr 18	4.5
Apr 19	4.5
Apr 20	4.5
Apr 21	4.5
Apr 22	4.5
Apr 23	4.5
Apr 24	4.5
Apr 25	4.5
Apr 26	4.5
Apr 27	4.5
Apr 28	4.5
Apr 29	4.5
Apr 30	4.5


The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. A significant surge begins in late February, reaching a peak of approximately 100,000 cases in early March. Following the peak, the number of cases declines sharply, stabilizing around 10,000 cases by mid-March and remaining relatively stable through April.

The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. A significant surge begins in late February, reaching a peak of approximately 100,000 cases in early March. Following the peak, the number of cases declines sharply, returning to levels below 10,000 by mid-March, and remains relatively stable with minor fluctuations through April.


The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. A significant surge begins in late February, reaching a peak of approximately 100,000 cases in early March. Following the peak, the number of cases declines, stabilizing around 10,000 by mid-March, and then shows a slight uptick towards the end of the period shown.

Date	Number of Cases (Approximate)
Jan 1	5,000
Jan 15	3,000
Feb 1	8,000
Feb 15	10,000
Feb 28	100,000
Mar 5	15,000
Mar 15	10,000
Mar 30	12,000
Apr 1	10,000


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a scale from 0 to 200,000. The data shows a period of low case counts (mostly below 10,000) from January through early March, followed by a massive spike to over 200,000 cases in early March. After the spike, the case count drops sharply and then fluctuates at a low level (mostly below 10,000) through April.

Date	Number of Cases
Jan 1	~5,000
Jan 15	~5,000
Feb 1	~10,000
Feb 15	~5,000
Mar 1	~5,000
Mar 10	~200,000
Mar 20	~10,000
Apr 1	~10,000

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 5, 10, 15, and 20. The x-axis is labeled with the months Jan, Feb, Mar, and Apr. The data points are connected by a solid black line. A significant spike is visible in early March, reaching a value of approximately 21. Following this peak, the case counts fluctuate, generally staying between 5 and 10 cases per day.