



UNIVERSITY
OF TRENTO - Italy



DIPARTIMENTO DI INGEGNERIA E SCIENZA DELL'INFORMAZIONE

– KNOWDIVE GROUP –

Transportation KG [KDI 2020-21]

Document Data:

- date -

Reference Persons:

- authors -

© 2020 University of Trento
Trento, Italy

KnowDive (internal) reports are for internal only use within the KnowDive Group. They describe preliminary or instrumental work which should not be disclosed outside the group. KnowDive reports cannot be mentioned or cited by documents which are not KnowDive reports. KnowDive reports are the result of the collaborative work of members of the KnowDive group. The people whose names are in this page cannot be taken to be the authors of this report, but only the people who can better provide detailed information about its contents. Official, citable material produced by the KnowDive group may take any of the official Academic forms, for instance: Master and PhD theses, DISI technical reports, papers in conferences and journals, or books.



Contents

1	Knowledge Graph Codebook	1
1.1	Knowledge Graph general description	1
1.2	Data level	1
1.2.1	Datasets general details	1
1.2.2	Datasets metadata documentation	1
1.3	Ontology level	1
1.3.1	Ontology general details	1
1.3.2	Ontology metadata documentation	1
1.4	Knowledge Graph Evaluation	2
2	Knowledge Graph Development Process	2
2.1	Scope Definition	2
2.1.1	Scenario Description	3
2.1.2	Storytelling Definition	3
2.1.3	People Description	4
2.2	Inception	5
2.2.1	CQs definition	5
2.2.2	Initial Datasets description	12
2.2.3	Datasets metadata documentation	18
2.2.4	Datasets collection process	18
2.2.5	Inception level evaluation	19
2.3	Informal Modeling	19
2.3.1	Schema level	19
2.3.2	Data level	19
2.3.3	Informal Modeling Evaluation	20
2.4	Formal Modeling	20
2.4.1	Schema level	20
2.4.2	Data level	20
2.4.3	Formal Modeling Evaluation	21
2.5	Data integration	21
2.5.1	Data integration operations and tool	21
2.5.2	Variance respect Formal Modeling datasets	21

Revision History:

Revision	Date	Author	Description of Changes
1.0	17.10.2020	Fivos Kapidis, Antonio Stefani	Draft of the Scope Definition
1.1	18.10.2020	Fivos Kapidis, Antonio Stefani	First revision of the Scope Definition
2.0	18.10.2020	Fivos Kapidis	Draft of the Scenario and of the Storytelling Definition
2.1	18.10.2020	Antonio Stefani	First revision of the Scenario and of the Storytelling Definition
3.0	19.10.2020	Fivos Kapidis	Draft of the CQs
3.1	19.10.2020	Fivos Kapidis, Antonio Stefani	First revision of the CQs
4.0	19.10.2020	Fivos Kapidis, Antonio Stefani	Draft of the Inception Schema
5.0	19.10.2020	Omid Jadidi	Draft of the dataset description
3.2	20.10.2020	Fivos Kapidis, Antonio Stefani	Second revision of the CQs
4.1	20.10.2020	Fivos Kapidis	First revision of the Inception Schema
5.1	20.10.2020	Omid Jadidi	First revision of the dataset description
6.0	20.10.2020	Alberto Carbognin	Draft of the metadata documentation
2.3	21.10.2020	Antonio Stefani	Second revision of the Scenario Description and of the Storytelling Definition
3.3	21.10.2020	Antonio Stefani	Third revision of the CQs
4.2	21.10.2020	Antonio Stefani	Second revision of the Inception Schema
6.1	21.10.2020	Alberto Carbognin	First revision of the metadata documentation

1 Knowledge Graph Codebook

The first of the two sections, in the current document, contains the codebook of the whole KG (Knowledge Graph), including the description of all the data and information that it contains.

1.1 Knowledge Graph general description

This sub section aims to give a general description of the KG, reporting:

- the context/domain in which the KG lives and works;
- *The Problem* the KG aims to solve;
- How the KG can solve *The Problem*

1.2 Data level

The data level section aims to describe in details the (final version of) datasets collected and managed by the KG, with a description of each variable involved.

1.2.1 Datasets general details

In this section are reported the metadata at datasets level, so the metadata regarding the sources, the authors, the collection methods, and so on.

1.2.2 Datasets metadata documentation

In this section are reported the metadata at dataset attribute level, through a description of each variable involved in the datasets collected, specifying the variable types, meanings, value-set (possible values), and every other meaningful variable information.

1.3 Ontology level

The ontology level section aims to describe the underlying KG ontology, through the description of its elements at each level, reporting so the language, conceptual and schema resources used within it.

1.3.1 Ontology general details

This first sub section of the ontology level description, report the general details such as authors, sources and the description of external ontology eventually adopted to generate the final one.

1.3.2 Ontology metadata documentation

In this section instead, are reported the more specific metadata describing the single elements of the ontology (terms, concepts, ETypes and relations).

1.4 Knowledge Graph Evaluation

In the final section of this first chapter, the KG Evaluation is reported. It aims to describe, through specific metrics, the quality of the overall KG on different aspect, like domain coverage, usability, domain representation, and other meaningful aspects.

2 Knowledge Graph Development Process

The second chapter of this document aims to describe, in a detailed way, the KG development process. The sections below describe each phase of the KG building project, reporting for each phase, the description of the datasets and their evolution respect the previous phases, the schema construction which will generate the KG ontology in the end, as well as the description of the procedures adopted to manage the data and finally achieve those results. Moreover for each phase is reported an evaluation section, which aims to evaluate the quality of the results achieved at the end of each phase.

2.1 Scope Definition

Even if working, studying, visiting a city or a relative, practicing sports, tacking a trip seem totally different activities they have one common thing: they take us out of our houses. To get to our workplace, school or gym we have to move and this makes us spend one of the greatest parts of our day on transportation. To save even a little of our time we often spend much of it looking for a faster and a cheaper way to get to our destination. Transportation involves several parameters that each traveler evaluate carefully based on his needs. The main parameters taken into account are:

- routes
- modes of transport
- time spent
- cost

Our system wants to provide a solution able to solve two different problems in the Trentino area: giving all the useful information on the way of transport and providing all those useful facilities related to the road system. To do this our solution is based on an integration of data regarding the road system like routes, time spent on each path, public transports schedules, and its relative facilities like parking areas, petrol pumps, campsites.

To better link all the available datasets and create a system able to give important information instantaneously, the best way to proceed is using a Knowledge Graph. To construct it is very important to have a standardized methodology like the iTelos one. Thanks to the iTelos Methodology indeed, it is possible to divide the problem in several sub-problems being able to solve each one in an easier way. Those parts are, in particular:

- Inception, in this step the goal is to define the queries that could be posed and how to shape up the system itself.
- Informal Modeling, in this step the goal is to design an EER Model such to highlight all possible relations among data and entities.
- Formal Modeling, in this step the goal is to build up the real KG provided of a SKG and a LKG.

-
- Data Integration, in this step the goal is to finalize all the system providing a final DKG with the reference to the LKG and the SKG.

But before proceeding with the system design and its implementation there is a step 0 called "Scope Definition". The goal of this step is to provide a description of the scenario. To achieve this goal the idea is to describe several situations in which it is shown how the system can be extremely relevant to solve certain problem.

2.1.1 Scenario Description

In order to show in a better way the application scenario and how the system interact with people, let define some personas which could be used to generate examples of competency queries.

Claudio: he is currently studying at the High School and since he is still too young to drive a vehicle he always moves using public transport. In particular he makes use of it to go to his school which is located in the centre of the city while he lives in its suburbs. Claudio has always practiced basketball and three times a week he goes training and once a week he have a match with other locals basketball teams. In the weekend he enjoys spending time with his friends at some locals parks or hanging out to a nearby basketball court.

Andrea: he is currently working as salesman of a big company so he travels a lot all around the Trentino area. To move he usually makes use of the company car but sometimes, if his destination is really close to a railway station or a bus station he takes the public transport. In his free time he enjoys going hiking in the mountains and exploring new paths.

Elisa: she is a university off-premise student. To reach her faculty she often makes use of public transportation, she makes use of it also to go back home. She lives in the center of the city so, to move easier, she uses her bicycle or during the summer she likes walking. Elisa is very attached with her family so once every two weeks she goes back home to visiting them. In her free time she likes visiting the historical city centers of the nearby cities, while when it is warmer she likes exploring cycle paths.

Maria: she is currently working in Bolzano but she lives in Trento with her husband and her children. She is a very ordinary mother: she is always in rush. During the holiday she likes to plan her family trips and usually they travel by camper. Once a month they usually go to visit her mother in Molveno.

2.1.2 Storytelling Definition

Claudio studies at the Trento Scientific Highschool "Leonardo Da Vinci" and he lives in Gardolo, due to this every morning he must take the bus to go to the school. Claudio enjoys basketball very much and since he was a child he has always played with a team at the Sanbàpolis gym on the south of Trento.

His team is currently competing in a regional basketball tournament so once a week he plays against other teams. Sometimes the match location us pretty far so he has to take public transports to get there and the evaluating of the several routes and modes of transport could be very annoying and time-consuming. In order to save some of his time, Claudio often asks for a lift to his parents but they are not always available.

In his limited free time Claudio likes hanging out with his friends spending some hours along the Adige shore or in some other parks near the city center, therefore he often checks the bus schedule to get there.

Andrea is a salesman at "Dolomiti Energia", an energy provider company based on Trento. Since he has started working there, he spends much of his working day travelling around to the several agencies collocated in: Mezzolombardo, Pergine Valsugana, Rovereto and many others. To do these tours a company car has been provided to him.

Another main part of Andrea's job consists in writing emails and check stuff on the web, for this reason when he has a lot of work to do and he needs to use his laptop he often decides to take trains in order to feel sufficiently comfortable to work. Since the tours change from one day to another he spends a lot of time checking the train schedule and this is often the most annoying part of his job.

Andrea is a mountain lover and in his free time he likes hiking in order to explore new mountains paths of nearby mountains. Since he does not have its own car he often makes use of public transports as buses to get there.

Elisa is studying at the University of Trento, since she is from Tuscany she is currently living in Rovereto as off-site student even if she studies Sociology in Trento. All her activities are carried out in the city of Trento and often she involves also her boyfriend, they likes very much walking on the Adige riverside and often they take the cable car to go to the Bondone.

Elisa is an eco-friendly person, she really likes going around using just her bike and indeed she uses it to go to the supermarket, to the library, to the coffee and all those other places which she enjoys. Even when she has not the possibility to take her bike she often use the "e-motion" service to move around. But while for her ordinary movement she takes the bike, to go to the university or to go back home she has always to use the public transports and since her schedules change everyday she spends a lot of time to plan very well every trip in order to save both time and money.

In her free time she likes very much camping with her friends and since she has acquired all the skills needed to plan a cheap tour she is always picked as planner of their trips. Elisa is very good at it in fact she always evaluate the cheapest and shortest way to get to the selected campsite, moreover she always think to what they could need during the trip as hospitals, supermarkets, fuel station.

Maria is a 58 years old woman who for the last three years has worked in Bolzano. She has always lived in Trento with her husband and her children and even if the movement between Trento and Bolzano has always been annoying she has never wanted to move there. To respect her daily routine she has always preferred to move autonomously using the family car but when her husband needs it she use the car sharing service. Due to all this rush she is always careful on the best route to take and she usually spend a lot of time by studying the several possible paths to get her destination.

During the family holidays she often rent a camper in order to visit all the Trentino and sometimes to move also to other countries. Even if she knows that this kind of holiday can be more expensive than staying in an hotel she really likes planning the several routes to be taken and the evaluating of the several rest areas.

One of her children really likes the cable cars, so during the weekend she often goes with her family to Sardinia. Moreover, once a month, they all go to visit her mother who lives on the shore of the Molveno Lake and there they often take a walk all around the lake.

2.1.3 People Description

In the following table we want to resume the main interests of the people described in the storytelling section highlighting in particular the usage of the system we want to provide.

Name	Age	Interest	Usage
Claudio	17	Go to school, to his basketball training or matches all around the Trentino. Hang out with his friends	Check the public transportation schedules and the position of the facility he needs
Andrea	35	Go to the work by car or sometimes by public transports. Go hiking in the Trentino mountains	Check the fastest ways to get his several destination. Planning his hiking
Elisa	23	Go to the university, go cycling and camping with friends	Check cycling routes and facilities, check public transportation schedules and cheaper campsites
Maria	58	Go to the work by using her car or the car-sharing service, save as much time as possible. Visit the Trentino during the holidays	Check fastest and cheapest routes, check the schedule of the public transports, check the position of all the facilities she needs

2.2 Inception

2.2.1 CQs definition

Starting from the people described in the scenario we have imagined which could be their needs and tried to identify those possible questions which could be done to our system. The following table contains person doing the questions and the possible answer that the system should provide.

Person	CQ #	Question	Answer
Claudio	1.1	List all the possible paths from Gardolo to Trento	Return all the routes from Gardolo Square to Trento Square highlighting modes of transport, time spent on each route, prices of each path, useful facilities available encountered in the path
Claudio	1.2	List each path from Gardolo to Trento duration	Return the "duration" associated to each path from Gardolo Square to Trento Square
Claudio	1.3	List all the train itineraries from Gardolo to Trento	Return paths with associated route, time spent, price, Railway Stations and mode of transportation that has field type: "train" from the closest Railway Station to Gardolo Square to the closest Railway Station to Trento Square
Claudio	1.4	List all the parks location in Trento	Return all the locations and addresses associated to each park in Trento
Claudio	1.5	List all the possible ways to get a specific Park	Return all the possible paths with associated routes, modes of transportation, time spent and prices from Trento Square to the Park

Person	CQ #	Question	Answer
Claudio	1.6	Give the cost of the cheapest path from Gardolo to Trento	Find the path from Gardolo Square to Trento Square with the associated smallest price and return the value of "price"
Claudio	1.7	List all the bus itineraries from Gardolo to the High School "Leonardo Da Vinci"	Return the paths with associated route, time spent, price, buses stops which have the mode of transport field as: "bus" from Gardolo Square to the High School "Leonardo Da Vinci"
Claudio	1.8	Give the time spent of the fastest path from Gardolo to Trento	Find the path from Gardolo Square to Trento Square with the associated smallest time spent and return the value of "time spent"
Claudio	1.9	List all the costs from Gardolo to Trento	Return the associated "price" value of each path from Gardolo Square to Trento Square
Claudio	1.10	List all the Bus Stops from Gardolo to Trento	Find all the paths from Gardolo Square to Trento Square which have the mode of transport field as: "bus" and return for each path the location, address and schedule of the stops
Claudio	1.11	Give the fastest path from Gardolo to the High School "Leonardo Da Vinci"	Return route, mode of transport, price, time spent and the list of useful facilities with the lower associated field: "duration" from Gardolo Square to the High School "Leonardo Da Vinci"
Claudio	1.12	Give the closest park to a specific location	Search in a range of 5km all the facilities with the type field as "park" and return location, address and route associated to the park in which the value of the route field "length" is the lowest
Claudio	1.13	Give the closest bus stop to a specific location	Search in a range of 5km all the bus stops and return location, address, schedule and route associated to the bus stop in which the value of the route field "length" is the lowest
Claudio	1.14	Give the closest train stop to a specific location	Search in a range of 5km all the Railway Stations and return location, address, schedule and route associated to the Railway Station in which the value of the route field "length" is the lowest

Person	CQ #	Question	Answer
Andrea	2.1	Give the fastest path from Trento to Mezzolombardo	Search for the path with the lowest value of the field "duration" from Trento Square to Mezzolombardo Square and return route, mode of transport, time spent, cost and all the associated facilities
Andrea	2.2	List all the possible paths from Trento to Cles	Return route, mode of transport, time spent, price and associated facilities of all the possible paths from Trento to Cles
Andrea	2.3	Give all the fastest train itinerary from Trento to Mezzolombrardo	Return the path from Trento Square to Mezzolombardo Square with associated route, price and Railway Stations which has the field type of the mode of transport as "train" and the lowest value of the "time spent"
Andrea	2.4	List all possible paths from Trento to Pergine Valsugana	Return route,mode,price,time spent and all associated facilities of all possible paths from Trento to Pergine Valsugana
Andrea	2.5	List all the hiking paths in Trentino	Return route, time spent, starting point, final point and associated facilities of all hiking paths in Trentino
Andrea	2.6	Give longest hiking path in Trentino	From all the hiking paths in Trentino, return route, time spent, initial position, final position and facilities associated of the path with the maximum value of the route field "length"
Andrea	2.7	List all the available parking areas close to a specific point	Return contact, locations, addresses and price of the parking areas which has the value of the field "length" of the associated route < 5km from the specific point
Andrea	2.8	List all the available fuel station between Trento and Tione	From the list of all the paths starting in Trento Square and arriving in Tione Square return all the available facilities of types "Fuel Station" with contact, locations, address, schedule and price
Andrea	2.9	List all the buses itinerary from Trento to Mezzolombardo	Return route, cost, time spent and facilities associated of all the paths starting in Trento Square and arriving in Mezzolombardo which have the field type of the mode of transport as "Bus"

Person	CQ #	Question	Answer
Andrea	2.10	Give the closest parking area to a specific point	Return contact, location, address, route, time spent, price of the path starting in the specific point and arriving in the parking area with the lowest value of the field "length" of the route
Andrea	2.11	Give the closest fuel station to a specific point	Find the facilities of which the value of the field type is "Fuel Station" and return contact, location, address and price of the one with the lowest value of the field "length" of the route
Andrea	2.12	Give the length of a specific hiking path	Return the value of the field "length" of the specific path
Andre	2.13	Give the location of the cheapest fuel station close to Trento	From all the fuel station with the value of the field route < 5km from the Trento Square return the location and the address of the one with the lowest value of the field price
Elisa	3.1	List all the possible paths from Rovereto to Trento	Return route, time spent, prices and mode of transportation of all the possible paths starting from Rovereto Square and arriving to Trento Square
Elisa	3.2	List all the bus itineraries from Rovereto to Trento	Return route, time spent, costs, schedule and bus stops of all the paths with the value of the field type of the associated mode of transportation equal to "bus" from the Rovereto Square to the Trento Square
Elisa	3.3	List all the e-bikes facilities location in Trento	Return location and address of all the e-bikes facilities in Trento
Elisa	3.4	Give the availability of all the e-bikes facilities in Trento	Return location and address of all the available e-bikes facilities
Elisa	3.5	List all the cycling itineraries in Trento	Return route, time spent, starting position, arrival position of all the cycling routes with the distance from the Trento Square < 5km
Elisa	3.6	Give the cost of the cheapest path from Rovereto to Trento	Return the value "price" of the path with the lowest value of the associated price with starting position in Rovereto Square and arrival position in Trento Square

Person	CQ #	Question	Answer
Elisa	3.7	Give the cheapest train itinerary from Trento to Rovereto	Return route, time spent, price and all the facilities associated of the path starting in Roverto Square and arriving in Trento Square with lowest value of the field "price" and the value of the mode of transportation field type equal to "train"
Elisa	3.8	Give the longest cycling route of Trento	Return route, time spent, starting position, arrival position of the cycling routes with the distance from the Trento Square < 5km and the maximum value of the field "length" of the route
Elisa	3.9	Give the closest e-bike location to a specific point	Return location and address of the e-bikes facility with the lowest value of the field "length" of the route between the specific point and the facility location
Elisa	3.10	List all the campsites close to Trento	Return contacts, location, address, and price of all the campsites with the value of the field route < 5km starting from Trento Square
Elisa	3.11	Give the closest campsite to a specific point	Return contact, locations, addresses and price of the campsite which the lowest value of the filed "length" of the associated route starting from the specific point
Elisa	3.12	List the cost of all the campsites close to Trento	Return the value of the field "price" of all the campsites with the value of the field route < 5km starting from Trento Square
Elisa	3.13	Give the cost of the cheapest campsite close to Trento	Return the value of the field "price" of the campsites with the value of the field route < 5km starting from Trento Square and the lowest value of the field "price"
Elisa	3.14	Give the most economic path from Rovereto to the Sociology Department in Trento	From all the paths starting from the Rovereto Square and arriving to the Sociology Department return route, time spent, price, mode of transport and associated facilities of the one with the lowest value of the field "price"
Maria	4.1	List all the possible paths from Bolzano to Trento	Return route, time spent, price, mode of transport and all the associated facilities of all the paths from Bolzano Square to Trento Square

Person	CQ #	Question	Answer
Maria	4.2	List all the fuel station between Bolzano and Trento	From all the path starting in Bolzano Square and arriving in Trento Square return contact, location, address, price of all the facilities with the value of the field type equal to "Fuel Station"
Maria	4.3	Give the cheapest fuel stations in Bolzano	From all the facilities with the route value < 5km from the Bolzano Square search the one with value of the field type equal to "Fuel Station" and lowest value of the filed "price", return contact, location, address and price of it
Maria	4.4	List all the train itineraries from Trento to Bolzano	From all the paths starting in Trento Square and arriving in Bolzano Square return route, time spent, price and facilities of those with the field type of the mode of transport equal to "train"
Maria	4.5	List all the paths costs from Bolzano to Trento	For each path starting in Bolzano Square and arriving in Trento Square return the value of the field "price"
Maria	4.6	Give the closest fuel station to a specific point	Return contact, location, address, price of the facility with type "Fuel Station" which has the lowest value "Length" of the associated route
Maria	4.7	Give the closest available "car sharing" position to a specific point	Return location and address of the car-sharing facility with availability "1" and the lowest value of the field "length" of the route between the specific point and the facility location
Maria	4.8	Give the fastest path from Bolzano to Trento by using public transports	From the list of paths starting in Bolzano Square and arriving in Trento Square with the field Public of the mode of transport equal to "1" return the one with the lowest value of "time spent"
Maria	4.9	Give the cost of the fastest public transportation path from Bolzano to Trento	From all the paths starting in Bolzano Square and arriving in Trento Square with value of the field Public of the mode of transport equal to "1" search the one with lowest value of the field "time spent" and return its associated "price"

Person	CQ #	Question	Answer
Maria	4.10	List all the possible paths from Trento to Molveno by using the car	Return route, time spent, price and facilities mode of all the possible path from Trento to Molveno with the field Public of mode of transport equal to "0"
Maria	4.11	Give the cable car schedule from Trento to Sardagna	From all the path from Trento Square to Sardagna Square find those with the field type of the mode of transport equal to "cable car" and return the schedule
Maria	4.12	Give the fastest path from Trento to Molveno	From the list of paths starting in Trento Square and arriving in Molveno Square return the one with the lowest value of "time spent"
Maria	4.13	Give the cheapest path from Trento to Molveno	From the list of paths starting in Trento Square and arriving in Molveno Square return the one with the lowest value of "price"

2.2.1.1 Inception Schema In this paragraph we are going to schematize the several queries. The next tables has 3 properties: the number of the query, the the associated type which is going to be returned to answer to the question and last the properties defining the type.

CQ #	Type	Properties
1:1-4-11 2:1-2-4-5-6-9 3:3-4-7-9-10-11-14 4:1-4-7-10-11	Generic (Facility)	Type, Availability
1:1 2:8-11-13 3 4:2-3-6	Fuel Station (Facility)	Price
1:1 2:7-10 3 4:	Parking Area (Facility)	Price
1:1-3-14 2:3 3 4:	Railway Station (Facility)	
1:1-7 2: 3:7 4:	Buses Station (Facility)	
1:1-3-5-7-8-11-12-13 2:1-2-3-4-5-6-7-8-9-12 3:1-2-5-7-8-10-11-12-14 4:1-4-7-8-10-12-13	Route	Length, Speed limits
1:1-5-7-11 2:1-2-3-4 3:1-8-14 4:1-5-13	Mode of transport	Type
1:1-3-5-6-7-9-11 2:1-2-3-4-7-8-9-10-11-13 3:1-2-5-7-6-9-10-12-13-14 4:1-3-4-5-6-8-9-10-13	Price	Price
1:1-4-5-10-12-13-14 2:5-6-7-8-10-11-12-13 3:3-4-5-7-8-9-10-11 4:2-3-6-7-10-12	Location	Latitude, Longitude, Altitude

CQ #	Type	Properties
1:1-2-3-5-7-8-11 2:1-2-3-4-5-6-7-8-9-10-11 3:1-2-5-7-8-10-11-14 4:1-4-7-8-9-10-12-13	Time spent	Duration
1:7-10-13-14 2: 3 4:11	Stop	Schedule
2:7-8-10-11-13 3:3-4-5-7-10-11 4:2-3-6-7-10	Contact	Website, Phone, Email address
1:1-4-5-10-12-13-14 2:7-8-10-11-13 3:3-4-5-7-9-10-11 4:2-3-6-7-10-12	Address	Province, City, Village, Street, Number, CAP

2.2.2 Initial Datasets description

In this section are reported the metadata at datasets level involved in the Inception phase, so those metadata regarding the sources, the authors, the collection methods, and other meaningful information. In this step we have identified twelve datasets which are useful to answer to the several quires.

- **Trentino public transport Urban TTE:** this dataset contains the *core data* about the city of Trento;
- **Trentino public transport Extra-Urban TTE:** this dataset contains the *core data* of routes in the Trentino province;
- **Trentino public transport rates for Urban TTE:** contains the *core data* of prices of routes in Trento;
- **Trentino public transport rates for Extra-Urban TTE:** contains the *core data* of prices of routes in Trentino Province;
- **Cycle paths:** contains the *common data* of cycle paths routes;
- **Cycling points of interest:** contains the *common data* of cycle point of interest;
- **Italian Parking Areas:** contains the *contextual data* of the parking places;
- **Railway Stations:** contains the *common data* of the railway's stations;
- **Car sharing (Open Data):** contains the *common data* of the Car sharing information.;
- **Map of petrol stations in Italy:** contains the *contextual data* of the gas stations around Italy;
- **Mountain Paths:** contains the *common data* of the mountain paths;
- **Campsite and other accommodation facilities:** contains the *contextual data* of the campsites and their relative prices.

1. Trentino public transport Urban TTE.

This dataset is beased on the GTFS standard and have eleven different attributes (agency, calendar, calendar_dates, feed_info, routes, shapes, stop_times, stops, stoplevel, transfers, trips). Each attribute is in separate txt file. General description of this dataset is in table below:

Info	Description
Dataset Identifier	p-TN: d3c9f167-3271-4a43-b5c1-e0879aa5ad3f
Dataset Publisher	Name: Public Transport Service, IPAVAT Code: 00K0PZ
Date of modification	2017-10-24
Geographic coverage	Trento
URI of GeoNames	https://www.geonames.org/3165241
Languages of the dataset	Italian
Holder	Autonomous Province of Trento
Refresh Rate	Half yearly
Author	Name: Public Transport Service, IPA VAT: 00K0PZ
Url	https://www.trentinotrasporti.it/opendata/google_transit_urbano_tte.zip
License	Creative Commons Attribution 4.0 International (CC BY 4.0)
License_Type	https://w3id.org/italia/controlled-vocabulary/licences/A21_CCBY40
Format	txt

2. Trentino public transport Extra-Urban TTE.

This dataset is based on the GTFS standard and has eleven different attributes (agency, calendar, calendar_dates, feed_info, routes, shapes, stop_times, stops, stoplevel, transfers, trips). Each attribute is in a separate txt file. General description of this dataset is in the table below:

Info	Description
Dataset Identifier	p-TN: d3c9f167-3271-4a43-b5c1-e0879aa5ad3f
Dataset Publisher	Name: Public Transport Service, IPA / VAT Code: 00K0PZ
Date of modification	2017-10-24
Geographic coverage	Trento
URI of GeoNames	https://www.geonames.org/3165241
Languages of the dataset	Italian
Holder	Autonomous Province of Trento
Refresh Rate	Half yearly
Author	Name: Public Transport Service, IPA / VAT: 00K0PZ
Url	https://www.trentinotrasporti.it/opendata/google_transit_extraurbano_tte.zip
License	Creative Commons Attribution 4.0 International (CC BY 4.0)
License_Type	https://w3id.org/italia/controlled-vocabulary/licences/A21_CCBY40
Format	txt

3. Trentino public transport rates for Urban TTE.

This dataset is based on the GTFS standard and has seven different attributes (fare_attributes_urbano.txt, fare_attributes_urbano_cartascale, fare_attributes_urbano_mobile, fare_rules_urbano, fare_rules_urbano_cartascale,

fare_rules_urbano_mobile, zones_urbano). Each attribute is in separate txt file. General description of this dataset is in table below:

Info	Description
Dataset identifier	p_TN: d3c9f167-3271-4a43-b5c1-e0879aa5ad3f
Dataset Publisher	Name: Public Transport Service, IPA / VAT Code: 0OK0PZ
Date of modification	2019-05-09
Geographic coverage	Trento
URI of GeoNames	https://www.geonames.org/3165241
Languages of the dataset	Italian
Holder	Autonomous Province of Trento
Refresh rate	Half yearly
Author	Name: Public Transport Service, IPA / VAT: 0OK0PZ
Url	https://dati.trentino.it/dataset/6d5c2000-972e-4c21-aef6-fdbba94418a8/resource/44efc0bd-223a-49c7-b3b0-16128e32813c/download/tariffegtfsurbano.zip
License	Creative Commons Attribution 4.0 International (CC BY 4.0)
License_Type	https://w3id.org/italia/controlled-vocabulary/licences/A21_CCBY40
Format	txt

4. Trentino public transport rates for Extra-Urban TTE.

This dataset is based on the GTFS standard and has seven different attributes (fare_attributes_urbano.txt, fare_attributes_urbano_cartascale, fare_attributes_urbano_mobile, fare_rules_urbano, fare_rules_urbano_cartascale, fare_rules_urbano_mobile, zones_urbano). Each attribute is in separate txt file. General description of this dataset is in table below:

Info	Description
Identifier	p_TN: d3c9f167-3271-4a43-b5c1-e0879aa5ad3f
Publisher	Name: Public Transport Service, IPA / VAT Code: 0OK0PZ
Date of modification	2019-05-09
Geographic coverage	Trento
URI of GeoNames	https://www.geonames.org/3165241
Languages of the dataset	Italian
Holder	Autonomous Province of Trento
Refresh rate	Half yearly
Author	Name: Public Transport Service, IPA / VAT: 0OK0PZ
Url	https://dati.trentino.it/dataset/6d5c2000-972e-4c21-aef6-fdbba94418a8/resource/10e93dd1-3463-4664-8c24-300a7403780a/download/tariffegtfsextraurbano.zip
License	Creative Commons Attribution 4.0 International (CC BY 4.0)

Info	Description
License_Type	https://w3id.org/italia/controlled-vocabulary/licences/A21_CCBY40
Format	txt

5. Piste ciclabili (Cycle paths).

General description of this dataset is in table below:

Info	Description
Landing page	https://siat.provincia.tn.it/IDT/vector/public/p_tn_3ff5db13-8a3d-4bd8-8d6f-9b2fdf1aeb41.zip
Created	26.09.2008
Coordinates	[[[10.41, 46.6], [11.97, 46.6], [11.97, 45.6], [10.41, 45.6], [10.41, 46.6]]] Type: Polygon
Contact	mailto: serv.naturambiente@provincia.tn.it
Identifiers	p-TN:3ff5db13-8a3d-4bd8-8d6f-9b2fdf1aeb41_resource
Format	cpg,dbf,prj,shp,shx

6. Punti di interesse ciclabili (Cycling points of interest).

Representation of the punctual elements present on the Trentino cycle paths: bicigrill (refreshment point, assistance and information), counters (instrumentation for detecting pedestrian and cycle paths), cippi km and fountains. General description of this dataset is in table below:

Info	Description
Landing page	https://siat.provincia.tn.it/IDT/vector/public/p_tn_0211d261-70d8-485e-9265-b1c27b1a84e1.zip
Created	30.04.2019
Coordinates	[[[10.41, 45.6], [10.41, 46.6], [11.97, 46.6], [11.97, 45.6], [10.41, 45.6]]] Tipo: Polygon
Contact	mailto: serv.naturambiente@provincia.tn.it
Identifiers	p-TN:0211d261-70d8-485e-9265-b1c27b1a84e1_resource
Format	cpg,dbf,prj,shp,shx

7. Parking map in Italy.

Archive, which can be represented on the map, which contains the non-exhaustive list of over 21,000 car parks in Italy. The source of the data is [OpenStreetMap.org](https://www.openstreetmap.org) which has been assigned with automated procedures the classification by municipality, province and region. Data updated on: 23 February 2016 The data was created by [DatiOpen.it](https://www.dataopen.it) on 23 February 2016

Info	Description
Landing page	http://www.datiopen.it/it/opendata/Mappa_dei_parcheggi_in_Italia
Created	23.02.2016
Contact	mailto: info@datiopen.it
AUTHOR	OpenStreetMap http://www.datiopen.it/it/catalogo-opendata/openstreetmap-org
PUBLISHED BY	Open.it
Format	xlsx

8. Train stations (Open data).

Station of the railway stations in the municipal area of Trento. It includes the Brenner railway, the Trento_Malè-Marilleva railway and the Valsugana railway. Data provided by Trentino Trasporti.

Info	Description
Landing page	https://www.comune.trento.it/Aree-tematiche/Cartografia/Download/Stazioni-treno
Created	01.01.2017
Contact	mailto: Servizio.innovazionedigitale@comune.trento.it
AUTHOR	Trentino Trasporti https://www.trentinotrasporti.it/
PUBLISHED BY	Trentino Trasporti
Format	gml,shp,kml,dxf

9. Car sharing (Open Data).

Location of Car sharing stalls Parking spaces dedicated to the collection and delivery of Car sharing vehicles. Data taken directly from the site <https://www.carsharing.tn.it> Car sharing allows you to have a car suitable for family or business needs without owning one and without incurring fixed costs (road tax, insurance, maintenance, garage or parking), but paying only in proportion to use.

Info	Description
Landing page	https://dati.trentino.it/dataset/car-sharing-open-data
Created	04-05-2018
Contact	mailto: Servizio.innovazionedigitale@comune.trento.it
AUTHOR	Name: Municipality of Trento IPA / VAT: c.l378
PUBLISHED BY	Trentino Trasporti
License	http://creativecommons.org/publicdomain/zero/1.0/deed.it
Format	gml,shp,kml,dxf

10. Map of petrol stations in Italy.

Archive, which can be represented on the map, which contains the non-exhaustive list of over 13,000 petrol stations in Italy. The source of the data is OpenStreetMap.org which has been assigned with automated

procedures the classification by municipality, province and region.

Info	Description
Landing page	http://www.datiopen.it/it/opendata/Mappa_dei_distributori_di_carburante_in_italia
Created	23-02-2016
Contact	mailto: Servizio.innovazionedigitale@comune.trento.it
AUTHOR	OpenStreetMap
PUBLISHED BY	DatiOpen.it
License	http://opendatacommons.org/licenses/odbl/
Format	xlsx

11. Province of Trento Paths.

Paths of the entire network of the Società degli Alpinisti Tridentini (SAT) that insist on the territory of the Autonomous Province of Trento: each path consists of the spatial coordinates that allow it to be correctly positioned on the territory and presents a series of additional textual information (attributes) that describe.

Info	Description
Landing page	http://www.datiopen.it/it/opendata/Provincia_di_Trento_Sentieri
Created	15-12-2015
Contact	mailto: sentieri@sat.tn.it
AUTHOR	SAT (Society of Tridentine Alpinists)
PUBLISHED BY	DatiOpen.it
License	http://opendatacommons.org/licenses/odbl/
Format	shp,json,xml,csv

12. Autonomous Province of Trento List of non-hotel structures.

The archive contains information on non-hotel accommodation facilities in the territory of the Autonomous Province of Trento: rural businesses, bed-and-breakfasts, campsites, hostels, holiday homes, etc. Where available, the data contains the address, telephone, e-mail address, website and other information.

Info	Description
Landing page	http://www.datiopen.it/it/opendata/Provincia_Autonomadi_Trento_Elenco_strutture_extra_alberghiere?metadati=showall
Created	25-10-2017
Contact	mailto: info@open.it
AUTHOR	Trentino Alto Adige Region
PUBLISHED BY	DatiOpen.it
License	http://opendatacommons.org/licenses/odbl/
Format	xls,csv,json

2.2.3 Datasets metadata documentation

Datasets following the GTFS format have a standard metadata definition¹.

Regarding the datasets containing the information for urban and extra urban:

- **agency.txt**: it contains information about the agency - Trentino Trasporti;
- **calendar.txt**: it contains information about the operational days of the week;
- **calendar_dates.txt**: exceptions to the pattern described into *calendar.txt*;
- **feed_info.txt**: information about the publisher;
- **routes.txt**: we will use the information contained into these files to obtain urban and extra-urban paths;
- **shapes.txt**: it contains the path that the bus travels along a route;
- **stop_times.txt**: we can extract all the information regarding travel time and time scheduling;
- **stops.txt**: into this file we can extract all the stops information like name and coordinates;
- **transfers.txt**: information about transfers between lines;
- **trips.txt**: information about service available a certain route.

Moreover, the datasets containing the prices will be integrated with the above information to provide a complete overview over a certain route; all the metadata descriptions about the Trentino Trasporti's datasets are found [here](#). Further meta description and origin of the attributes are available at this [github repository](#).

2.2.4 Datasets collection process

In this section we are going to explain the method used to collect the several datasets. In particular we have divided the process in 4 different steps as described in the iTelos Methodology. Entering into details:

2.2.4.1 Iteration Zero In the first step we verified that datasources were compliant with the information we needed for the competency queries in *common data* typology.

Indeed, we realized that we were missing *the campsite and accomodation dataset*; we then proceed to add this dataset to the datasources sheet.

2.2.4.2 Iteration One In the second step we downloaded the following datasets in *common data* typology: Cycle paths, Cycling points of interest, Railway Stations and Mountain Paths. The kind of information we cared the most were the coordinates of the cycling points.

We then added a metadata description of both the dataset and the attributes to have a more descriptive information. A lot of **CQs** require locations points that are found in these datasets, so that the reason why we decide to categorized them as *common data*.

¹Google metadata description: <https://developers.google.com/transit/gtfs/reference>

2.2.4.3 Iteration Two In the third iteration we extracted all the data for the *core data* typology. The datasets collected by the datasources were using the GFTS standard, so that metadata description were already available together with the Trentino Trasporti dataset.

In this iteration the following datasets were extracted and categorized as *core data* according to the **CQs**: Trentino public transport Urban TTE, Trentino public transport Extra-Urban TTE, Trentino public transport rates for Urban TTE, Trentino public transport rates for Extra-Urban TTE.

2.2.4.4 Iteration Three In the last iteration we collected the *contextual data* typology by extracting the following datasets: Italian Parking Areas, Car Sharing, Italian Gas Stations, Campsite and other accommodation facilities.

As long as some prices were missing in some *campsite and accomodations* dataset, we elaborated the data price attribute by calculating **mean** and **variance** over the available information on a specific category and assumed that they the fit a **normal distribution**. We then randomly fill the missing data accordingly to obtain cleaned dataset.

2.2.5 Inception level evaluation

The last section of the Inception phase report the evaluation of the outcomes obtained in this phase, through specif evaluation metrics.

2.3 Informal Modeling

This section is dedicated to the Informal Modeling phase description. The Section is divided in Schema and Data level in order to report the details of the elements involved in the generation of the schema, as well as the description of the datasets evolution in this phase. Moreover a specif section, one for each level, reports the difference between the elements defined in this phase and the definitions in the previous phase, analyzing in this way the variance in the different phases.

2.3.1 Schema level

The schema level in this phase report the first informal definition of the ETypes and of the EER model constructed using them.

2.3.1.1 ETypes and EER Model definition


This section reports an informal definition of the ETypes involved in the datasets collected in the previous phase. This section includes a list of metadata associated to each of the elements generated.

2.3.1.2 Variance respect CQs definition

This section aims to define the variance between the schema elements produced in this phase, and the definition of the CQs reported in the previous phase. This a way to define the quality of the outcomes for the current phase as well as the alignment of the overall project development process.

2.3.2 Data level

The data level section in this phase reports the evolution of the datasets collected previously, reporting the metadata information for each new data, or new version of data, obtained.



2.3.2.1 Datasets management process

During the Informal Modeling phase the datasets collected in the previous phase are filtered and managed in order to obtain more suitable sets of data. In this section are described the procedures adopted to obtain that result.

2.3.2.2 Datasets metadata documentation

In this section is reported a list of new metadata in order to describe the modification performed on each datasets and attribute, to achieve the new version of the datasets.

2.3.2.3 Variance respect Inception datasets

This section aims to define the variance between the data elements (datasets and attributes within them) produced in this phase, and the initial datasets collected in the previous phase. This a way to define the quality of the outcomes for the current phase as well as the alignment of the overall project development process.

2.3.3 Informal Modeling Evaluation

The last section of the Informal Modeling phase report the evaluation of the outcomes obtained in this phase, through specif evaluation metrics.

2.4 Formal Modeling

This section is dedicated to the Formal Modeling phase description. The Section is divided in Schema and Data level in order to report the details regarding both the ontology generated and the datasets version in the current phase.

2.4.1 Schema level

The schema level section in the current phase, reports the detailed description of the ontology generation.

2.4.1.1 Ontology definition

This section reports in details how the ontology is generated stating from the informal schema of the previous phase, which tools are used to do that, as well as usage of external ontology resources adopted to obtain the final KG ontology. Moreover a list of metadata is reported in this section, in order to describe all the elements of the ontology defined.

2.4.1.2 Variance respect to the EER Model

Once the ontology has been built, this section report the differences, and so the variance, respect the EER model defined in the previous phase. This a way to define the quality of the outcomes for the current phase as well as the alignment of the overall project development process.

2.4.2 Data level

As in the previous phase the data level section here, reports the description of the new version of the datasets, after formatting operations.

2.4.2.1 Formal Modeling datasets management

In this section are reported the operations and the tools adopted to format the dataset collected, in order to align them to the ontology definitions generated at schema level.

2.4.2.2 Datasets metadata documentation

In this section eventually new metadata information are added in order to describe the evolution of the datasets.

2.4.2.3 Variance respect Informal Modeling datasets

This section aims to define the variance between the data elements (datasets and attributes within them) produced in this phase, and the initial datasets collected in the previous phase. This a way to define the quality of the outcomes for the current phase as well as the alignment of the overall project development process.

2.4.3 Formal Modeling Evaluation

The last section of the Formal Modeling phase report the evaluation of the outcomes obtained in this phase, through specif evaluation metrics.

2.5 Data integration

This section is dedicated to the Data Integration phase description.

2.5.1 Data integration operations and tool

This section is dedicated to the description of the usage of the data integration tool that allows to map the datasets generated and well formatted in the previous phases, with the final ontology generated. The last datasets adaptation performed using the tool, as well as the mapping operation are here detailed.

2.5.2 Variance respect Formal Modeling datasets

The last section of the data integration phase aims to describe the variance, analyzing the differences, between the datasets integrated with the ontology, in the data integration platform which contain the KG, and the datasets collected in the previous phase. This analysis can highlight the results of the operations performed during the final phase of the data integration process.