

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential



Only available to residential customers

A100 / F100^a / T100^b General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$51.308
- Unit rate	¢/kWh	7.970

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; **Non-summer period:** All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$51.308
-------------------	----------------	----------

Summer rates

- Peak Unit rate	¢/kWh	12.366
- Shoulder Unit rate	¢/kWh	7.970
- Off Peak Unit rate	¢/kWh	3.798

Non-summer rates

- Peak Unit rate	¢/kWh	12.366
- Shoulder Unit rate	¢/kWh	7.970
- Off Peak Unit rate	¢/kWh	3.798

A10D / F10D^a / T10D^b General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$51.308
- Unit rate	¢/kWh	3.737
- Demand rate	\$/kW pa	\$59.091

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$51.308
- Peak Unit rate	¢/kWh	12.366
- Off Peak Unit rate	¢/kWh	2.330

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$86.493
- Peak Unit rate	¢/kWh	10.286
- Off Peak Unit rate	¢/kWh	2.593

A180 Off Peak Heating Only (dedicated circuit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	2.568

Small Business

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge	\$/customer pa	\$95.534
- Unit rate	¢/kWh	9.905

A20D / F20D^a / T20D^b General Purpose - Demand

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

- Standing charge	\$/customer pa	\$95.534
- Unit rate	¢/kWh	7.984
- Demand rate	\$/kW pa	\$57.272

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter) AND

consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$151.860
- Peak Unit rate	¢/kWh	12.102
- Off Peak Unit rate	¢/kWh	2.625

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A230 / F230^a / T230^b Time of Use Weekdays - Demand			
Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$304.396
- Peak Unit rate	¢/kWh		7.344
- Off Peak Unit rate	¢/kWh		2.714
- Demand rate	\$/kW pa		\$64.683
A23N / F23N^a / T23N^b Time of Use - Opt-out			
Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$304.396
- Peak Unit rate	¢/kWh		12.102
- Off Peak Unit rate	¢/kWh		2.625
- Demand rate	\$/kW pa		\$0.000
A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)			
Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$151.860
- Peak Unit rate	¢/kWh		10.695
- Off Peak Unit rate	¢/kWh		2.808
A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)			
Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$304.396
- Peak Unit rate	¢/kWh		6.135
- Off Peak Unit rate	¢/kWh		2.841
- Demand rate	\$/kW pa		\$64.683
Minimum Chargeable Demand	60 kW		
A290 Unmetered Supply			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Peak Unit rate	¢/kWh		11.053
- Off Peak Unit rate	¢/kWh		2.829

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers
with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,299.068
- Peak Unit rate	¢/kWh	4.257
- Off Peak Unit rate	¢/kWh	1.779
- Demand rate	\$/kVA pa	\$97.685
Minimum Chargeable Demand	120 kVA	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,299.068
- Peak Unit rate	¢/kWh	4.286
- Off Peak Unit rate	¢/kWh	1.779
- Demand rate	\$/kVA pa	\$110.449
Minimum Chargeable Demand	120 kVA	

A320 LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,049.215
- Peak Unit rate	¢/kWh	3.806
- Off Peak Unit rate	¢/kWh	1.774
- Demand rate	\$/kVA pa	\$91.141
Minimum Chargeable Demand	250 kVA	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,049.215
- Peak Unit rate	¢/kWh	3.658
- Off Peak Unit rate	¢/kWh	1.774
- Demand rate	\$/kVA pa	\$100.614
Minimum Chargeable Demand	250 kVA	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A340	LV 2.2⁺ - 6.0 GWh		
Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$6,945.780
	- Peak Unit rate	¢/kWh	3.762
	- Off Peak Unit rate	¢/kWh	1.656
	- Demand rate	\$/kVA pa	\$90.232
	Minimum Chargeable Demand	250 kVA	
A34E	LV_{EN} 2.2⁺ GWh		
Only available to embedded network customers consuming > 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$6,945.780
	- Peak Unit rate	¢/kWh	3.391
	- Off Peak Unit rate	¢/kWh	1.652
	- Demand rate	\$/kVA pa	\$96.551
	Minimum Chargeable Demand	250 kVA	
A34M	LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e		
Only available to non-embedded network customer taking supply from multiple NMLs on a single site AND the aggregated annual consumption from those NMLs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
	- Standing charge	\$/customer pa	\$4,807.191
	- Peak Unit rate	¢/kWh	3.987
	- Off Peak Unit rate	¢/kWh	1.649
	- Demand rate	\$/kVA pa	\$62.488
	Minimum Chargeable Demand	250 kVA	
A370	LV 6.0⁺ GWh		
Only available to non-embedded network customers consuming > 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$10,672.686
	- Peak Unit rate	¢/kWh	3.458
	- Off Peak Unit rate	¢/kWh	1.592
	- Demand rate	\$/kVA pa	\$86.905
	Minimum Chargeable Demand	450 kVA	
A37M	LV_{MS} 6.0⁺ GWh (closed to new entrants)^e		
Only available to non-embedded network customer taking supply from multiple NMLs on a single site AND the aggregated annual consumption from those NMLs is > 6.0 GWh			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$7,828.385
	- Peak Unit rate	¢/kWh	3.564
	- Off Peak Unit rate	¢/kWh	1.592
	- Demand rate	\$/kVA pa	\$62.627
	Minimum Chargeable Demand	450 kVA	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to non-embedded network customers consuming < 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$13,283.536
- Peak Unit rate	¢/kWh	3.374
- Off Peak Unit rate	¢/kWh	1.124
- Demand rate	\$/kVA pa	\$73.463
Minimum Chargeable Demand	1,000 kVA	

A40E HV_{EN}

Only available to embedded network customers

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$13,283.536
- Peak Unit rate	¢/kWh	3.202
- Off Peak Unit rate	¢/kWh	1.124
- Demand rate	\$/kVA pa	\$75.547
Minimum Chargeable Demand	1,000 kVA	

A40R HV_{RF} (closed to new entrants)^e

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$13,283.536
- Peak Unit rate	¢/kWh	3.370
- Off Peak Unit rate	¢/kWh	1.124
- Demand rate	\$/kVA pa	\$70.997
Minimum Chargeable Demand	1,000 kVA	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to non-embedded customers consuming ≥ 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$13,660.542
- Peak Unit rate	¢/kWh	3.146
- Off Peak Unit rate	¢/kWh	1.040
- Demand rate	\$/kVA pa	\$68.492
Minimum Chargeable Demand	10,000 kVA	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
Large Business - Subtransmission			
Subtransmission Tariffs (nominal voltage > 22,000 Volts)			
A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$51,718.534
	- Peak Unit rate	¢/kWh	2.235
	- Off Peak Unit rate	¢/kWh	0.654
	- Demand rate	\$/kVA pa	\$23.298
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$51,718.534
	- Peak Unit rate	¢/kWh	2.235
	- Off Peak Unit rate	¢/kWh	0.654
	- Demand rate	\$/kVA pa	\$23.398
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$34,380.835
	- Peak Unit rate	¢/kWh	2.259
	- Off Peak Unit rate	¢/kWh	0.641
	- Demand rate	\$/kVA pa	\$7.729
	Minimum Chargeable Demand	15,000 kVA	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017. Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid.

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx>
<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$51.008
- Unit rate	¢/kWh	7.562

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; **Non-summer period:** All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$51.008
-------------------	----------------	----------

Summer rates

- Peak Unit rate	¢/kWh	12.183
- Shoulder Unit rate	¢/kWh	7.562
- Off Peak Unit rate	¢/kWh	3.676

Non-summer rates

- Peak Unit rate	¢/kWh	12.183
- Shoulder Unit rate	¢/kWh	7.562
- Off Peak Unit rate	¢/kWh	3.676

A10D / F10D^a / T10D^b General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$51.008
- Unit rate	¢/kWh	3.329
- Demand rate	\$/kW pa	\$59.091

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$51.008
- Peak Unit rate	¢/kWh	12.183
- Off Peak Unit rate	¢/kWh	1.844

A140	Time of Use (closed to new entrants)
-------------	---

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$86.193
- Peak Unit rate	¢/kWh	8.403
- Off Peak Unit rate	¢/kWh	1.475

A180	Off Peak Heating Only (dedicated circuit)
-------------	--

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.700

Small Business

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b	General Purpose
---	------------------------

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge	\$/customer pa	\$94.773
- Unit rate	¢/kWh	9.021

A20D / F20D^a / T20D^b	General Purpose - Demand
---	---------------------------------

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

- Standing charge	\$/customer pa	\$94.773
- Unit rate	¢/kWh	7.100
- Demand rate	\$/kW pa	\$57.272

A210 / F210^a / T210^b	Time of Use Weekdays
---	-----------------------------

Only available to customers with two rate accumulation meter (or Interval meter) AND

consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$141.843
- Peak Unit rate	¢/kWh	10.649
- Off Peak Unit rate	¢/kWh	1.818

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	6.572
- Off Peak Unit rate	¢/kWh	2.121
- Demand rate	\$/kW pa	\$64.297

A23N / F23N^a / T23N^b Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	10.649
- Off Peak Unit rate	¢/kWh	1.818
- Demand rate	\$/kW pa	\$0.000

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$141.843
- Peak Unit rate	¢/kWh	9.380
- Off Peak Unit rate	¢/kWh	1.970

A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	4.945
- Off Peak Unit rate	¢/kWh	2.261
- Demand rate	\$/kW pa	\$64.297
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Peak Unit rate	¢/kWh	10.121
- Off Peak Unit rate	¢/kWh	1.888

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers
with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,231.165
- Peak Unit rate	¢/kWh	1.968
- Off Peak Unit rate	¢/kWh	0.639
- Demand rate	\$/kVA pa	\$96.639
Minimum Chargeable Demand	120 kVA	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,231.165
- Peak Unit rate	¢/kWh	1.985
- Off Peak Unit rate	¢/kWh	0.639
- Demand rate	\$/kVA pa	\$109.033
Minimum Chargeable Demand	120 kVA	

A320 LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,905.456
- Peak Unit rate	¢/kWh	1.343
- Off Peak Unit rate	¢/kWh	0.628
- Demand rate	\$/kVA pa	\$89.327
Minimum Chargeable Demand	250 kVA	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,905.456
- Peak Unit rate	¢/kWh	1.342
- Off Peak Unit rate	¢/kWh	0.628
- Demand rate	\$/kVA pa	\$98.268
Minimum Chargeable Demand	250 kVA	

A340	LV 2.2⁺ - 6.0 GWh
-------------	-------------------------------------

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,990.235
- Peak Unit rate	¢/kWh	1.229
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$88.362
Minimum Chargeable Demand	250 kVA	

A34E	LV_{EN} 2.2⁺ GWh
-------------	--

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,990.235
- Peak Unit rate	¢/kWh	1.229
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$93.317
Minimum Chargeable Demand	250 kVA	

A34M	LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e
-------------	---

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,530.574
- Peak Unit rate	¢/kWh	1.216
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$59.988
Minimum Chargeable Demand	250 kVA	

A370	LV 6.0⁺ GWh
-------------	-------------------------------

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,210.417
- Peak Unit rate	¢/kWh	1.194
- Off Peak Unit rate	¢/kWh	0.455
- Demand rate	\$/kVA pa	\$84.863
Minimum Chargeable Demand	450 kVA	

A37M	LV_{MS} 6.0⁺ GWh (closed to new entrants)^e
-------------	---

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 GWh

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,768.300
- Peak Unit rate	¢/kWh	1.194
- Off Peak Unit rate	¢/kWh	0.455
- Demand rate	\$/kVA pa	\$60.090
Minimum Chargeable Demand	450 kVA	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to non-embedded network customers consuming < 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,069.360
- Peak Unit rate	¢/kWh	0.797
- Off Peak Unit rate	¢/kWh	0.237
- Demand rate	\$/kVA pa	\$71.142
Minimum Chargeable Demand	1,000 kVA	

A40E HV_{EN}

Only available to embedded network customers

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,069.360
- Peak Unit rate	¢/kWh	0.800
- Off Peak Unit rate	¢/kWh	0.237
- Demand rate	\$/kVA pa	\$73.298
Minimum Chargeable Demand	1,000 kVA	

A40R HV_{RF} (closed to new entrants)^e

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,069.360
- Peak Unit rate	¢/kWh	0.789
- Off Peak Unit rate	¢/kWh	0.237
- Demand rate	\$/kVA pa	\$65.370
Minimum Chargeable Demand	1,000 kVA	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to non-embedded customers consuming ≥ 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,669.403
- Peak Unit rate	¢/kWh	0.761
- Off Peak Unit rate	¢/kWh	0.184
- Demand rate	\$/kVA pa	\$63.119
Minimum Chargeable Demand	10,000 kVA	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>
	- Standing charge \$/customer pa \$39,040.500
	- Peak Unit rate ¢/kWh 0.149
	- Off Peak Unit rate ¢/kWh 0.045
	- Demand rate \$/kVA pa \$19.514
	Minimum Chargeable Demand 15,000 kVA
A50A	Subtransmission MA
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>
	- Standing charge \$/customer pa \$39,040.500
	- Peak Unit rate ¢/kWh 0.149
	- Off Peak Unit rate ¢/kWh 0.045
	- Demand rate \$/kVA pa \$19.595
	Minimum Chargeable Demand 15,000 kVA
A50E	Subtransmission EG
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>
	- Standing charge \$/customer pa \$30,333.863
	- Peak Unit rate ¢/kWh 0.142
	- Off Peak Unit rate ¢/kWh 0.023
	- Demand rate \$/kVA pa \$3.360
	Minimum Chargeable Demand 15,000 kVA

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017. Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid.

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx>
<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>

Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$0.300
- Unit rate	¢/kWh	0.408

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; **Non-summer period:** All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$0.300
-------------------	----------------	---------

Summer rates

- Peak Unit rate	¢/kWh	0.183
- Shoulder Unit rate	¢/kWh	0.408
- Off Peak Unit rate	¢/kWh	0.122

Non-summer rates

- Peak Unit rate	¢/kWh	0.183
- Shoulder Unit rate	¢/kWh	0.408
- Off Peak Unit rate	¢/kWh	0.122

A10D / F10D^a / T10D^b General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$0.300
- Unit rate	¢/kWh	0.408
- Demand rate	\$/kW pa	\$0.000

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$0.300
- Peak Unit rate	¢/kWh	0.183
- Off Peak Unit rate	¢/kWh	0.486

A140	Time of Use (closed to new entrants)		
This tariff is not available to existing customers that install an interval meter			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$0.300
- Peak Unit rate	¢/kWh		1.883
- Off Peak Unit rate	¢/kWh		1.118

A180	Off Peak Heating Only (dedicated circuit)		
Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.			
This tariff is not available to new or existing customers that install embedded generation ^d			
<i>11 PM to 7 AM AEST all days</i>			
- Standing charge	\$/customer pa		\$0.000
- Off Peak Unit rate	¢/kWh		0.868

Small Business

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b	General Purpose		
Only available to customer consuming < 40 MWh pa			
<i>Single rate all times</i>			
- Standing charge	\$/customer pa		\$0.761
- Unit rate	¢/kWh		0.884

A20D / F20D^a / T20D^b	General Purpose - Demand		
Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa			
<i>Single rate all times</i>			
<i>Demand charging window 10am - 8pm work days</i>			
- Standing charge	\$/customer pa		\$0.761
- Unit rate	¢/kWh		0.884
- Demand rate	\$/kW pa		\$0.000

A210 / F210^a / T210^b	Time of Use Weekdays		
Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$10.017
- Peak Unit rate	¢/kWh		1.453
- Off Peak Unit rate	¢/kWh		0.807

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$95.249
- Peak Unit rate	¢/kWh	0.772
- Off Peak Unit rate	¢/kWh	0.593
- Demand rate	\$/kW pa	\$0.386

A23N / F23N^a / T23N^b Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$95.249
- Peak Unit rate	¢/kWh	1.453
- Off Peak Unit rate	¢/kWh	0.807
- Demand rate	\$/kW pa	\$0.000

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$10.017
- Peak Unit rate	¢/kWh	1.315
- Off Peak Unit rate	¢/kWh	0.838

A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$95.249
- Peak Unit rate	¢/kWh	1.190
- Off Peak Unit rate	¢/kWh	0.580
- Demand rate	\$/kW pa	\$0.386
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Peak Unit rate	¢/kWh	0.932
- Off Peak Unit rate	¢/kWh	0.941

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers
with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$67.903
- Peak Unit rate	¢/kWh	2.289
- Off Peak Unit rate	¢/kWh	1.140
- Demand rate	\$/kVA pa	\$1.046
Minimum Chargeable Demand	120 kVA	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$67.903
- Peak Unit rate	¢/kWh	2.301
- Off Peak Unit rate	¢/kWh	1.140
- Demand rate	\$/kVA pa	\$1.416
Minimum Chargeable Demand	120 kVA	

A320 LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$143.759
- Peak Unit rate	¢/kWh	2.463
- Off Peak Unit rate	¢/kWh	1.146
- Demand rate	\$/kVA pa	\$1.814
Minimum Chargeable Demand	250 kVA	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$143.759
- Peak Unit rate	¢/kWh	2.316
- Off Peak Unit rate	¢/kWh	1.146
- Demand rate	\$/kVA pa	\$2.346
Minimum Chargeable Demand	250 kVA	

A340	LV 2.2⁺ - 6.0 GWh
-------------	-------------------------------------

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$955.545
- Peak Unit rate	¢/kWh	2.533
- Off Peak Unit rate	¢/kWh	1.145
- Demand rate	\$/kVA pa	\$1.870
Minimum Chargeable Demand	250 kVA	

A34E	LV_{EN} 2.2⁺ GWh
-------------	--

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$955.545
- Peak Unit rate	¢/kWh	2.162
- Off Peak Unit rate	¢/kWh	1.141
- Demand rate	\$/kVA pa	\$3.234
Minimum Chargeable Demand	250 kVA	

A34M	LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e
-------------	---

Only available to non-embedded network customer taking supply from multiple NMs on a single site AND the aggregated annual consumption from those NMs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,276.617
- Peak Unit rate	¢/kWh	2.771
- Off Peak Unit rate	¢/kWh	1.138
- Demand rate	\$/kVA pa	\$2.500
Minimum Chargeable Demand	250 kVA	

A370	LV 6.0⁺ GWh
-------------	-------------------------------

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,462.269
- Peak Unit rate	¢/kWh	2.264
- Off Peak Unit rate	¢/kWh	1.137
- Demand rate	\$/kVA pa	\$2.042
Minimum Chargeable Demand	450 kVA	

A37M	LV_{MS} 6.0⁺ GWh (closed to new entrants)^e
-------------	---

Only available to non-embedded network customer taking supply from multiple NMs on a single

site AND the aggregated annual consumption from those NMs is > 6.0 Gwh

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,060.085
- Peak Unit rate	¢/kWh	2.370
- Off Peak Unit rate	¢/kWh	1.137
- Demand rate	\$/kVA pa	\$2.537
Minimum Chargeable Demand	450 kVA	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400	HV	
Only available to non-embedded network customers consuming < 55 GWh pa		
Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times		
- Standing charge	\$/customer pa	\$7,214.176
- Peak Unit rate	¢/kWh	2.577
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$2.321
Minimum Chargeable Demand	1,000 kVA	

A40E	HV _{EN}	
Only available to embedded network customers		
Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times		
- Standing charge	\$/customer pa	\$7,214.176
- Peak Unit rate	¢/kWh	2.402
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$2.249
Minimum Chargeable Demand	1,000 kVA	

A40R	HV _{RF} (closed to new entrants) ^e	
Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times		
- Standing charge	\$/customer pa	\$7,214.176
- Peak Unit rate	¢/kWh	2.581
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$5.627
Minimum Chargeable Demand	1,000 kVA	

A480	HV - Annual Consumption ≥ 55 GWh	
Only available to non-embedded customers consuming ≥ 55 GWh pa		
Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times		
- Standing charge	\$/customer pa	\$7,991.139
- Peak Unit rate	¢/kWh	2.385
- Off Peak Unit rate	¢/kWh	0.856
- Demand rate	\$/kVA pa	\$5.373
Minimum Chargeable Demand	10,000 kVA	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$12,678.034
	- Peak Unit rate	¢/kWh	2.086
	- Off Peak Unit rate	¢/kWh	0.609
	- Demand rate	\$/kVA pa	\$3.784
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$12,678.034
	- Peak Unit rate	¢/kWh	2.086
	- Off Peak Unit rate	¢/kWh	0.609
	- Demand rate	\$/kVA pa	\$3.803
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$4,046.972
	- Peak Unit rate	¢/kWh	2.117
	- Off Peak Unit rate	¢/kWh	0.618
	- Demand rate	\$/kVA pa	\$4.369
	Minimum Chargeable Demand	15,000 kVA	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate
Tariff reassigned Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate.
Transitional Feed-In-Tariff rebate is no longer applicable from 2017
Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff;
however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit
controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic
and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has
additional regulated requirements to that of a standard site. It is not technically feasible to meet these
requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand*
form part of the terms and conditions related to these prices. These documents can be viewed or downloaded
from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx>
<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>