Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2017 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate			
Residentia	<u>11</u>						
Only availab	ole to residential custon	ners					
	A100 / F100 ^a / T100 ^b	General Purpose					
		Single rate all times - Standing charge - Unit rate	\$/customer pa ¢/kWh	\$29.870 9.192			
	A10X / F10X ^a / T10X ^b) Flexible					
		with a remotely read AMI meter					
		•	on-summer period: All other times				
	Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays						
	Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays						
		and 7 AM to 10 PM	•				
	Off peak Summer/Non-	summer: 10 PM to 7 AM local t	ime all days				
	,	- Standing charge	\$/customer pa	\$29.870			
		Summer rates	ψ, odotomo: pa	Ψ=0.0.0			
		- Peak Unit rate	¢/kWh	14.758			
		- Shoulder Unit rate	¢/kWh	9.192			
		- Off Peak Unit rate	¢/kWh	4.327			
		Non-summer rates	Ψ,				
		- Peak Unit rate	¢/kWh	14.758			
		- Shoulder Unit rate	¢/kWh	9.192			
		- Off Peak Unit rate	¢/kWh	4.327			
	A10D / F10D / T10D	General Purpose - Dema	and				
		Energy consumption - single rate all times					
		Demand charging window 3pm - 9pm work days; reset monthly					
		- Standing charge	\$/customer pa	\$29.870			
		- Unit rate	¢/kWh	4.489			
		- Demand rate	\$/kW pa	\$59.091			
	A10I / F10I ^a / T10I ^b	Time of Use Interval Mete	r (closed to new entrants)c				
	Available to customers	Available to customers with an interval meter					
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other time						
		- Standing charge	\$/customer pa	\$29.870			
		- Peak Unit rate	¢/kWh	14.758			
		- Off Peak Unit rate	¢/kWh	2.721			
	A140 Time of Use (closed to new entrants)						
	This tariff is not available to existing customers that install an interval meter						
			"Mon - Fri" ; Off peak all other times	#50.000			
		Standing chargePeak Unit rate	\$/customer pa ¢/kWh	\$53.302 11.833			
		- reak Utill Tale	ψ/KVVII	11.833			

- Off Peak Unit rate

¢/kWh

3.003

A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa \$0.000 - Off Peak Unit rate \$/kWh 2.770

Small Business

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customers consuming < 160 MWh pa

and having a maximum demand < 60 kW

Single rate all times

Standing charge \$/customer pa \$78.274
Unit rate \$\$/kWh \$10.893

A20D / F20D / T20D General Purpose

Only available to customers consuming < 160 MWh pa

and having a maximum demand < 60 kW

Single rate all times

Demand charging window 10am - 8pm work days

Standing charge \$/customer pa \$78.274
 Unit rate \$/kWh 8.854
 Demand rate \$/kW pa \$57.272

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with a two rate accumulation meter or AMI meter AND

consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

Standing charge \$/customer pa \$133.561
Peak Unit rate ¢/kWh 13.162
Off Peak Unit rate ¢/kWh 2.914

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand and consuming > 40 MWh

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$304.030 - Peak Unit rate ¢/kWh 8.016 - Off Peak Unit rate ¢/kWh 2.978 - Demand rate \$/kW pa \$68.012 Minimum Chargeable Demand 60 kW

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter or AMI meter AND consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge \$/customer pa \$133.561 - Peak Unit rate \$c/kWh \$11.665 - Off Peak Unit rate \$c/kWh \$3.114

A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand and consuming > 40 MWh

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge \$/customer pa \$304.030
- Peak Unit rate \$c/kWh 6.734
- Off Peak Unit rate \$c/kWh 3.112
- Demand rate \$f/kW pa \$68.012

Minimum Chargeable Demand 60 kW

A290 Unmetered Supply

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Peak Unit rate ¢/kWh- Off Peak Unit rate ¢/kWh11.7563.033

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption \geq 0.4 GWh OR maximum demand \geq 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$2,304.757
- Peak Unit rate \$\(cap{kWh}\) 4.616
- Off Peak Unit rate \$\(cap{kWh}\) 1.926
- Demand rate \$\(cap{kVA}\) pa \$100.770
Minimum Chargeable Demand 120 kVA

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$2,304.757

- Peak Unit rate ¢/kWh 4.566

- Off Peak Unit rate ¢/kWh 1.926

- Demand rate \$/kVA pa \$113.902

Minimum Chargeable Demand 120 kVA

A320 LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$4,085.090
- Peak Unit rate ¢/kWh 4.094
- Off Peak Unit rate ¢/kWh 1.922
- Demand rate \$/kVA pa \$94.067
Minimum Chargeable Demand 250 kVA

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

Standing charge \$/customer pa \$4,085.090
Peak Unit rate \$c/kWh 3.872
Off Peak Unit rate \$c/kWh 1.922

- Demand rate \$/kVA pa \$103.809

Minimum Chargeable Demand 250 kVA

A340 LV 2.2⁺ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

 - Standing charge
 \$/customer pa
 \$7,087.498

 - Peak Unit rate
 ¢/kWh
 4.050

 - Off Peak Unit rate
 ¢/kWh
 1.796

 - Demand rate
 \$/kVA pa
 \$93.133

Minimum Chargeable Demand 250 kVA

A34E LV_{EN} 2.2⁺ GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

 - Standing charge
 \$/customer pa
 \$7,087.498

 - Peak Unit rate
 ¢/kWh
 3.602

 - Off Peak Unit rate
 ¢/kWh
 1.792

 - Demand rate
 \$/kVA pa
 \$99.723

Minimum Chargeable Demand 250 kVA

A34M LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$4,877.586
- Peak Unit rate ¢/kWh 4.248
- Off Peak Unit rate ¢/kWh 1.789
- Demand rate \$/kVA pa \$64.359
Minimum Chargeable Demand 250 kVA

A370 LV 6.0⁺ GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$10,848.577
- Peak Unit rate ¢/kWh 3.709
- Off Peak Unit rate ¢/kWh 1.728
- Demand rate \$/kVA pa \$89.713

Minimum Chargeable Demand 450 kVA

A37M LV_{MS} 6.0⁺ GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$8,022.074
- Peak Unit rate	¢/kWh	3.823
- Off Peak Unit rate	¢/kWh	1.728
- Demand rate	\$/kVA pa	\$64.710

Minimum Chargeable Demand 450 kVA

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400	HV		
Only available to	non-embedded network customers consuming < 5	5 GWh pa	
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$14,065.929
	- Peak Unit rate	¢/kWh	3.576
	- Off Peak Unit rate	¢/kWh	1.242
	- Demand rate	\$/kVA pa	\$76.465
	Minimum Chargeable Demand	1,000 kVA	
A40E	HV _{EN}		
Only available to	embedded network customers		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$14,065.929
	- Peak Unit rate	¢/kWh	3.316
	- Off Peak Unit rate	¢/kWh	1.242
	- Demand rate	\$/kVA pa	\$78.628
	Minimum Chargeable Demand	1,000 kVA	
	· ·	,	
A40R	HV _{RF} (closed to new entrants) ^e		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$14,065.929
	- Peak Unit rate	¢/kWh	3.565
	- Off Peak Unit rate	¢/kWh	1.242
	- Demand rate	\$/kVA pa	\$74.018
	Minimum Chargeable Demand	1,000 kVA	
4.400	HV - Annual Consumption ≥ 55 GWh		
A480			
	non-embedded customers consuming ≥ 55 GWh p	Ja	
	non-embedded customers consuming ≥ 55 GWh p Peak: 7 AM to 11 PM AEST "Mon - Fri" ;		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; - Standing charge	Off peak all other times \$/customer pa	
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; - Standing charge - Peak Unit rate	Off peak all other times \$/customer pa ¢/kWh	3.328
	Peak: 7 AM to 11 PM AEST "Mon - Fri"; of a Standing charge - Peak Unit rate - Off Peak Unit rate	Off peak all other times \$/customer pa ¢/kWh ¢/kWh	\$14,451.529 3.328 1.150
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; - Standing charge - Peak Unit rate	Off peak all other times \$/customer pa ¢/kWh	3.328

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$53,501.837
	- Peak Unit rate	¢/kWh	2.369
	- Off Peak Unit rate	¢/kWh	0.725
	- Demand rate	\$/kVA pa	\$24.354
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$53,501.837
- Peak Unit rate	¢/kWh	2.369
- Off Peak Unit rate	¢/kWh	0.725
- Demand rate	\$/kVA pa	\$24.479
Minimum Chargeable Demand	15,000 kVA	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$35,571.721
- Peak Unit rate ¢/kWh 2.395
- Off Peak Unit rate ¢/kWh 0.713
- Demand rate \$/kVA pa \$8.452
Minimum Chargeable Demand 15,000 kVA

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

 $\frac{\text{http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx }{\text{http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx}}$

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicated that the tariff attracted the Transitional Feed-In-Tariff rebate in previous years. However, Transitional Feed-In-Tariff rebate is no longer applicable from 1st January 2017

Accordingly, existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply