


1,2-dichloroethane (2compartment)




1,4-dioxane (2compartment)




1-chloro-2-propanol (2compartment)



2,3,7,8-tetrachlorodibenzo-p-dioxin (2compartment)




2,4-dichlorophenoxyacetic acid (2compartment)




L.O.Q.

- Above
- Below


2-hydroxy-4-methoxybenzophenone (2compartment)




2-methylimidazole (2compartment)




2-methyltetrahydrofuran (2compartment)




3,3',4,4',5-pentachlorobiphenyl (2compartment): Optimizer Failed, No Curve Fit




4-methylimidazole (2compartment)




acrylonitrile (2compartment)




alachlor (2compartment)




alpha-thujone (2compartment)



alprazolam (2compartment)




anthraquinone (2compartment)




antipyrine (2compartment) Dose: 15 mg/kg Route: iv Reference: 192 Media: plasma LOQ: 0.632952 10 3 Concentration (mg/L) L.O.Q. - Ł.O.Q. Above 0.3 2 3 5 Time (h)

bensulide (2compartment): Optimizer Failed, No Curve Fit



benzo(a)pyrene (2compartment): Optimizer Failed, No Curve Fit



L.O.Q.

- Above
- Below

benzophenone (2compartment) Dose: 10 mg/kg Dose: 10 mg/kg Dose: 2.5 mg/kg Route: po Route: po Route: iv Reference: 171 Reference: 171 Reference: 171 Media: blood Media: plasma Media: plasma LOQ: 0.14475 LOQ: 0.00755175 LOQ: 0.00755175 .O.Q.-00000 L.O.Q.--L-:O.Q.-Dose: 5 mg/kg Dose: 2.5 mg/kg Dose: 2.5 mg/kg Route: po Route: po Route: po Reference: 171 Reference: 171 Reference: 171 Media: plasma Media: blood Media: blood LOQ: 0.14475 LOQ: 0.00755175 LOQ: 0.14475 L.O.Q. L.O.Q.--L:O.Q: Above 0 0 -L-O.Q.-Below 20 30 0 10 20 0 10 30 Dose: 5 mg/kg Route: po Reference: 171 Media: plasma LOQ: 0.00755175 -L::0::Q:- •

10

1

 10^{-1}

 10^{-2}

 10^{-3}

10

 10^{-1}

 10^{-2}

 10^{-3}

10

1

 10^{-1}

 10^{-3}

0

10


20

30


Time (h)

Concentration (mg/L)


bis 2-chloroethoxy methane (2compartment)




bisphenol a (2compartment)




boscalid (2compartment)



bosentan (2compartment)




bromochloroacetic acid (2compartment)




Above

Below


bromodichloromethane (2compartment)




carbaryl (2compartment)




carbendazim (2compartment)




chloridazon (2compartment)




chlorpyrifos (2compartment)




cyclanilide (2compartment)




cyclosporin a (2compartment)




di-n-butyl phthalate (2compartment)




diazinon-o-analog (2compartment)




dibromoacetic acid (2compartment): Optimizer Failed, No Curve Fit




dichloroacetic acid (2compartment)




diltiazem (2compartment)




dimethenamid (2compartment)




dl-camphor (2compartment) Dose: 6 mg/kg Route: iv Reference: 165 Media: plasma LOQ: 0.016875 1 L.O.Q. Above




emodin (2compartment)




etoxazole (2compartment)




fenarimol (2compartment)




flufenacet (2compartment)




formetanate hydrochloride (2compartment)



gemfibrozil (2compartment)




hexachlorobenzene (2compartment)




Above


hexobarbital (2compartment)




ibuprofen (2compartment)




imazalil (2compartment)




imidacloprid (2compartment)




imipramine (2compartment)



isoeugenol (2compartment)




I-ephedrine (2compartment)




methanol (2compartment) Dose: 100 mg/kg Route: iv Reference: 17 Media: blood LOQ: 5.49036 10² Concentration (mg/L) L.O.Q. Ł.O.Q. Above 1 2 6 Time (h)


methyl tert-butyl ether (2compartment)




methylene chloride (2compartment)




methyleugenol (2compartment)




midazolam (2compartment)




naphthalene (2compartment)




nilvadipine (2compartment)








novaluron (2compartment)




octylphenol (2compartment)




L.O.Q.

Above


ondansetron (2compartment): Optimizer Failed, No Curve Fit




oxazepam (2compartment)



oxymetholone (2compartment)




pentachlorophenol, purified (2compartment)




L.O.Q.

- Above
- Below


perfluorohexane-1-sulphonic acid â€" potassium salt (2compartment)




perfluorohexanoic acid (2compartment)




perfluorooctane sulfonate (2compartment)




perfluorooctanoic acid (2compartment)




permethrin (2compartment)




phenacetin (2compartment)




phenolphthalein (2compartment): Optimizer Failed, No Curve Fit Dose: 25 mg/kg Route: iv Reference: 139 Media: plasma LOQ: 0.008697 10² Concentration (mg/L) L.O.Q. Above - L.O.Q. 10⁻² 20 10 Ó 30 Time (h)







potassium perfluorobutane sulfonate (2compartment)




primidone (2compartment)




propamocarb hydrochloride (2compartment)



propylparaben (2compartment): Optimizer Failed, No Curve Fit




propyzamide (2compartment)




pyridine (2compartment) Dose: 0.5 mg/kg Dose: 10 mg/kg Dose: 10 mg/kg Dose: 100 mg/kg Route: po Route: iv Route: iv Route: po Reference: 162 Reference: 149 Reference: 149 Reference: 162 Media: plasma Media: plasma Media: plasma Media: plasma LOQ: 0.0240525 LOQ: 0.0240525 LOQ: 0.2154 LOQ: 0.2154 10^{3} 10 -L.O.Q. L.O.Q.- 10^{-1} -L:O.Q:-L.O.Q. Dose: 2.5 mg/kg Dose: 200 mg/kg Dose: 25 mg/kg Dose: 5 mg/kg Route: iv Route: po Route: po Route: iv Reference: 162 Reference: 149 Reference: 162 Reference: 162 Media: plasma Media: plasma Media: plasma Media: plasma LOQ: 0.0240525 LOQ: 0.2154 LOQ: 0.0240525 LOQ: 0.0240525 Concentration (mg/L) 10³ L.O.Q. 10 Above L.O.Q. **Below** L.O.Q. L.O.Q.-L.O.Q. 00 150 0 50 100 0 50 100 150 Dose: 5 mg/kg Dose: 50 mg/kg Route: po Route: po Reference: 162 Reference: 149 Media: plasma Media: plasma LOQ: 0.0240525 LOQ: 0.2154 10^{3} 10 L:O.Q. 10^{-1} _.O.Q. 150 0 100 50 100 50 150

Time (h)


pyrithiobac sodium (2compartment)




resmethrin (2compartment)




s-bioallethrin (2compartment)




simazine (2compartment)




solvent red1 (2compartment)




tamoxifen (2compartment)




tert-amyl methyl ether (2compartment)




tetrachloroethylene (2compartment)




tetralin (2compartment)




thiodiglycolic acid (2compartment)




tolbutamide (2compartment)



trichloroethylene (2compartment)



triclosan (2compartment)



valproic acid (2compartment)

