




1,2-dichloroethane (1compartment)




1,4-dioxane (1compartment)




1-chloro-2-propanol (1compartment)




2,3,7,8-tetrachlorodibenzo-p-dioxin (1compartment)




2,4-d (1compartment)




2,4-dichlorophenoxyacetic acid (1 compartment)




2-hydroxy-4-methoxybenzophenone (1 compartment)




2-methylimidazole (1compartment)



2-methyltetrahydrofuran (1compartment)




3,3',4,4',5-pentachlorobiphenyl (1compartment): Optimizer Failed, No Curve Fit




4-methylimidazole (1 compartment)


10 mg/kg iv




acrylonitrile (1compartment)




alachlor (1compartment)




alpha-thujone (1compartment)



alprazolam (1compartment)




anthraquinone (1compartment)




antipyrine (1compartment)


15 mg/kg iv




bensulide (1compartment): Optimizer Failed, No Curve Fit




benzo(a)pyrene (1compartment)




benzo[a]pyrene (1compartment)




benzophenone (1compartment): Optimizer Failed, No Curve Fit



bis 2-chloroethoxy methane (1compartment): Optimizer Failed, No Curve Fit



bisphenol a (1compartment)




The figure consists of two side-by-side plots showing plasma concentration (mg/L) versus Time (h) for two different dosages: 1 mg/kg iv (left) and 5 mg/kg po (right). Both plots use a semi-logarithmic scale, with the y-axis (plasma concentration) on a log scale ranging from 0.1 to 100 mg/L, and the x-axis (Time) on a linear scale ranging from 0 to 75 hours. A dashed horizontal line at 0.1 mg/L indicates the Limit of Quantification (LOQ). The data points are represented by green circles, and a solid green line represents the fitted pharmacokinetic model. The 1 mg/kg iv plot shows a rapid decline in concentration, reaching the LOQ around 25 hours. The 5 mg/kg po plot shows a similar rapid decline, reaching the LOQ around 25 hours.


 Data.Analyzed

- above
- below


bosentan (1compartment)




bromochloroacetic acid (1compartment)



bromodichloromethane (1compartment): Optimizer Failed, No Curve Fit




carbaryl (1compartment)




carbendazim (1compartment)


1000 mg/kg po




chloridazon (1compartment)




chlorpyrifos (1compartment)




cyclanilide (1compartment)




cyclosporin a (1compartment)




di-n-butyl phthalate (1compartment)




diazinon-o-analog (1compartment)



dibromoacetic acid (1compartment)




dichloroacetic acid (1compartment)




diclofenac (1compartment)


18 mg/kg po




diltiazem (1compartment)




dimethenamid (1compartment)




dl-camphor (1 compartment)




emodin (1compartment)




etoxazole (1compartment)




fenarimol (1compartment)




flufenacet (1compartment)




fluorotelomer alcohol 8+2 (1compartment): Optimizer Failed, No Curve Fit




formamide (1compartment)




formetanate hydrochloride (1compartment): Optimizer Failed, No Curve Fit



free carbon disulfide (1compartment)




gemfibrozil (1compartment)




glyoxylic acid monohydrate (1compartment)


50 mg/kg iv




hexachlorobenzene (1compartment)




hexobarbital (1compartment): Optimizer Failed, No Curve Fit




ibuprofen (1compartment)




imazalil (1 compartment)




imidacloprid (1compartment)




imipramine (1compartment)




isoeugenol (1compartment)



l-ephedrine (1compartment)



methanol (1compartment)




color.factor

● Data.Analyzed

shape.factor


● above

methyl tert-butyl ether (1compartment)




methylene chloride (1compartment)


125 mg/kg po




methyleugenol (1compartment)




methyleugenol (1compartment): Optimizer Failed, No Curve Fit




midazolam (1compartment)




naphthalene (1compartment): Optimizer Failed, No Curve Fit




nilvadipine (1compartment)




nitrite (1compartment)




novaluron (1compartment)




octylphenol (1compartment)




ondansetron (1compartment): Optimizer Failed, No Curve Fit



oxazepam (1compartment)



oxymetholone (1compartment)



pentachlorophenol, purified (1compartment)





Figure 1 consists of two side-by-side scatter plots showing plasma concentration (ng/ml) versus Time (h) for two different dosages: 0.2 mg/kg iv (left) and 1 mg/kg po (right). Both plots include a horizontal dashed line representing the Limit of Quantification (LOQ) and a solid line representing the fitted curve. The 1 mg/kg po plot shows a rapid increase in concentration, reaching a plateau above the LOQ, while the 0.2 mg/kg iv plot shows a much lower concentration, remaining near the LOQ.


 Data.Analyzed

- above


perfluorodecanoic acid (1compartment)




perfluorohexane-1-sulphonic acid " potassium salt (1compartment)




perfluorohexanoic acid (1compartment)




perfluorooctane sulfonate (1compartment)




perfluorooctanoic acid (1compartment)




permethrin (1compartment)




phenacetin (1compartment)




phenolphthalein (1compartment): Optimizer Failed, No Curve Fit




phenytoin (1compartment)




potassium perfluorobutane sulfonate (1compartment)




primidone (1compartment)



propamocarb hydrochloride (1compartment)



propylparaben (1compartment)




The figure consists of three side-by-side scatter plots, each representing a different dosage regimen. The y-axis for all plots is 'Plasma concentration (mg/L)' ranging from 0 to 10. The x-axis for all plots is 'Time (h)' ranging from 0 to 100. A horizontal blue dashed line at approximately 1.5 mg/L indicates the Limit of Quantification (LOQ). Green circles represent individual data points, and a solid green line represents the linear regression fit for the quantifiable data points.

- 0.6 mg/kg iv:** Shows a rapid decline in plasma concentration from approximately 8 mg/L at 0 hours to below the LOQ by 75 hours. The regression line starts at approximately 8.5 mg/L at 0 hours and reaches the LOQ at approximately 75 hours.
- 3 mg/kg po:** Shows a rapid decline in plasma concentration from approximately 8 mg/L at 0 hours to below the LOQ by 75 hours. The regression line starts at approximately 8.5 mg/L at 0 hours and reaches the LOQ at approximately 75 hours.
- 3.2 mg/kg po:** Shows a rapid decline in plasma concentration from approximately 8 mg/L at 0 hours to below the LOQ by 75 hours. The regression line starts at approximately 8.5 mg/L at 0 hours and reaches the LOQ at approximately 75 hours.


 Data.Analyzed

- above
- below


pyridine (1compartment)




pyrithiobac sodium (1compartment)




resmethrin (1compartment)




s-bioallethrin (1 compartment)




simazine (1compartment)




solvent red1 (1compartment)



tamoxifen (1compartment)




tert-amyl methyl ether (1compartment)




tetrachloroethylene (1compartment)


500 mg/kg po




tetralin (1compartment): Optimizer Failed, No Curve Fit




thiodiglycolic acid (1compartment)




tolbutamide (1compartment)




trichloroethylene (1compartment)



triclosan (1compartment): Optimizer Failed, No Curve Fit



valproic acid (1compartment)



wyeth-14643 (1compartment)

