


1,2-dichloroethane (1compartment)




1,4-dioxane (1compartment)




1-chloro-2-propanol (1compartment)



2,3,7,8-tetrachlorodibenzo-p-dioxin (1compartment)




2,4-dichlorophenoxyacetic acid (1compartment)




L.O.Q.

- Above
- Below


2-hydroxy-4-methoxybenzophenone (1compartment)




2-methylimidazole (1compartment)




2-methyltetrahydrofuran (1compartment)




3,3',4,4',5-pentachlorobiphenyl (1compartment): Optimizer Failed, No Curve Fit




4-methylimidazole (1compartment)




acrylonitrile (1compartment)




alachlor (1compartment)




alpha-thujone (1compartment)



alprazolam (1compartment)




anthraquinone (1compartment)




antipyrine (1compartment) Dose: 15 mg/kg Route: iv Reference: 197 Media: plasma LOQ: 0.632952 10 3 Concentration (mg/L) L.O.Q. - Ł.O.Q. Above 0.3 2 3 5 Time (h)

bensulide (1compartment): Optimizer Failed, No Curve Fit




benzo(a)pyrene (1compartment)




L.O.Q.

- Above
- Below


benzophenone (1compartment)




bis 2-chloroethoxy methane (1compartment)




bisphenol a (1compartment)




boscalid (1compartment)



bosentan (1compartment)



bromochloroacetic acid (1compartment)




L.O.Q.


Above

Below


bromodichloromethane (1compartment)




carbaryl (1compartment)




carbendazim (1compartment)




chloridazon (1compartment)




chlorpyrifos (1compartment)




cyclanilide (1compartment)




cyclosporin a (1compartment)




di-n-butyl phthalate (1compartment)




diazinon-o-analog (1compartment)




dibromoacetic acid (1compartment)




dichloroacetic acid (1compartment)




diltiazem (1compartment)




dimethenamid (1compartment)




dl-camphor (1compartment) Dose: 6 mg/kg Route: iv Reference: 165 Media: plasma LOQ: 0.016875 1 L.O.Q. Above - L.O.Q.




emodin (1compartment)




etoxazole (1compartment)




fenarimol (1compartment)




flufenacet (1compartment)




fluorotelomer alcohol 8+2 (1compartment)




formamide (1compartment)




formetanate hydrochloride (1compartment)




free carbon disulfide (1compartment)




gemfibrozil (1compartment)



glyoxylic acid monohydrate (1compartment)




hexachlorobenzene (1compartment)




Above


hexobarbital (1compartment)




ibuprofen (1compartment)




imazalil (1compartment)




imidacloprid (1compartment)




imipramine (1compartment)



isoeugenol (1compartment)



I-ephedrine (1compartment)




Above


Below

methanol (1compartment) Dose: 100 mg/kg Route: iv Reference: 17 Media: blood LOQ: 5.49036 10² Concentration (mg/L) L.O.Q. Ł.O.Q. Above 1 2 6 Time (h)


methyl tert-butyl ether (1compartment)




methylene chloride (1compartment)




methyleugenol (1compartment)




midazolam (1compartment)




naphthalene (1compartment)




nilvadipine (1compartment)








novaluron (1compartment)



octylphenol (1compartment)




L.O.Q.


Above

ondansetron (1compartment) Dose: 1 mg/kg Dose: 20 mg/kg Dose: 20 mg/kg Route: iv Route: iv Route: po Reference: 220 Reference: 220 Reference: 220 Media: plasma Media: plasma Media: plasma LOQ: 0.0096165 LOQ: 0.0096165 LOQ: 0.0096165 10² *L:O.Q: -L.O.Q.-L.O.Q.- 10^{-2} Dose: 4 mg/kg Dose: 4 mg/kg Dose: 8 mg/kg Route: iv Route: po Route: iv Reference: 220 Reference: 220 Reference: 220 Media: plasma Media: plasma Media: plasma LOQ: 0.0096165 LOQ: 0.0096165 LOQ: 0.0096165 Concentration (mg/L) 10² L.O.Q. 1 Above -L.O.Q. L.O.Q.-.:O.Q.-2 3 5 0 2 3 0 4 Dose: 8 mg/kg Route: po Reference: 220 Media: plasma LOQ: 0.0096165 10² 1 4.0.Q.- - 10^{-2} 2 3 Time (h)


oxazepam (1compartment)



oxymetholone (1compartment)




pentachlorophenol, purified (1compartment)




L.O.Q.

- Above
- Below


perfluorodecanoic acid (1compartment)




perfluorohexane-1-sulphonic acid â€" potassium salt (1compartment)




perfluorohexanoic acid (1compartment)




perfluorooctane sulfonate (1compartment)




perfluorooctanoic acid (1compartment)




permethrin (1compartment)




phenacetin (1compartment)




phenolphthalein (1compartment) Dose: 25 mg/kg Route: iv Reference: 139 Media: plasma LOQ: 0.008697 10² Concentration (mg/L) L.O.Q. Above - L.O:Q: 10⁻² -10 20 Ó 30 Time (h)







potassium perfluorobutane sulfonate (1compartment)




primidone (1compartment)




propamocarb hydrochloride (1compartment)



propylparaben (1compartment)



propyzamide (1compartment)



pyridine (1compartment) Dose: 0.5 mg/kg Dose: 10 mg/kg Dose: 10 mg/kg Dose: 100 mg/kg Route: po Route: iv Route: iv Route: po Reference: 162 Reference: 149 Reference: 149 Reference: 162 Media: plasma Media: plasma Media: plasma Media: plasma LOQ: 0.0240525 LOQ: 0.0240525 LOQ: 0.2154 LOQ: 0.2154 10^{3} 10 -L.O.Q. L.O.Q.- 10^{-1} -L-O.Q. -L-:O.Q.-Dose: 2.5 mg/kg Dose: 200 mg/kg Dose: 25 mg/kg Dose: 5 mg/kg Route: iv Route: po Route: po Route: iv Reference: 162 Reference: 162 Reference: 149 Reference: 162 Media: plasma Media: plasma Media: plasma Media: plasma LOQ: 0.0240525 LOQ: 0.2154 LOQ: 0.0240525 LOQ: 0.0240525 10³ L.O.Q. 10 Above L.O.Q. **Below** L.O.Q.-L.O.Q. ..O.Q. 00 50 100 0 50 100 150 0 150 Dose: 5 mg/kg Dose: 50 mg/kg Route: po Route: po Reference: 162 Reference: 149 Media: plasma Media: plasma LOQ: 0.0240525 LOQ: 0.2154 10^{3} 10 L.O.Q.- 10^{-1} O.Q.

Concentration (mg/L)

150 0

50


100

100


150 Time (h)

50


pyrithiobac sodium (1compartment)




resmethrin (1compartment)




s-bioallethrin (1compartment)




simazine (1compartment)




solvent red1 (1compartment)




tamoxifen (1compartment)




tert-amyl methyl ether (1compartment)




tetrachloroethylene (1compartment)




tetralin (1compartment)




thiodiglycolic acid (1compartment)




tolbutamide (1compartment)




trichloroethylene (1compartment)



triclosan (1compartment)



valproic acid (1compartment)



Above

wyeth-14643 (1compartment)

