



1,2,4-trimethylbenzene (1compartment)





1,2-dichloroethane (1compartment): Optimizer Failed, No Curve Fit

Dose: 100 mg/kg
Route: po
Reference: 18
Media: blood
LOQ: 0.316215




1,4-butanediol (1compartment)




L.O.Q.
• Above


1,4-dioxane (1compartment)




1-chloro-2-propanol (1compartment)




2,3,7,8-tetrachlorodibenzo-p-dioxin (1compartment): Optimizer Failed, No Curve



2,4-dichlorophenoxyacetic acid (1compartment): Optimizer Failed,




2,4-dihydroxybenzophenone (1compartment)




2,5-dimethylaniline (1compartment)




2,6-dimethylaniline (1compartment)



2-(1h-imidazol-2-yl)pyridine (1compartment)




2-hydroxy-4-methoxybenzophenone (1 compartment)




2-methylimidazole (1compartment)


Dose: 10 mg/kg
Route: iv
Reference: 150
Media: plasma
LOQ: 0.051615



2-methyltetrahydrofuran (1compartment): Optimizer Failed, No Curve F




3,3',4,4',5-pentachlorobiphenyl (1compartment): Optimizer Failed, No Curve Fit




3-hydroxybenzo(a)pyrene (1compartment)

Dose: 10.0924 mg/kg
Route: iv
Reference: 59
Media: blood
LOQ: 0.0005535




3-hydroxybenzo[a]pyrene (1compartment)

Dose: 20 mg/kg
Route: po
Reference: 54
Media: plasma
LOQ: 0.0005625




4-methylimidazole (1compartment)


Dose: 10 mg/kg
Route: iv
Reference: 151
Media: plasma
LOQ: 0.033444




acetaminophen (1compartment): Optimizer Failed, No Curve Fit




acrylamide (1compartment)




acrylonitrile (1compartment)




adefovir (1compartment)




ag-041r (1compartment)




alachlor (1compartment)




alpha-thujone (1compartment)




alprazolam (1compartment)



amiodarone (1compartment)




aniline (1compartment)




L.O.Q.
• Above


anthraquinone (1compartment): Optimizer Failed, No Curve Fit




apixaban (1compartment)




apomorphine (1compartment)




aspirin (1compartment)




atomoxetine (1compartment)




azithromycin (1compartment)




balsalazide (1compartment)




bensulide (1compartment)





benzo(a)pyrene (1compartment): Optimizer Failed, No Curve Fit




benzophenone (1compartment)




benzylamine (1compartment)




beraprost (1compartment)




beta-hydroxyisovaleric acid (1compartment): Optimizer Failed, No Curve Fit




betaxolol (1compartment)




bexarotene (1compartment)






bis 2-chloroethoxy methane (1compartment): Optimizer Failed, No Curve Fit



bisoprolol (1compartment)




bisphenol a (1compartment)




L.O.Q.

- Above
- Below


boscalid (1compartment)




bosentan (1compartment)




bromazepam (1compartment)



bromobenzene (1compartment)




bromochloroacetic acid (1compartment)




bromodichloromethane (1compartment)


Dose: 10 mg/kg
Route: iv
Reference: 154
Media: plasma
LOQ: 0.001548




caffeine (1compartment): Optimizer Failed, No Curve Fit



canagliflozin (1compartment)




carbaryl (1compartment)




carbendazim (1compartment)


Dose: 1000 mg/kg
Route: po
Reference: 201
Media: plasma
LOQ: 0.022248




cefixime (1compartment)




celiprolol (1compartment)




chloral hydrate (1compartment)




chloridazon (1compartment): Optimizer Failed, No Curve Fit




chlorogenic acid (1compartment)




chlorpromazine (1compartment)




chlorpyrifos (1compartment): Optimizer Failed, No Curve Fit




ciprofloxacin (1compartment)



clonazepam (1compartment)



codeine (1compartment)




coumarin (1compartment)




L.O.Q.
• Above


curcumin (1compartment)




cyclanilide (1compartment)




cyclosporin a (1compartment)




d-carnosine (1compartment)



dabigatran (1compartment)




darolutamide (1compartment)




L.O.Q.
• Above

desloratadine (1compartment)




desmethyylimipramine (1compartment)


Dose: 10 mg/kg
Route: iv
Reference: 212
Media: plasma
LOQ: 0.1304955




dextromethorphan (1compartment): Optimizer Failed, No Curve Fit




di-n-butyl phthalate (1compartment)




diazepam (1compartment)




diazinon-o-analog (1compartment)




dibromoacetic acid (1compartment): Optimizer Failed, No Curve Fit




dichloroacetic acid (1compartment)




dichloromethane (1compartment)




digoxin (1compartment)




diisobutyl ketone (1compartment)




diltiazem (1compartment)



dimethenamid (1compartment): Optimizer Failed, No Curve Fit




disopyramide (1compartment)




dl-camphor (1 compartment)


Dose: 6 mg/kg
Route: iv
Reference: 165
Media: plasma
LOQ: 0.004635




domitroban (1compartment): Optimizer Failed, No Curve Fit




doxorubicin (1compartment)




duloxetine (1compartment)




efonidipine (1compartment)




elbasvir (1compartment)




ellagic acid (1compartment): Optimizer Failed, No Curve Fit




emodin (1compartment)




enoxacin (1compartment)




ethanol (1compartment)




etizolam (1compartment)




etoxazole (1compartment)




fadrozole (1compartment)




fenarimol (1compartment)




fexofenadine (1compartment)




flufenacet (1compartment)




flunitrazepam (1compartment)




fluorotelomer acid 7+3 (1compartment)




fluorotelomer alcohol 8+2 (1compartment)



fluoxetine (1compartment)




flutamide (1compartment)




fluvastatin (1compartment)

Dose: 1 mg/kg
Route: po
Reference: 24839
Media: blood
LOQ: 0.000585




Dose: 1 mg/kg
Route: po
Reference: 24839
Media: plasma
LOQ: 0.0008505




L.O.Q.

• Above

fluvoxamine (1compartment)




formamide (1compartment): Optimizer Failed, No Curve Fit




formate (1compartment)


Dose: 100 mg/kg
Route: iv
Reference: 17
Media: blood
LOQ: 0.033273




formetanate hydrochloride (1compartment)




free carbon disulfide (1compartment)




gemfibrozil (1compartment): Optimizer Failed, No Curve Fit




glutaraldehyde (1compartment)



glycidamide (1compartment)




glycine (1compartment)




L.O.Q.
• Above

glyoxylic acid monohydrate (1compartment)


Dose: 50 mg/kg
Route: iv
Reference: 156
Media: plasma
LOQ: 1.2114




grazoprevir (1compartment)




griseofulvin (1compartment)




hexachlorobenzene (1compartment): Optimizer Failed, No Curve Fit




hexachlorocyclohexane (1compartment): Optimizer Failed, No Curve Fit




hexobarbital (1compartment): Optimizer Failed, No Curve Fit




hippuric acid (1compartment)




hydromorphone (1compartment)




hydroxyethoxyacetic acid (1compartment): Optimizer Failed, No Curve Fit




ibrolipim (1compartment)




ibuprofen (1compartment): Optimizer Failed, No Curve Fit




imazalil (1compartment)




imidacloprid (1compartment)




imipramine (1compartment)




ipragliflozin (1compartment)




isoeugenol (1compartment)




isopsoralen (1compartment): Optimizer Failed, No Curve Fit



itopride (1compartment)




ketoprofen (1compartment)




I-arginine (1compartment)

Dose: 992 mg/kg
Route: po
Reference: 25013
Media: blood
LOQ: 10.932687




Dose: 992 mg/kg
Route: po
Reference: 25013
Media: plasma
LOQ: 13.2196905




L.O.Q.
• Above


l-ephedrine (1compartment)




lactitol (1compartment)




lamivudine (1compartment)




lemildipine (1compartment)




lenalidomide (1compartment)




Ietermovir (1compartment)



lorazepam (1compartment)




loxoprofen (1compartment): Optimizer Failed, No Curve Fit




L.O.Q.
• Above


lurasidone (1compartment)




m-cresol (1compartment)




macelignan (1compartment)




melengestrol acetate (1compartment)



memantine (1compartment)




methanol (1compartment)




L.O.Q.

• Above


methyl methacrylate (1compartment)




methyl tert-butyl ether (1compartment)




methylene chloride (1compartment)




methyleugenol (1compartment)




methylphenidate (1compartment)




metoprolol (1compartment)




miconazole (1compartment)




midazolam (1compartment): Optimizer Failed, No Curve Fit




mofezolac (1compartment): Optimizer Failed, No Curve Fit




molinate (1compartment)




mono-n-butyl phthalate (1compartment): Optimizer Failed, No Curve Fit




monobutyl phthalate (1compartment): Optimizer Failed, No Curve Fit




morphine (1compartment)




n,n-dimethylaniline (1compartment)




nadolol (1compartment)




naphthalene (1compartment)




neopetasitenine (1compartment)




nilvadipine (1compartment)




nitrazepam (1compartment)




nitrite (1compartment)




norfloxacin (1compartment)




novaluron (1compartment)



octylphenol (1compartment)




olanzapine (1compartment)




L.O.Q.

• Above


olopatadine (1compartment)




omeprazole (1compartment)




ondansetron (1compartment): Optimizer Failed, No Curve Fit




oseltamivir (1compartment)




oxazepam (1compartment)




oxycodone (1compartment)




oxymetholone (1compartment)




paroxetine (1compartment)




peficitinib (1compartment)




pentachlorophenol, purified (1compartment): Optimizer Failed, No Curve Fit




perfluorodecanoic acid (1compartment): Optimizer Failed, No Curve Fit




perfluorohexane-1-sulphonic acid " potassium salt (1compartment): Optim




perfluorohexanoic acid (1compartment)




perfluorooctane sulfonate (1compartment): Optimizer Failed, No Curve Fit




perfluorooctanoic acid (1compartment): Optimizer Failed, No Curve Fit




perindopril (1compartment)




permethrin (1compartment)




petasitenine (1compartment)



phenacetin (1compartment)




phenobarbital (1compartment)




phenolphthalein (1compartment)

Dose: 25 mg/kg
Route: iv
Reference: 139
Media: plasma
LOQ: 0.006975




phenolphthalein glucuronide (1compartment)


Dose: 25 mg/kg
Route: iv
Reference: 139
Media: plasma
LOQ: 0.6705




phenytoin (1compartment)




pitavastatin (1compartment)




pomalidomide (1compartment)




potassium perfluorobutane sulfonate (1compartment): Optimizer Failed, No C




pranlukast (1compartment)




primaquine (1compartment)




primidone (1compartment)




propamocarb hydrochloride (1compartment)




propiverine (1compartment)




propylparaben (1compartment)




propyzamide (1compartment)




pseudoephedrine (1compartment)




psoralen (1compartment): Optimizer Failed, No Curve Fit




pyridine (1compartment): Optimizer Failed, No Curve Fit




pyrithiobac sodium (1compartment): Optimizer Failed, No Curve Fit



quinaprilat (1compartment): Optimizer Failed, No Curve Fit




quinotolast (1compartment)




r-metoprolol (1compartment)


Dose: 15 mg/kg
Route: po
Reference: 216
Media: plasma
LOQ: 0.000468




rabeprazole (1compartment)




resmethrin (1compartment)




resveratrol (1compartment)




risperidone (1compartment)



rivaroxaban (1compartment)




s-bioallethrin (1compartment)




s-metoprolol (1compartment)


Dose: 15 mg/kg
Route: po
Reference: 216
Media: plasma
LOQ: 0.000648





sacubitril (1compartment)



safinamide (1compartment)




salicylamide (1compartment)




L.O.Q.
• Above


sarpogrelate (1compartment): Optimizer Failed, No Curve Fit




scopoletin (1compartment)




senkirkine (1compartment)




sepimostat (1compartment): Optimizer Failed, No Curve Fit




sertraline (1compartment)




silmitasertib (1compartment)



simazine (1 compartment)




sitagliptin (1compartment)




solvent red1 (1compartment)


Dose: 20 mg/kg
Route: po
Reference: 66
Media: blood
LOQ: 0.000369




sotalol (1compartment)



sparfloxacin (1compartment)




styrene (1compartment)




L.O.Q.

• Above


sulfasalazine (1compartment)




sumatriptan (1compartment)




tacrolimus (1compartment)




tadalafil (1compartment)




taltirelin (1compartment)




tamoxifen (1compartment)




tamoxifen, free base (1compartment)




tebipenem (1compartment): Optimizer Failed, No Curve Fit




tedizolid (1compartment): Optimizer Failed, No Curve Fit




telithromycin (1compartment)




teprenone (1compartment)




terguride (1compartment)




tert-amyl alcohol (1compartment)



tert-amyl methyl ether (1compartment)




tert-butyl alcohol (1compartment)




tetrachloroethylene (1compartment)


Dose: 500 mg/kg
Route: po
Reference: 4
Media: blood
LOQ: 0.3522285




tetralin (1compartment)




thalidomide (1compartment)



theanine (1compartment): Optimizer Failed, No Curve Fit




theophylline (1compartment): Optimizer Failed, No Curve Fit




thiodiglycolic acid (1compartment)


Dose: 20 mg/kg
Route: iv
Reference: 155
Media: plasma
LOQ: 0.089145




tofogliflozin (1compartment)



tolbutamide (1compartment): Optimizer Failed, No Curve Fit




triazolam (1compartment)




L.O.Q.

• Above


trichloroacetic acid (1compartment)




trichloroethanol (1compartment): Optimizer Failed, No Curve Fit



trichloroethanol glucuronide (1compartment)




trichloroethylene (1compartment): Optimizer Failed, No Curve Fit




triclosan (1compartment)


Dose: 1 mg/kg
Route: iv
Reference: 192
Media: plasma
LOQ: 0.00045




trimethylamine (1compartment)




valproic acid (1compartment): Optimizer Failed, No Curve Fit




vaniprevir (1compartment)




vibegron (1compartment)




warfarin (1compartment): Optimizer Failed, No Curve Fit



wyeth-14643 (1compartment)



zolpidem (1compartment)



zonisamide (1compartment)



L.O.Q.
• Above