



1,2,4-trimethylbenzene (2compartment)




1,2-dichloroethane (2compartment)


Dose: 100 mg/kg
Route: po
Reference: 18
Media: blood
LOQ: 0.316215




1,4–butanediol (2compartment): Optimizer Failed, No Curve Fit




1,4-dioxane (2compartment)




1-chloro-2-propanol (2compartment)




2,3,7,8-tetrachlorodibenzo-p-dioxin (2compartment)




2,4-dichlorophenoxyacetic acid (2compartment): Optimizer Failed, No Curve Fit




2,4-dihydroxybenzophenone (2compartment)




2,5-dimethylaniline (2compartment)




2,6-dimethylaniline (2compartment)



2-(1h-imidazol-2-yl)pyridine (2compartment): Optimizer Failed, No Curve Fit




2-hydroxy-4-methoxybenzophenone (2compartment)




2-methylimidazole (2compartment)


Dose: 10 mg/kg
Route: iv
Reference: 150
Media: plasma
LOQ: 0.051615




2-methyltetrahydrofuran (2compartment)




3,3',4,4',5-pentachlorobiphenyl (2compartment): Optimizer Failed, No Curve Fit



3-hydroxybenzo(a)pyrene (2compartment): Optimizer Failed, No Curve Fit




3-hydroxybenzo[a]pyrene (2compartment): Optimizer Failed, No Curve Fit




4-methylimidazole (2compartment)

Dose: 10 mg/kg
Route: iv
Reference: 151
Media: plasma
LOQ: 0.033444




acetaminophen (2compartment): Optimizer Failed, No Curve Fit




L.O.Q.
• Above


acrylamide (2compartment)




acrylonitrile (2compartment)




adefovir (2compartment)




ag-041r (2compartment)




alachlor (2compartment)




alpha-thujone (2compartment)




alprazolam (2compartment): Optimizer Failed, No Curve Fit




amiodarone (2compartment)




aniline (2compartment): Optimizer Failed, No Curve Fit




anthraquinone (2compartment): Optimizer Failed, No Curve Fit




apixaban (2compartment)




apomorphine (2compartment): Optimizer Failed, No Curve Fit




aspirin (2compartment): Optimizer Failed, No Curve Fit




atomoxetine (2compartment)




azithromycin (2compartment)




balsalazide (2compartment)




bensulide (2compartment): Optimizer Failed, No Curve Fit




benzo(a)pyrene (2compartment): Optimizer Failed, No Curve Fit




benzophenone (2compartment)




benzylamine (2compartment)




beraprost (2compartment)




beta-hydroxyisovaleric acid (2compartment)




betaxolol (2compartment)




bexarotene (2compartment)




bis 2-chloroethoxy methane (2compartment)




bisoprolol (2compartment)




bisphenol a (2compartment): Optimizer Failed, No Curve Fit




boscalid (2compartment)




bosentan (2compartment): Optimizer Failed, No Curve Fit




bromazepam (2compartment)



bromobenzene (2compartment)




bromochloroacetic acid (2compartment): Optimizer Failed, No Curve Fit




bromodichloromethane (2compartment)


Dose: 10 mg/kg
Route: iv
Reference: 154
Media: plasma
LOQ: 0.001548




caffeine (2compartment)



canagliflozin (2compartment)




carbaryl (2compartment)




carbendazim (2compartment)


Dose: 1000 mg/kg
Route: po
Reference: 201
Media: plasma
LOQ: 0.022248




cefixime (2compartment)




celiprolol (2compartment): Optimizer Failed, No Curve Fit




chloral hydrate (2compartment): Optimizer Failed, No Curve Fit




chloridazon (2compartment): Optimizer Failed, No Curve Fit




chlorogenic acid (2compartment)




chlorpromazine (2compartment)




chlorpyrifos (2compartment): Optimizer Failed, No Curve Fit




ciprofloxacin (2compartment)




clonazepam (2compartment)




codeine (2compartment)




coumarin (2compartment): Optimizer Failed, No Curve Fit




curcumin (2compartment)




cyclanilide (2compartment)




cyclosporin a (2compartment)




d-carnosine (2compartment)




dabigatran (2compartment)




darolutamide (2compartment)




desloratadine (2compartment)




desmethylinipramine (2compartment): Optimizer Failed, No Curve Fit




dextromethorphan (2compartment)




di-n-butyl phthalate (2compartment)




diazepam (2compartment)




diazinon-o-analog (2compartment)




dibromoacetic acid (2compartment): Optimizer Failed, No Curve Fit




dichloroacetic acid (2compartment): Optimizer Failed, No Curve Fit




dichloromethane (2compartment)




digoxin (2compartment)



diisobutyl ketone (2compartment): Optimizer Failed, No Curve Fit




diltiazem (2compartment)




L.O.Q.

• Above

dimethenamid (2compartment): Optimizer Failed, No Curve Fit




disopyramide (2compartment)




dl-camphor (2compartment)


Dose: 6 mg/kg
Route: iv
Reference: 165
Media: plasma
LOQ: 0.004635




domitroban (2compartment)




doxorubicin (2compartment)




duloxetine (2compartment)




efonidipine (2compartment)




elbasvir (2compartment)




ellagic acid (2compartment)




emodin (2compartment): Optimizer Failed, No Curve Fit




enoxacin (2compartment)




ethanol (2compartment)




etizolam (2compartment)




etoxazole (2compartment)




fadrozole (2compartment)




fenarimol (2compartment)




fexofenadine (2compartment)




flufenacet (2compartment): Optimizer Failed, No Curve Fit




flunitrazepam (2compartment)




fluorotelomer acid 7+3 (2compartment): Optimizer Failed, No Curve Fit




fluorotelomer alcohol 8+2 (2compartment)




fluoxetine (2compartment)




flutamide (2compartment): Optimizer Failed, No Curve Fit




fluvastatin (2compartment)



fluvoxamine (2compartment)




formamide (2compartment)




formate (2compartment)


Dose: 100 mg/kg
Route: iv
Reference: 17
Media: blood
LOQ: 0.033273




formetanate hydrochloride (2compartment): Optimizer Failed, No Curve Fit




free carbon disulfide (2compartment)




gemfibrozil (2compartment): Optimizer Failed, No Curve Fit




glutaraldehyde (2compartment): Optimizer Failed, No Curve Fit



glycidamide (2compartment)




glycine (2compartment)




L.O.Q.
• Above

glyoxylic acid monohydrate (2compartment)


Dose: 50 mg/kg
Route: iv
Reference: 156
Media: plasma
LOQ: 1.2114




grazoprevir (2compartment)




griseofulvin (2compartment)



hexachlorobenzene (2compartment): Optimizer Failed, No Curve Fit




hexachlorocyclohexane (2compartment): Optimizer Failed, No Curve Fit




L.O.Q.

• Above


hexobarbital (2compartment)




hippuric acid (2compartment)




hydromorphone (2compartment)




hydroxyethoxyacetic acid (2compartment)




ibrolipim (2compartment)




ibuprofen (2compartment)




imazalil (2compartment)




imidacloprid (2compartment): Optimizer Failed, No Curve Fit




imipramine (2compartment): Optimizer Failed, No Curve Fit





ipragliflozin (2compartment)



isoeugenol (2compartment)




isopsoralen (2compartment)




L.O.Q.

- Above
- Below


itopride (2compartment)




ketoprofen (2compartment)




I-arginine (2compartment)




l-ephedrine (2compartment): Optimizer Failed, No Curve Fit




lactitol (2compartment)




lamivudine (2compartment)




lemildipine (2compartment)




lenalidomide (2compartment)




Ietermovir (2compartment)




lorazepam (2compartment): Optimizer Failed, No Curve Fit




loxoprofen (2compartment)




lurasidone (2compartment)




m-cresol (2compartment)




macelignan (2compartment)




melengestrol acetate (2compartment)



memantine (2compartment)




methanol (2compartment)




L.O.Q.

• Above


methyl methacrylate (2compartment): Optimizer Failed, No Curve Fit



methyl tert-butyl ether (2compartment)




methylene chloride (2compartment)




L.O.Q.

• Above


methyleugenol (2compartment)




methylphenidate (2compartment)




metoprolol (2compartment)




miconazole (2compartment): Optimizer Failed, No Curve Fit




midazolam (2compartment): Optimizer Failed, No Curve Fit




mofezolac (2compartment)




molinate (2compartment)




mono-n-butyl phthalate (2compartment)




monobutyl phthalate (2compartment)




morphine (2compartment)




n,n-dimethylaniline (2compartment)




nadolol (2compartment)




naphthalene (2compartment)




neopetasitenine (2compartment)




nilvadipine (2compartment)




nitrazepam (2compartment)




nitrite (2compartment)




norfloxacin (2compartment)




novaluron (2compartment)




octylphenol (2compartment)




olanzapine (2compartment)




olopatadine (2compartment)




omeprazole (2compartment)




ondansetron (2compartment)




oseltamivir (2compartment)




oxazepam (2compartment)




oxycodone (2compartment): Optimizer Failed, No Curve Fit




oxymetholone (2compartment): Optimizer Failed, No Curve Fit




paroxetine (2compartment)




peficitinib (2compartment): Optimizer Failed, No Curve Fit




pentachlorophenol, purified (2compartment): Optimizer Failed, No Curve Fit




perfluorodecanoic acid (2compartment)




perfluorohexane-1-sulphonic acid " potassium salt (2compartment): Optim




perfluorohexanoic acid (2compartment): Optimizer Failed, No Curve Fit




perfluorooctane sulfonate (2compartment)




perfluorooctanoic acid (2compartment): Optimizer Failed, No Curve Fit




perindopril (2compartment): Optimizer Failed, No Curve Fit




permethrin (2compartment)




petasitenine (2compartment)



phenacetin (2compartment): Optimizer Failed, No Curve Fit



phenobarbital (2compartment)




Dose: 25 mg/kg Route: iv Reference: 139 Media: plasma LOQ: 0.006975


- Above
- Below

phenolphthalein glucuronide (2compartment)


Dose: 25 mg/kg
Route: iv
Reference: 139
Media: plasma
LOQ: 0.6705




phenytoin (2compartment)




pitavastatin (2compartment)




pomalidomide (2compartment)




potassium perfluorobutane sulfonate (2compartment)




pranlukast (2compartment)




primaquine (2compartment): Optimizer Failed, No Curve Fit




primidone (2compartment)




propamocarb hydrochloride (2compartment): Optimizer Failed, No Curve Fit




propiverine (2compartment)




propylparaben (2compartment): Optimizer Failed, No Curve Fit




propyzamide (2compartment): Optimizer Failed, No Curve Fit



pseudoephedrine (2compartment)




psoralen (2compartment)




L.O.Q.

- Above
- Below


pyridine (2compartment): Optimizer Failed, No Curve Fit




pyrithiobac sodium (2compartment): Optimizer Failed, No Curve Fit



quinaprilat (2compartment)




quinotolast (2compartment): Optimizer Failed, No Curve Fit




r-metoprolol (2compartment)


Dose: 15 mg/kg
Route: po
Reference: 216
Media: plasma
LOQ: 0.000468




rabeprazole (2compartment): Optimizer Failed, No Curve Fit




resmethrin (2compartment)




resveratrol (2compartment)




risperidone (2compartment)



rivaroxaban (2compartment)




s-bioallethrin (2compartment)




s-metoprolol (2compartment)


Dose: 15 mg/kg
Route: po
Reference: 216
Media: plasma
LOQ: 0.000648




sacubitril (2compartment)




safinamide (2compartment): Optimizer Failed, No Curve Fit




salicylamide (2compartment): Optimizer Failed, No Curve Fit




sarpogrelate (2compartment)




scopoletin (2compartment): Optimizer Failed, No Curve Fit




senkirikine (2compartment)




sepimostat (2compartment)




sertraline (2compartment): Optimizer Failed, No Curve Fit




silmitasertib (2compartment)



simazine (2compartment)



sitagliptin (2compartment)




L.O.Q.


• Above

solvent red1 (2compartment)


Dose: 20 mg/kg
Route: po
Reference: 66
Media: blood
LOQ: 0.000369




sotalol (2compartment)




sparfloxacin (2compartment)




styrene (2compartment)




sulfasalazine (2compartment)




sumatriptan (2compartment)




tacrolimus (2compartment)




tadalafil (2compartment)



taltirelin (2compartment)




tamoxifen (2compartment): Optimizer Failed, No Curve Fit




tamoxifen, free base (2compartment)


Dose: 0.3 mg/kg
Route: iv
Reference: 142
Media: plasma
LOQ: 0.001818




tebipenem (2compartment)




tedizolid (2compartment)




telithromycin (2compartment)




teprenone (2compartment)




terguride (2compartment)




tert-amyl alcohol (2compartment)



tert-amyl methyl ether (2compartment)




tert-butyl alcohol (2compartment): Optimizer Failed, No Curve Fit




tetrachloroethylene (2compartment)

Dose: 500 mg/kg
Route: po
Reference: 4
Media: blood
LOQ: 0.3522285




tetralin (2compartment)




L.O.Q.

- Above
- Below



thalidomide (2compartment)



theanine (2compartment)




theophylline (2compartment)




thioglycolic acid (2compartment)


Dose: 20 mg/kg
Route: iv
Reference: 155
Media: plasma
LOQ: 0.089145




tofogliflozin (2compartment)




tolbutamide (2compartment): Optimizer Failed, No Curve Fit




triazolam (2compartment)




trichloroacetic acid (2compartment)




trichloroethanol (2compartment)



trichloroethanol glucuronide (2compartment)




trichloroethylene (2compartment): Optimizer Failed, No Curve Fit




triclosan (2compartment)


Dose: 1 mg/kg
Route: iv
Reference: 192
Media: plasma
LOQ: 0.00045




trimethylamine (2compartment)




valproic acid (2compartment)




vaniprevir (2compartment): Optimizer Failed, No Curve Fit




vibegron (2compartment)




warfarin (2compartment)




wyeth-14643 (2compartment): Optimizer Failed, No Curve Fit



zolpidem (2compartment)



zonisamide (2compartment)



L.O.Q.
• Above