


1,2,4-trimethylbenzene (1compartment)




1,2-dichloroethane (1compartment)




1,4-butanediol (1compartment)




1,4-dioxane (1compartment)




1-chloro-2-propanol (1compartment)




2,3,7,8-tetrachlorodibenzo-p-dioxin (1compartment)




2,4-dichlorophenoxyacetic acid (1compartment)




2,4-dihydroxybenzophenone (1compartment)




2,5-dimethylaniline (1compartment)




2,6-dimethylaniline (1compartment)




2-(1h-imidazol-2-yl)pyridine (1compartment)




2-hydroxy-4-methoxybenzophenone (1compartment)




2-methylimidazole (1compartment)




2-methyltetrahydrofuran (1compartment)




3,3',4,4',5-pentachlorobiphenyl (1compartment): Optimizer Failed, No Curve Fit




3-hydroxybenzo(a)pyrene (1compartment)



3-hydroxybenzo[a]pyrene (1compartment)




4-methylimidazole (1compartment)




L.O.Q.

Above Below


[14]c (1compartment): Optimizer Failed, No Curve Fit









acetaminophen (1compartment)



acrylamide (1compartment)




acrylonitrile (1compartment)




Above

adefovir (1compartment) Dose: 18 mg/kg Route: po Reference: 24986 Media: serum LOQ: 3.33e-05 10⁻³ ¬ Concentration (mg/L) L.O.Q. Above 10⁻⁵ -5 10 ò 15 Time (h)


ag-041r (1compartment)




alachlor (1compartment)




alpha-thujone (1compartment)



alprazolam (1compartment)



amiodarone (1compartment)




aniline (1compartment) Dose: 35 mg/kg Route: po Reference: 24798 Media: serum LOQ: 0.000323271 10⁻¹ -10⁻² Concentration (mg/L) L.O.Q. Above 10^{-4}

Time (h)

Ó

3

anthraquinone (1compartment)



apixaban (1compartment) Dose: 1 mg/kg Route: po Reference: 24799 Media: serum LOQ: 9.36e-07 10⁻⁴ -Concentration (mg/L) ರ ರ L.O.Q. Above 10⁻⁶

10


Time (h)

15

5


ò

apomorphine (1compartment)




aspirin (1compartment) Dose: 40 mg/kg Route: po Reference: 24801 Media: serum LOQ: 0.000471555 10⁻¹ -10⁻² Concentration (mg/L) L.O.Q. Above 10⁻³ 10⁻⁴ ٦ 0.2 0.0 0.4 0.6 Time (h)


atomoxetine (1compartment)




azithromycin (1compartment)




balsalazide (1compartment)




bensulide (1compartment): Optimizer Failed, No Curve Fit




benzo(a)pyrene (1compartment)




benzophenone (1compartment)




benzydamine (1compartment)




beraprost (1compartment)




beta-hydroxyisovaleric acid (1compartment)




betaxolol (1compartment)




bexarotene (1compartment)




bis 2-chloroethoxy methane (1compartment)




bisoprolol (1compartment)




bisphenol a (1compartment)




boscalid (1compartment)




bosentan (1compartment)




bromazepam (1compartment)



bromobenzene (1compartment)




bromochloroacetic acid (1compartment): Optimizer Failed, No Curve Fit




Time (h)


bromodichloromethane (1compartment)




caffeine (1compartment)




canagliflozin (1compartment)



carbaryl (1compartment)



carbendazim (1compartment)




cefixime (1compartment) Dose: 86 mg/kg Route: po Reference: 24813 Media: serum LOQ: 0.000492228 10⁻¹ -10⁻² Concentration (mg/L) L.O.Q. Above 10⁻³ 10⁻⁴ -10 20 30 Ò


Time (h)

celiprolol (1compartment) Dose: 10 mg/kg Route: po Reference: 24814 Media: serum LOQ: 2.0565e-06 10⁻³ 10⁻⁴ -Concentration (mg/L) L.O.Q. Above 10⁻⁵ 10⁻⁶ 2 6 Time (h)


chloridazon (1compartment)




chlorogenic acid (1compartment)



chlorpromazine (1compartment)




chlorpyrifos (1compartment)




Above

ciprofloxacin (1compartment)




clonazepam (1compartment)




codeine (1compartment) Dose: 10 mg/kg Route: po Reference: 24996 Media: serum LOQ: 2.5875e-06 10⁻³ 10⁻⁴ Concentration (mg/L) L.O.Q. Above 10⁻⁶ -2 ò 6 Time (h)


coumarin (1compartment)




curcumin (1compartment)




cyclanilide (1compartment)




cyclosporin a (1compartment)




d-carnosine (1compartment)




dabigatran (1compartment)




darolutamide (1compartment)




desloratadine (1compartment)




desmethylimipramine (1compartment)




dextromethorphan (1compartment)




di-n-butyl phthalate (1compartment)




diazepam (1compartment)




diazinon-o-analog (1compartment)




dibromoacetic acid (1compartment): Optimizer Failed, No Curve Fit



dichloroacetic acid (1compartment)




dichloromethane (1compartment)




digoxin (1compartment) Dose: 0.048 mg/kg Route: po Reference: 24823 Media: serum LOQ: 5.76e-07 10⁻⁵ 7 Concentration (mg/L) L.O.Q. Above 10⁻⁷ -2 Time (h)


diisobutyl ketone (1compartment)




diltiazem (1compartment)



dimethenamid (1compartment)




disopyramide (1compartment)




dl-camphor (1compartment) Dose: 6 mg/kg Route: iv Reference: 165 Media: serum LOQ: 4.635e-06 10⁻² 7 10⁻³ -Concentration (mg/L) L.O.Q. Above Below 10^{-5} 10⁻⁶ 12 Ö 8

Time (h)


domitroban (1compartment)




doxorubicin (1compartment)



duloxetine (1compartment)




efonidipine (1compartment)




elbasvir (1compartment) Dose: 300 mg/kg Route: po Reference: 25004 Media: serum LOQ: 8.1e-06









ellagic acid (1compartment)



emodin (1compartment)




enoxacin (1compartment)




ethanol (1compartment) Dose: 4800 mg/kg Route: po Reference: 24832 Media: serum LOQ: 0.063855 10 Concentration (mg/L) L.O.Q. Above Below 10^{-1} 10⁻² 10 15 5 20 Time (h)


etizolam (1compartment)




etoxazole (1compartment)




fadrozole (1compartment)




fenarimol (1compartment)




fexofenadine (1compartment)




flufenacet (1compartment)




flunitrazepam (1compartment)




fluorotelomer acid 7+3 (1compartment)




fluorotelomer alcohol 8+2 (1compartment)




fluoxetine (1compartment)




flutamide (1compartment)




fluvastatin (1compartment)




fluvoxamine (1compartment)




formamide (1compartment)




formate (1compartment)




formetanate hydrochloride (1compartment)




free carbon disulfide (1compartment)



gemfibrozil (1compartment)



glutaraldehyde (1compartment)




glycidamide (1compartment) Dose: 0.12 mg/kg Route: po Reference: 24985 Media: serum LOQ: 3.06e-07 10⁻⁴ -10⁻⁵ Concentration (mg/L) L.O.Q. Above 10⁻⁶ -10⁻⁷ 12 Ó 8


Time (h)

glycine (1compartment) Dose: 2000 mg/kg Route: po Reference: 24846 Media: serum LOQ: 0.0182046375 1 Concentration (mg/L) L.O.Q. Above 10⁻² 10 20 30 Ò Time (h)


glyoxylic acid monohydrate (1compartment)




grazoprevir (1compartment)



griseofulvin (1compartment)




hexachlorobenzene (1compartment)




Time (h)


hexobarbital (1compartment)




hippuric acid (1compartment)




hydromorphone (1compartment)




ibrolipim (1compartment)




ibuprofen (1compartment)




imazalil (1compartment)




imidacloprid (1compartment): Optimizer Failed, No Curve Fit




imipramine (1compartment)




ipragliflozin (1compartment)




isoeugenol (1compartment)




isopsoralen (1compartment)




itopride (1compartment)




ketoprofen (1compartment)



I-arginine (1compartment)




I-ephedrine (1compartment): Optimizer Failed, No Curve Fit




Time (h)


lactitol (1compartment)




lamivudine (1compartment)




lemildipine (1compartment)




lenalidomide (1compartment)




letermovir (1compartment)




lorazepam (1compartment)




loxoprofen (1compartment)




Iurasidone (1compartment)




m-cresol (1compartment)




macelignan (1compartment)



melengestrol acetate (1compartment)




memantine (1compartment)




methanol (1compartment) Dose: 100 mg/kg Route: iv Reference: 17 Media: serum LOQ: 0.00549036 10^{-1} Concentration (mg/L) L.O.Q. 10⁻² Above 10⁻³ 2 6 Time (h)


methemoglobin (1compartment)




methyl methacrylate (1compartment)




methyl tert-butyl ether (1compartment)




methylene chloride (1compartment)




methyleugenol (1compartment)




methylphenidate (1compartment)




metoprolol (1compartment)




miconazole (1compartment)



midazolam (1compartment): Optimizer Failed, No Curve Fit




mofezolac (1compartment)




molinate (1compartment) Dose: 10 mg/kg Route: po Reference: 24873 Media: serum LOQ: 1.629e-06 10⁻³ 10⁻⁴ Concentration (mg/L) L.O.Q. Above 10⁻⁶ ò 3 Time (h)

mono-n-butyl phthalate (1compartment)




monobutyl phthalate (1compartment)



morphine (1compartment) Dose: 10 mg/kg Route: po Reference: 24996 Media: serum LOQ: 2.529e-06 10⁻³ 10⁻⁴ -Concentration (mg/L) L.O.Q. Above 10⁻⁶ 2 6 Ó Time (h)


n,n-dimethylaniline (1compartment)




nadolol (1compartment) Dose: 10 mg/kg Route: po Reference: 24814 Media: serum LOQ: 6.597e-06 10⁻³ Concentration (mg/L) L.O.Q. Above 10⁻⁵ 1 10⁻⁶ -2 6

Time (h)


naphthalene (1compartment)




neopetasitenine (1compartment)




nilvadipine (1compartment)



nitrazepam (1compartment)



nitrite (1compartment)




norfloxacin (1compartment) Dose: 20 mg/kg Route: po Reference: 24830 Media: serum LOQ: 3.09465e-05 10⁻³ Concentration (mg/L) L.O.Q. Above 10⁻⁵

Time (h)


Ó

3

novaluron (1compartment)




octylphenol (1compartment)




L.O.Q.

Above


olanzapine (1compartment)



olopatadine (1compartment)



omeprazole (1compartment)



ondansetron (1compartment) Dose: 1 mg/kg Dose: 20 mg/kg Dose: 20 mg/kg Route: iv Route: iv Route: po Reference: 220 Reference: 220 Reference: 220 Media: serum Media: serum Media: serum LOQ: 9.6165e-06 LOQ: 9.6165e-06 LOQ: 9.6165e-06 10^{-1} 10^{-3} 10^{-5} Dose: 4 mg/kg Dose: 4 mg/kg Dose: 8 mg/kg Route: iv Route: po Route: iv Reference: 220 Reference: 220 Reference: 220 Media: serum Media: serum Media: serum LOQ: 9.6165e-06 LOQ: 9.6165e-06 LOQ: 9.6165e-06 L.O.Q. 10⁻³ -Above 10^{-5} 3 2 5 0 2 3 4 0 4 Dose: 8 mg/kg Route: po Reference: 220 Media: serum LOQ: 9.6165e-06 10^{-1} 10^{-3} 10^{-5}


Concentration (mg/L)

2 3


4

Time (h)


oseltamivir (1compartment)




oxazepam (1compartment)



oxycodone (1compartment)



oxymetholone (1compartment)



paroxetine (1compartment) Dose: 10 mg/kg Route: po Reference: 25027 Media: serum LOQ: 1.1349e-05 10^{-4} 3e-05 L.O.Q. Above 10⁻⁵ 3e-06 -

20

Time (h)

30


10

Concentration (mg/L)

Ö

peficitinib (1compartment) Dose: 1 mg/kg Route: po Reference: 25028 Media: serum LOQ: 7.65e-07 10⁻⁴ -Concentration (mg/L) L.O.Q. Above 10⁻⁶ -5 10 ò 15 Time (h)


pentachlorophenol, purified (1compartment)




L.O.Q.

- Above
- Below


perfluorodecanoic acid (1compartment)




perfluorohexane-1-sulphonic acid â€" potassium salt (1compartment)




perfluorohexanoic acid (1compartment): Optimizer Failed, No Curve Fit



perfluorooctane sulfonate (1compartment)




perfluorooctanoic acid (1compartment): Optimizer Failed, No Curve Fit ose: 0.2 mg/k Dose: 1 mg/kg ose: 12 mg/k ose: 12 mg/k ose: 12 mg/k Route: po Route: po Route: iv Route: iv Route: po eference: 19 eference: 13 deference: 13 Reference: 14 Reference: 19 Media: serum Media: serum Media: serum Media: serum Media: serum DQ: 2.655e-0 DQ: 2.655e-0 OQ: 6.12e-0 OQ: 6.12e-0 Q: 1.4355e- 10^{-2} 10^{-4} bse: 160 mg/ ose: 24 mg/k bse: 320 mg/ ose: 40 mg/k ose: 40 mg/k Route: po Route: po Route: po Route: iv Route: iv eference: 14 eference: 13 eference: 13 Reference: 14 deference: 13 Media: serum Media: serum Media: serum Media: serum Media: serum OQ: 6.12e-0 OQ: 6.12e-0 Q: 1.4355e-OQ: 6.12e-0 Q: 1.4355e- 10^{-2} Concentration (mg/L) L.O.Q. ose: 40 mg/k ose: 40 mg/k ose: 48 mg/k ose: 48 mg/k Dose: 6 mg/kg Route: po Route: po Route: po Route: po Route: iv Above deference: 13 Reference: 14 eference: 13 deference: 14 Reference: 14 Media: serum Media: serum Media: serum Media: serun Media: serum **Below** OQ: 6.12e-0 Q: 1.4355e-OQ: 6.12e-0 Q: 1.4355e-Q: 1.4355e-




perindopril (1compartment) Dose: 0.5 mg/kg Route: po Reference: 24882 Media: serum LOQ: 4.005e-07 10⁻⁵ 7 Concentration (mg/L) L.O.Q. Above 10^{-7} 10 20 ò 30 Time (h)

permethrin (1compartment)




petasitenine (1compartment) Dose: 1 mg/kg Route: po Reference: 25022 Media: serum LOQ: 2.205e-07 10⁻³ - 10^{-4} Concentration (mg/L) L.O.Q. Above 10⁻⁶ 10^{-7} 10 20 ò 30 Time (h)


phenacetin (1compartment)




phenobarbital (1compartment)




phenolphthalein (1compartment)




phenolphthalein glucuronide (1compartment)




phenytoin (1compartment)




pitavastatin (1compartment)



pomalidomide (1compartment)




potassium perfluorobutane sulfonate (1compartment)




pranlukast (1compartment) Dose: 20 mg/kg Route: po Reference: 24886 Media: serum LOQ: 2.358e-06 10⁻³ ¬ 10⁻⁴ -Concentration (mg/L) L.O.Q. Above 10⁻⁶ 5 10 ò 15 Time (h)

primaquine (1compartment) Dose: 20 mg/kg Route: po Reference: 25029 Media: serum LOQ: 8.8695e-06 10⁻³ Concentration (mg/L) L.O.Q. Above 10⁻⁵ 1 3 Ó Time (h)


primidone (1compartment)




propamocarb hydrochloride (1compartment)




propiverine (1compartment)




propylparaben (1compartment): Optimizer Failed, No Curve Fit



propyzamide (1compartment)




pseudoephedrine (1compartment)




psoralen (1compartment) Dose: 2.852 mg/kg Route: po Reference: 24851 Media: serum LOQ: 0.001366695 10^{-1} Concentration (mg/L) L.O.Q. Above Below 10⁻³ 10 20 ò 30 Time (h)

pyridine (1compartment) Dose: 0.5 mg/kg Dose: 10 mg/kg Dose: 10 mg/kg Dose: 100 mg/kg Route: iv Route: po Route: iv Route: po Reference: 162 Reference: 149 Reference: 149 Reference: 162 Media: serum Media: serum Media: serum Media: serum LOQ: 2.3625e-05 LOQ: 8.325e-05 LOQ: 8.325e-05 LOQ: 2.3625e-05 1 10⁻² 10^{-4} 909 Dose: 2.5 mg/kg Dose: 200 mg/kg Dose: 25 mg/kg Dose: 5 mg/kg Route: iv Route: po Route: iv Route: po Reference: 162 Reference: 162 Reference: 149 Reference: 162 Media: serum Media: serum Media: serum Media: serum LOQ: 2.3625e-05 LOQ: 8.325e-05 LOQ: 2.3625e-05 LOQ: 2.3625e-05 Concentration (mg/L) L.O.Q. Above **Below** 150 0 0 50 100 50 100 150 Dose: 5 mg/kg Dose: 50 mg/kg Route: po Route: po Reference: 149 Reference: 162 Media: serum Media: serum LOQ: 2.3625e-05 LOQ: 8.325e-05 1 10⁻² - 10^{-4} 150 0 50 100 50 100 150 Time (h)


pyrithiobac sodium (1compartment)




quinaprilat (1compartment) Dose: 3 mg/kg Route: po Reference: 24889 Media: serum LOQ: 2.007e-06 L.O.Q. Above




quinotolast (1compartment)




r-metoprolol (1compartment)




rabeprazole (1compartment)



resmethrin (1compartment)




resveratrol (1compartment)




risperidone (1compartment) Dose: 6 mg/kg Route: po Reference: 25031 Media: serum LOQ: 8.55e-08 10⁻³ ¬ Concentration (mg/L) L.O.Q. Above 8 10^{-7} 20 40 ò 60

Time (h)


rivaroxaban (1compartment)




s-bioallethrin (1compartment)




s-metoprolol (1compartment)




sacubitril (1compartment)




safinamide (1compartment)




salicylamide (1compartment)




sarpogrelate (1compartment)




scopoletin (1compartment)




senkirkine (1compartment)




sepimostat (1compartment)




sertraline (1compartment)




silmitasertib (1compartment)




simazine (1compartment)




sitagliptin (1compartment)




solvent red1 (1compartment)



sotalol (1compartment)




sparfloxacin (1compartment)




styrene (1compartment) Dose: 10 mg/kg Route: po Reference: 24899 Media: serum LOQ: 1.34415e-05 10⁻² 10⁻³ Concentration (mg/L) L.O.Q. Above 10⁻⁵ -2 ò Time (h)


sulfasalazine (1compartment)




sumatriptan (1compartment)




tacrolimus (1compartment)




tadalafil (1compartment)




taltirelin (1compartment)




tamoxifen (1compartment): Optimizer Failed, No Curve Fit




tamoxifen, free base (1compartment)




tebipenem (1compartment)




tedizolid (1compartment)




telithromycin (1compartment)




teprenone (1compartment)




terguride (1compartment)




tert-amyl alcohol (1compartment)




tert-amyl methyl ether (1compartment)




tert-butyl alcohol (1compartment)




tetrachloroethylene (1compartment)




tetralin (1compartment)




thalidomide (1compartment)




theanine (1compartment)




theophylline (1compartment)




thiodiglycolic acid (1compartment)




tofogliflozin (1compartment)




tolbutamide (1compartment): Optimizer Failed, No Curve Fit



triazolam (1compartment)



trichloroethylene (1compartment)



triclosan (1compartment) Dose: 1 mg/kg Route: iv Reference: 192 Media: serum LOQ: 4.5e-07 10⁻³ - 10^{-4} L.O.Q. Above Below

50

Time (h)


Concentration (mg/L)

 10^{-6}


10⁻⁷

Ö


25



trimethylamine (1compartment)




valproic acid (1compartment)




Above

vaniprevir (1compartment)




vibegron (1compartment): Optimizer Failed, No Curve Fit




warfarin (1compartment) Dose: 2 mg/kg Route: po Reference: 24918 Media: serum LOQ: 6.7104e-05 10⁻² 7 Concentration (mg/L) L.O.Q. Above 10⁻⁴ ٦ 10⁻⁵ -20 40 60

Time (h)

wyeth-14643 (1compartment)



zolpidem (1compartment)



zonisamide (1compartment)

