

Aquatic Resources Monitoring: Design, Analysis and Reporting Using EPA Tools

Garrett Stillings (OWOW)

Contributions from:
Karen Blocksom (ORD) and Michael Dumelle (ORD)

2024 Southeastern Water Pollution Biologist Association

The views expressed in this presentation are those of the author(s) and do not necessarily represent the views or policies of the U.S. Environmental Protection Agency.

1 Monitoring

2 Survey Design

3 Spatially Balanced Sampling

4 Adjusting Weights

5 Population Estimates

6 Communication

7 Resources

A Quick Note

- The `spsurvey` R package, originally created in 2004, has been used extensively by NARS to carry out survey designs and analyze data
- The survey design and population estimates R Shiny apps discussed today are user-friendly, non-R interfaces that actually use `spsurvey` “under the hood”
- `spsurvey` had a major update released in October, 2021 (version 5.0)

Section 1

Monitoring

Clean Water Act

- Monitoring informs progress achieving the Clean Water Act Goals
 - Restore and maintain the chemical, physical and biological integrity of the Nation's waters
 - **Section 101(a)**
 - Water quality provides for the protection and propagation of fish, shellfish and wildlife and recreation in and on the water
 - **Section 101(a)(2)**
 - Monitoring supports implementation of CWA programs
 - Report on extent of waters supporting CWA goals (**305b**)
 - Extent water quality is changing over time (**305b, 314**)
 - Leading causes of degradation (**305b, 303d**)
 - List of waters needing TMDLs to achieve goals (**303d**)
 - Level of protection needed to achieve goals (**303c, 303d, 402, 319**)

Common Monitoring Types

- ① **Census:** Sample every unit in the population.
- ② **Targeted:** Sample a selected area(s) of interest.
- ③ **Probability:** Randomly sample a subset of population and use the sample to draw inferences regarding the target population.




Figure 1: Targeted Monitoring




Figure 2: Probability Survey

Generalized Random Tessellation Stratified (GRTS) Design

- Spatial balance disperses the sampling effort across the extent of the resource so that samples achieve a similar spatial distribution as the population (Olsen et al. 2012).
 - More representative of the population.
 - More precise estimates of population parameters.




Figure 3: Spatial Balance

Section 2

Survey Design

Survey Design Tool

The screenshot shows the Survey Design Tool interface. At the top, there's a navigation bar with the EPA logo, a search bar, and links for Environmental Topics, Laws & Regulations, Report a Violation, and About EPA. Below the navigation is a contact link labeled "CONTACT US". The main title "Survey Design Tool (v. 2.0.0)" is displayed, followed by four tabs: Step 1: Instructions for Use (selected), Step 2: Prepare Survey Design, Step 3: Survey Design Results, and Step 4: Adjust Survey Weights.

Step 1: Instructions for Use

Select the Survey Sample Frame

Choose all files of the Sample Frame
Required: (.shp, .dbf, .prj, .ahx)

Browse... 4 files Upload complete

Transform CRS to NAD83 / Conus Albers

Design Attributes

Choose Design Type GRTS IRS

Select Attribute Which Contains Strata None

Select Attribute Which Contains Categories None

Optional Design Attributes

Calculate Survey Design

Stratum: None

Stratum 1 None 50

Base Sites 10

Replacement Sites 10

Sample Frame Summary

Sample Frame Summary

GROUP	RESOURCE_units
None	776

Figure 4: <https://rconnect-public.epa.gov/survey-design-tool/>

Define Survey Objectives


- Objectives should be linked to management decisions and reporting requirements.
- Ensure the level of effort will sufficiently answer the questions.
- Define the **target population** of interest.

Target Population

- The target population defines the complete collection of units that will be monitored.
- Must define what elements make up the target population (e.g., Lakes >1m depth).
- The target population should align with your organization's assessment goals and monitoring strategy.


Target Population

Example - In this example, we chose to target all lakes in Kentucky which are publicly accessible. This consists of 776 lakes across seven river basins.



Sampling Frame

- A **sampling frame** is a list that contains all sites available to be sampled and intended to be in the target population.
- Sampling frames are often stored as GIS representations (e.g., ESRI shapefile) and contain additional information about the site that can be used in the design process:
 - Stratification variables (Stratified sampling)
 - Categorical/Continuous variables (Unequal or Proportional sampling)



Sampling Frame Types

- ① **Discrete Objects:** Represented by **points** which serve as sampling units for selection (e.g. ponds and lakes treated as a whole).
- ② **Linear Features:** Represented by **polylines** in which a sampling unit is selected along the networks length (e.g. river and stream length).
- ③ **Areas:** Represented by **polygons** where sampling units are selected within these regions (e.g. lake, wetland and coastline area).

Section 3

Spatially Balanced Sampling

Inclusion Probability Methods

- ① **Equal Probability:** Selection where all members of the sample frame have equal probabilities of being selected.
- ② **Unequal Probability:** Selection where the chance of being included is calculated relative to the proportion of a **Categorical Variable** (e.g., size class) across the population (user samples sizes are not guaranteed). Can give smaller populations a greater chance of being selected.



Figure 6: Equal Probability.




Figure 7: Unequal Probability.

Sample Selection

- a. **Unstratified Sampling:** Random samples are drawn from the sample frame as a whole.
- b. **Stratified Sampling:** The sample frame is divided into non-overlapping **Strata** (e.g., river basin) from which independent random samples are drawn.



Figure 8: Unstratified Sampling (Equal Probability).



Figure 9: Stratified Sampling (Equal Probability).

Inclusion Probability Methods

- ③ **Proportional Probability Sampling:** Selection where the chance of being included is proportional to the values of a positive **Auxiliary Variable** (e.g., numeric size). Larger values of the auxiliary variable result in higher inclusion probabilities.



Figure 10: Proportional Sampling.





Figure 11: Image from: Dick Brus (2023). Spatial sampling with R.

Additional Sampling Methods

- ① **Replacement Sampling:** Provides additional sites to replace sites in the base sample for which data cannot be collected.
Sites should be replaced with the next site in Site ID order within the same stratum (if applicable).
 - **Reverse Hierarchical Ordering (Default):** Sites are first selected using the GRTS algorithm then determined as base sites or replacement sites in a way that preserves as much spatial balance as possible.
 - **Nearest Neighbor:** Closest site (measured by Euclidean distance) to the base site (within a stratum).
- ② **Legacy Sampling:** Sites that were selected in a previous random design and should be included in the current sample.
- ③ **Minimum Distance Sampling:** Enforces a minimum distance between sites.


Determining the Sample Size

- Setting an appropriate sample size and considering how they should be allocated across a sample frame is a fundamental step in designing a successful survey.
- Many surveys are limited by budgetary and logistical constraints. The designer must determine a sample size which can overcome these constraints while ensuring the survey estimates the parameter(s) of interest with a low margin of error.



Sample Size Considerations

- Compare the **Spatial Balance** of surveys as estimates from spatially balanced surveys are more precise.
- Set a reasonable sample size of replacement sites for increased spatial balance and lower variance estimates.
- Consider if the parameter(s) of interest will result in low variation across the survey. A smaller sample size can yield an estimate with a low margin of error. Use the Survey Design tools **Population Estimate Simulation** to test.



Design Weights

- Design weights (i.e., sampling weights) are assigned to each site and **quantify the number of units** in the target population this site represents.
- Combined with the observed data to construct population estimates that represent the target population.




Figure 14: Design Weights.

Section 4

Adjusting Weights

Site Evaluation

- Often the design does not go exactly as planned and the original design weights must be adjusted so that they continue to accurately represent the target population.
- A sampling frame has **overcoverage** if it contains some sampling units that are missing from the target population and/or **undercoverage** if it is missing some sampling units present in the target population.

Site Evaluation Designations

- Target Site** - A site which was in the target population and was sampled.
- Non-Target Site** - A site which was **not** part of the target population and was **not** sampled.
- Non-Response Site** - A site which was in the target population and was **not** sampled (inaccessible site, landowner denial)

Design Weight Adjustments

- **Weight Category:** A weight adjustment category represents if a Stratum and/or a category was used in the design. Separate weight adjustments are applied to each initial weight so the final weights sum to a desired frame size.
- **Frame Size:** Size of the target population of the sampling frame. **Note** The Survey Design Tools Sample Frame Summary can assist.

Survey Design Tool Weight Adjustment Outputs

- WGT_TP_EXT: Weights based on all target and non-target sites (design as implemented).
- WGT_TP_CORE: Weights based on the target population.
Use WGT_TP_CORE for population estimates

Section 5

Population Estimates

Population Estimate Tool

The screenshot shows the NARS Population Estimate Calculation Tool (v. 2.2.1) on the EPA website. The tool is designed for calculating population estimates from spatially balanced sampling data.

Instructions for Use (selected tab) | **Prepare Data for Analysis** | **Run Population Estimates** | **Run Change Analysis** | **Plot Categorical Estimates** | **Plot Continuous Estimates**

Select a delimited file for analysis:

- Input file from URL instead of local directory
- Select a delimited file for analysis
-
-
-

Separator:
 Comma
 Semicolon
 Tab

Display:
 Head
 All

Subset data using a single categorical variable

Select site variable: SITE_ID

Select weight variable: WEIGHT_TP_CORE

Select up to 10 response variables -
All must be either categorical or numeric
AQUATIC_LIFE_USE PTL_COND NTL_COND

Check box if performing change analysis or need to subset data by year or cycle for population estimates

Calculate overall (all sites) estimates?

Calculate estimates for subpopulations?

Type of variance estimate to use (select one):

- Local neighborhood variance (recommended, used for NARS, requires site coordinates)
- Simple Random Sample (requires stratum but not site coordinates)

Select the X coordinate variable (required only for local neighborhood variance): XCOORD

Select the Y coordinate variable (required only for local neighborhood variance): YCOORD

Select a categorical stratum variable if desired. May be used for either variance type.: None

Figure 15:

https://rconnect-public.epa.gov/NARS_Population_Estimates_Tool/

Analyses available in app

- ① Categorical variable analysis (Proportions and Totals)
- ② Continuous variable analysis (CDFs, Percentiles)
- ③ Change analysis (Categorical and Continuous variables)





Figure 16: Proportion Estimates.

Figure 17: Cumulative Distribution Function.

Analyses available using R code

④ Risk analysis

- Relative risk, attributable risk, risk difference

⑤ Trend analysis

- Categorical and continuous variables
- e.g., indicator trend over 3+ survey cycles

U.S. EPA National Lakes Assessment 2022

Estimated Risk to Biota Associated with Stressors

In Relation to: Benthic Macroinvertebrates | National | All Lakes (≥ 1 hectare)




Figure 18: Risk Analysis

Requirements for Analysis

- ① All data must be in a single file
 - One row per site and year/cycle. No Visit 2's.
 - For Change Analysis, if legacy sites are included, site variable needs to be the same name.
- ② Weight Column
- ③ Response Variable Column
 - Categorical or Continuous variable(s)
- ④ Subpopulation(s) Column (optional)
 - Variable for different subsets of the population which estimates will be calculated for.
- ⑤ Variance Estimator
 - Local neighborhood variance is preferable and decreases variance estimates
- ⑥ X/Y Coordinates Columns
 - Should be an area-preserving projection CRS instead of geographic (XCOORD/YCOORD).

Plotting Options

- Data can come from within the app or can upload a file of analysis results
- For categorical data, plot all categories for single subpopulation **OR** all subpopulations for single category
- For continuous data, only CDFs can be plotted
- For continuous data, confidence bounds and reference lines can be added
- Plots can be saved as .png files

Section 6

Communication

ATTAINS-Surveys Module

- Information about the population surveyed
 - Resource Type (Streams/Rivers, lakes, wetlands, estuaries)
 - Population (statewide, basins, individual waterbodies)
 - Extent and number of sites sampled
- Condition estimates for designated uses, conditions and stressors
 - Margin of error
 - Confidence level

The screenshot shows the ATTAINS Surveys Module interface. At the top, there is a navigation bar with icons for Home, Assessment Units, Assessments, Actions, Reports, EPA Reports, Priorities, and Surveys (which is highlighted with a red box). Below the navigation bar, the title "State Statistical Survey - 2000" is displayed. A secondary navigation bar below the title has tabs for General and Survey Water Type Groups (the Survey Water Type Groups tab is highlighted with a blue arrow).

The main content area contains several input fields and dropdown menus:

- Parameter Type:** Radio buttons for "Use or Condition" (selected) and "Stressor".
- Use or Condition*:** A dropdown menu currently set to "RECREATION" with a note "Select Use(s) or Condition(s)".
- Category*:** A dropdown menu set to "Least Disturbed".
- Statistic*:** A dropdown menu set to "Condition Estimate".
- Metric Value*:** An input field containing "50" with a percentage symbol (%) next to it.
- Margin of Error*:** An input field containing "± 8".
- Confidence Level*:** An input field containing "95" with a percentage symbol (%) next to it.

Below these input fields, there are additional dropdown menus for "Survey Water Groups", "Waterbody Type Group" (set to STREAM/CREEK/RIVER), "Subpopulation" (set to "Statewide"), "Target Population Size" (set to "3506 Miles"), and "Number of Sites Sampled" (set to "50").


Figure 19: ATTAINS Surveys Module

ARMADA

Aquatic Resource Monitoring and Assessment Dashboard

South Carolina | 2022 | Percent of Bay/Estuary Square Miles in Fully Supporting Category

2022 Statewide (Square Miles) Estimates and Change from 2012 to 2022



*Represents that the Indicator is identified as a [Designated Use](#) or [Ecological Condition](#) by the State/Territory/Tribe.

South Carolina | 2022 | Percent of Bay/Estuary Square Miles in Each Condition Category

Aquatic Life Use Support* | 2022 Statewide (Square Miles) Estimates and Change from 2014 to 2022



*Represents that the Indicator is identified as a [Designated Use](#) or [Ecological Condition](#) by the State/Territory/Tribe.

About the Data: No comments available from State/Territory/Tribe

About the Dashboard: This dashboard displays statistical survey results which provide an overall picture of water quality condition across a State/Territory/Tribe or subpopulation. From left to right, the graphs display the percentage of aquatic resources in different condition categories for the most recent survey year available for a population and a change comparison from the selected survey years, if available. Please note that the years shown are the years survey data was reported and not necessarily the collection year. Explore different resource types, subpopulations, condition categories and survey years by using the dropdowns on the right. Hover over a result to see more information and an expansion of the results. For national survey data and results, please visit [EPA's webpage for the National Aquatic Resource Survey](#).

Figure 20: <https://rconnect-public.epa.gov/armada/>

Section 7

Resources

Applications and Websites

- [*spsurvey Website*](#)
- [*Survey Design Tool Link*](#)
- [*Survey Design Tool GitHub*](#)
- [*Population Estimate Shiny Tool Link*](#)
- [*Population Estimate Shiny Tool GitHub*](#)
- [*ARMADA*](#)

Additional Resources

- ① [*spsurvey: Spatial Sampling Design and Analysis in R.*](#)
- ② [*Spatially Balanced Sampling of Natural Resources*](#)
- ③ [*A GRTS User's Manual for the SDrawNPS Package*](#)
- ④ [*NARS Website*](#)
- ⑤ Olsen, A., Kincaid, T., & Payton, Q. (2012). Spatially balanced survey designs for natural resources.