

1 General

1.1 Customer Information

Company	OML-11 AMT (NEPL / WAGL)
Representative	MRO ENERGY LIMITED (IPM)
Address	

1.2 Well/Wellbore Information

Well	OKOLOMA-02	Wellbore No.	1
Well Name	OKOLOMA-02	Wellbore Name	OKOLOMA-02
Report no.	80	Report date	08/01/2026
Project	OML - 11	Site	LOCATION 1
Rig Name/No.	L BUBA (ASH)/	Event	ORIG DRILLING
Start date	20/09/2025	End date	
Spud date	23/09/2025	UWI	OKOLOMA-02
Afe No.			
Active datum	DATUM @80.8ft (above Mean Sea Level)		
API no.		Block	OML-11
Supervisor	SUNNY IDOKO / ABDULMALIK ASUBA	Engineer	MATTHEW CHUKWUKELU

1.3 Depth Days

MD	11,560.0 (ft)	TVD	9,386.9 (ft)
Progress		Avg. ROP	0.0 (ft/hr)
Rotating hours		Cum Rot Hrs	234.55 (hr)
DFS	79.39 (days)	Est days	41.13 (days)
MD auth			
Last Casing			

1.4 Status

Current status	WAIT ON CEMENTING CREW FOR CMT PLUG BACK JOB. MEANWHILE MONITOR WELL VIA TRIP TANK WHILE CARRYING OUT RIG MAINTENANCE.
24 hr summary	CONTINUED TO BRK AND L/D THE 11-3/4" WASHOVER ASSY. OBSERVED THE SECOND JOINT OF WASH PIPE TWISTED ON THE BODY (34.35 FT WASHOVER ASSY FISH IN HOLE). RIH 10 STDS OF 5.5" DRILL PIPE AND INSTALL FOSV AS KILL STRING. WAITED ON FUTHER INSTRUCTIONS FROM TOP MANAGEMENT ON THE WAY FORWARD. DECISION WAS REACHED TO SET CMT PLUG FOR SIDETRACK. RIH 5-1/2" OPEN ENDED DP TO CASING SHOE AT 5,923 FT FOR CEMENT PLUG JOB. INSTALL FOSV.
24 hr forecast	RECIEVE CEMENTING CREW FOR PLUG JOB. RESUME TRIPPING IN HOLE. PUMP THREE CEMENT PLUG OPERATION AS PER PROGRAMME. WAIT ON THIRD CEMENT PLUG TO SET. TRIP BACK TO TAG TO PLUG & POOH CMT STRING TO SURFACE.

2 Operation Summary

2.1 Operation Summary

From	To	Dur. (hr)	Phase	Code	Sub	Class	MD from (ft)	MD to (ft)	Operation
0:00	2:30	2.50	ALL	06		U	11,560.0	11,560.0	CONTINUED TO BRK AND L/D THE 11-3/4" WASHOVER ASSY. OBSERVED THE SECOND JOINT OF WASH PIPE TWISTED ON THE BODY (34.35 FT WASHOVER ASSY FISH IN HOLE)..
2:30	6:00	3.50	ALL	06		U	11,560.0	11,560.0	RIH 10 STDS OF 5.5" DRILL PIPE AND INSTALL FOSV AS KILL STRING. MONITOR THE WELL VIA TRIP TANK WHILE WAIT ON FURTHER INSTRUCTION FROM TOWN.
6:00	17:00	11.00	ALL	08		U			CONT'D MONITOR THE WELL VIA TRIP TANK WHILE WAIT ON FURTHER INSTRUCTION FROM TOWN. HELD A MEETING WITH

2.1 Operation Summary (Continued)

From	To	Dur. (hr)	Phase	Code	Sub	Class	MD from (ft)	MD to (ft)	Operation
17:00	0:00	7.00	ALL	06		U			TOP MANAGEMENT AT 15:30 HRS, A UNANIMOUS DECISION WAS REACHED TO PLUG THE WELL FOR SIDETRACK. COMMENCED RIH 5-1/2" OPEN ENDED DP TO CASING SHOE AT 5,923 FT FOR CEMENT PLUG JOB. INSTALL FOSV AND MONITOR THE WELL VIA TRIP TANK. XXXXXXXXXX 09 / 01 / 2026 XXXXXXXXXXXXXXXX 00:00 - 06:00 WAIT ON CEMENTING CREW FOR PLUG BACK JOB. MEANWHILE MONITOR WELL VIA TRIP TANK WHILE CARRYING OUT RIG MAINTENANCE.

3 Hole Sections

3.1 Hole Sections

Wellbore Name / Wellbore No.	Section Name	Section type	Effective hole diameter (in)	ID (in)	MD (ft)		Hole section start date/time	Hole section end date/time
					Top	Base		
OKOLOMA-02 / 1	SURFACE	Casing	17.500	12.250	0.0	6,030.0	23/09/2025 14:44	04/10/2025 12:45
		Open Hole	17.500	17.500	6,030.0	6,030.0	23/09/2025 14:44	04/10/2025 12:45
	12-1/4" DIR HOLE	Open Hole	12.250		6,030.0	11,560.0	11/11/2025 14:00	04/12/2025 19:00

4 Fluids

4.1 Mud

Daily mud		0.00 (\$)		Cum. mud cost				0.00 (\$)				
Mud desc.	Density (ppg)	Viscosity (s/qt)	Date/Time	MD check (ft)	PV (cp)	YP (lbf/100ft ²)	CI- (ppm)	Ca+ (ppm)	pH	Pm	Pf (cc)	Mf (cc)
SYNTHETIC MUD	10.70	68.00	1/8/2026 23:45	11,560.0	33.00	24.000						

5 Drillstrings

5.1 BHA no.

Date/Time in	15/12/2025 10:45	Date/Time out	
Bit no.		Weight (Above/Below) Jars	
BHA Length	516.14 (ft)	Min. ID	(in)
Purpose	WASHOVER OPERATIONS		

5.1.1 BHA Operations

MD (ft)	Footage (ft)	String Wt Up / Down / Rot (kip)	Drag (kip)	TQ On/Off (ft-lbf)

5.1.2 Assembly Components

Component type	No. of joints	Length (ft)	OD (in)	ID (in)	Connection		Weight (ppf)	Grade	Pin Box	Serial no.	Left or right spiral	Fish Neck	
					OD (in)	Name						Length (ft)	OD (in)
Washover Bit	1	3.00	12.250							5366096			
Casing	1	97.04	9.500										
Washover Sub	1	3.73	9.600										
Cross Over	1	1.67	11.750										
Hydraulic Jar-F	1	12.15	9.500										
Cross Over	1	2.70	12.130										
Heavy Weight Drill Pipe	13	395.85	12.130										
Drill Pipe	1	11,043.86	9.500										

5.1.3 Bit Details

Bit no.	Size (in)	Manufacturer	Model no.	Class	IADC code	Serial no.	Jets (32nd")	MD in (ft)	MD out (ft)	I-O-D-L-B-G-O-R
	11.750	AOSORWELL	WASH OVER SH	N	437	5366096		11,560.0		-----

5.1.4 Bit Operations

Today											Cumulative		
MD (ft)	WOB Min/Max (kip)	Current RPM (rpm)	Flow rate (gpm)	SPP (psi)	P bit (psi)	% @ Bit	HHP (hp)	Hours (hr)	Footage (ft)	ROP (ft/hr)	Hours cum (hr)	Footage cum. (ft)	ROP cum. (ft/hr)

6 Surveys

6.1 Surveys

MD (ft)	Inc. (°)	Azi. (°)	TVD (ft)	N/S (ft)	E/W (ft)	V. sec. (ft)	Dleg (°/100ft)	Survey tool
11,560.0	43.95	176.52	9,386.9	-3,615.2	467.8	-3,615.2	0.00	

7 Safety

7.1 Status

DSLTI	164.00 (days)	DSLTA	164.00 (days)
STOP Cards	0.00		

7.2 Safety Moment

Topic	HOUSEKEEPING
Comments	GOOD HOUSEKEEPING IS A MUST

7.3 Inspections/Drills

Drill type	FIRE	Last pit drill	21/11/2025
Last drill	6.00 (days)	Last diverter drill	
Last fire/boat drill	02/01/2026	Last H2S drill	

Last evacuation drill	09/01/2026	Last trip drill	28/11/2025
Last weekly rig check	28/12/2025	Test COM.	06/01/2026
Daily inspection done	04/01/2026	Ton miles	
Last safety inspection	03/01/2026	Last Csg Press Test	
Last safety meeting	03/01/2026	Last Csg Press	1,500.00 (psi)

7.4 BOP Tests

Last BOP pressure test	28/12/2025	Next test due	12/01/2025
Last BOP function test		Last BOP drill	

7.5 Pressure Tests

Standpipe manifold	5,000.00 (psi)	Kelly hose	5,000.00 (psi)
Diverter pressure		Annular press	3,500.00 (psi)
Upper rams	5,000.00 (psi)	Lower rams	5,000.00 (psi)
Choke line	5,000.00 (psi)	Choke manifold	5,000.00 (psi)
Kill line	5,000.00 (psi)		

7.6 Incidents

Report date	Reporter	Company responsible	No. of minor injures	No. of major injures	No. of fatalities	Cause	Incident desc.

8 Personnel

8.1 Personnel

Total No. of People: 108			
Company	No. People	Company	No. People
HOPSUN	2	FOLSTAJ	7
ENS	14	NEPL / WAGL	10
FACT NATIONAL	52	WESTEND DIAMOND	2
BAKER HUGHES	11	FACT EXPAT	10

9 Materials

9.1 Materials

Product name	Weight/Vol. per unit	Usage	Quantity end	Product name	Weight/Vol. per unit	Usage	Quantity end
DIESEL RIGSITE	LTRS	3,625.00	30,690.00	DIESEL CAMPSITE	LTRS	661.00	11,636.00
CEMENT, DYKAROFF	MT		95.00	BLENDED CEMENT	MT		50.00

10 Others

10.1 Remarks

ANTHONY SAWYER (TEAM LEAD), IBRAHIM NURUDEEN (DRILLING SUPRITENDENT), KENECHUKWU MADUBULUM (SDE), SUNNY IDOKO (SDSV), ABDULMALIK ASUBA (NDSV), PETER OSADEBA (FLUID ADVISOR), OVUZS IZOBO (SENIOR WELL-SITE GEOLOGIST), MATTHEW CHUKWUKELU (WSDE), OGHENERO ABEL (GEOLOGIST), UGWOCHUKWU ALIEZE (DE), KINGSLEY KELECHI (DE)02