

Managing Kubernetes with Azure Kubernetes Service (AKS), Creating and managing AKS clusters, Scaling and upgrading AKS clusters

Azure Kubernetes Service (AKS) simplifies Kubernetes management tasks, making it easier to deploy, manage, and scale containerized applications using Kubernetes. In this guide, we'll walk through the process of creating an AKS cluster.



Azure Kubernetes Service (AKS)

Prerequisites

Before we begin, ensure you have the following prerequisites:

- An Azure account. If you don't have one, you can [sign up for a free Azure account](#)

Sign in to Azure Portal

1. Open your web browser and navigate to the [Azure Portal](#).

2. Sign in with your Azure account credentials.

Create a Resource Group

1. In the Azure Portal, click on “*Create a resource*” from the left-hand menu.
2. Search for “*Resource group*” and select “*Resource group*” from the results.
3. Click the “*Create*” button.
4. Enter a unique name for your resource group, such as “*MyAKSClusterResourceGroup*”
5. Choose a region for the resource group (*e.g., East US*).
6. Click the “*Review + create*” button and then click “*Create*” to create the resource group.

Create an AKS Cluster

1. In the Azure Portal, click on “*Create a resource*” again.
2. Search for “*Kubernetes Service*” and select “*Kubernetes Service (AKS)*” from the results.
3. Click the “*Create*” button to start the AKS creation wizard.

Basics

1. In the “*Basics*” tab of the AKS creation wizard:
 - Choose your *Azure subscription*.
 - Select the resource group created before (“*MyAKSClusterResourceGroup*”).
 - Enter a unique name for your AKS cluster (*e.g., “MyAKSCluster”*).

- Choose the region for your AKS cluster (*e.g., East US*).
- Select the desired Kubernetes version (*e.g., 1.26.6*).

2. Cluster Preset Configuration

- For practice purposes and development/testing tasks, select a cluster preset configuration that suits your needs, such as “Dev/Test.”
- This preset can provide you with predefined configurations optimized for these scenarios.

3. Availability Zones

- Specify the availability zones where your cluster nodes will be placed for increased resiliency.

Get Srija Anaparthi's stories in your inbox

Join Medium for free to get updates from this writer.

Subscribe

4. AKS Pricing Tier

- AKS offers two pricing tiers for the managed Kubernetes control plane. Choose the pricing tier that best meets your needs.

5. Automatic upgrade Type:

- Choose an upgrade type to determine when the cluster will be upgraded based on new AKS and Kubernetes releases. (For example, you can choose “Enable with Patch” for recommended automatic upgrades.)

6. Authentication and Authorization:

- For *authentication and authorization*, you can choose to use *local accounts with Kubernetes RBAC*. This provides a native Kubernetes RBAC managed locally within your AKS cluster.

Click “*Next: Node Pools*” to proceed.

Cluster details

Cluster preset configuration	<div>Dev/Test</div> <div>To quickly customize your Kubernetes cluster, choose one of the preset configurations above. You can modify these configurations at any time. Learn more and compare presets</div>
Kubernetes cluster name * ⓘ	<div>MyAKSCluster</div>
Region * ⓘ	<div>(US) East US</div>
Availability zones ⓘ	<div>Zones 1,2,3</div>
AKS pricing tier ⓘ	<div>Free</div>
Kubernetes version * ⓘ	<div>1.26.6 (default)</div>
Automatic upgrade ⓘ	<div>Enabled with patch (recommended)</div>
Choose between local accounts or Azure AD for authentication and Azure RBAC or Kubernetes RBAC for your authorization needs.	
Authentication and Authorization ⓘ	<div>Local accounts with Kubernetes RBAC</div>

Node Pool

1. You can add or customize node pools based on your application requirements.

2. Define the number of nodes, VM size, and other settings for your node pool.

MyAKSCluster

Node pool name *	<input type="text" value="agentpool"/>
Mode *	<div><input type="radio"/> User</div> <div><input checked="" type="radio"/> System</div> <div>i The primary node pool must be a system node pool to support system pods.</div>
OS type	<div>OS type *</div> <div><input checked="" type="radio"/> Linux</div> <div><input type="radio"/> Windows</div> <div>i Linux is required for system node pools.</div>
Availability zones	<div><input type="text" value="Zones 1,2,3"/></div>
Enable Azure Spot instances	<div><input type="checkbox"/></div> <div>i Azure Spot instances cannot be used with system node pools.</div>
Node size *	<div>Standard DS2 v2</div> <div>2 vcpus, 7 GiB memory</div> <div>Choose a size</div>
Scale method	<div><input type="radio"/> Manual</div> <div><input checked="" type="radio"/> Autoscale - Recommended</div> <div>f This option is recommended so that the cluster is automatically sized correctly for the current running workloads.</div>
Minimum node count *	<input type="text" value="2"/>
Maximum node count *	<input type="text" value="5"/>

Click “Next: Networking” when you’re ready to proceed.

Networking

- Configure the networking settings for your AKS cluster. The default settings are usually sufficient for most use cases.

Container networking

Network configuration ⓘ



kubenet

Best for smaller node pools. Each pod is assigned a logically different IP address from the subnet for simpler setup



Azure CNI

Best for larger node pools. Each node and pod is assigned a unique IP for advanced configurations

Bring your own virtual network ⓘ



DNS name prefix * ⓘ

MyAKSCluster-dns



Network policy ⓘ



None

Allow all ingress and egress traffic to the pods



Calico

Open-source networking solution. Best for large-scale deployments with strict security requirements

Integrations

1. Configure integrations with Azure services and features.
2. You can enable Azure Container Registry integration, Azure Policy, and more.

Click “Next: Monitoring” when you’re done.

Monitoring

- Enable monitoring if you want to use Azure Monitor and Azure Log Analytics for cluster monitoring and diagnostics.

Click “Next: Scaling” when you’re done.

Tags

1. Add tags to your AKS cluster for better organization and management.

2. Click “*Review + create*” when you’re done.

Review + create

1. Review all the configuration settings to ensure they are correct.
2. If everything looks good, click the “*Create*” button to start the provisioning of the AKS cluster.

Deployment

Azure will begin deploying your AKS cluster. This process may take several minutes.