



*Master's Thesis (Master Informatik):*

# User Survey on classifying Evaluation Questions for Explanation Generation in Palladio

## 1 Introduction

Modeling and simulating software behavior using Palladio [1] can be an important step in ensuring the softwares quality. However, the end results of a simulation may not be sufficient to understand when and why a self-adaptive system decided to reconfigure itself.

With my masters thesis, I aim to provide one solution to this problem by adding an explanation generation component to the Palladio simulator. The component is meant to explain events occurring during a simulation to the user by aggregating relevant information surrounding each event into an easily readable form, e.g. a plain text sentence.

To provide a sounder basis for evaluating this component later on, I have assembled a list of questions and would like to collect feedback on how important each question appears to you. Please note that I have limited my examples and thus the more specific questions to the topic of auto scaling in web-based applications. This topic appears to be the most actively researched one in this field and thus provides a good basis for my thesis.

In section 3, I provide a short overview of relevant terms, followed by the questions I would like to collect feedback on in section 4.

## 2 Privacy Policy

All surveys will be anonymised and then stored upon submission. Aggregated Data will be shared publicly at the end of the thesis. The anonymised surveys themselves may be shared publicly at the end of the survey. Participation is completely voluntary. No participant can claim (partial) authorship of any work derived from this survey because of their participation. Thank you for your time.

## 3 Relevant Terms

**Palladio** Palladio [1] is a software architecture simulation tool used for analyzing software at a model level. It can point out performance bottlenecks, threats to the reliability of the software and other issues while allowing for subsequent optimization. For use with Palladio, software is modeled using the Palladio Component Model (PCM). This can be done using e.g. the Palladio Bench, an integrated modeling environment based on the Eclipse IDE.

**Slingshot** A new performance simulator for PCM models based on the Event-Driven Architecture [3] developed by Katić et al. [5][4]. It is more extensible than preexisting simulators and its event-based operation is well suited for generating explanations.

**Self-adaptive Systems (SAS)** These are systems that can change their behavior if changes in the environment, requirements or other aspects threaten to violate their system objectives. Self-adaptive software achieves this through constant monitoring and evaluation of its own behavior, triggering an adaptation if it detects non-satisfactory performance (e.g. [2], [6]).

**Auto Scaling** A method to automatically adjust the amount of available resources (processing power, number of servers etc.) for a web-based service, mostly used in a cloud-environment, to dynamically deal with a changing workload.

**Service-Level Objectives (SLOs)** Specific measurable characteristics such as certain levels of response time or availability that a service provider and their customer have agreed upon.

## 4 The Scenario and relevant Questions

**Scenario** You have modeled a self-adaptive system using the Palladio Bench. The system increases or decreases its available processing power to maintain SLOs such as an agreed upon response time. In the simulation, an increasing amount of user requests arrive at the system over time, ensuring that the inbuilt thresholds are crossed eventually and the system has to adapt.

**Questions** Thinking about the described scenario, please rank each of the following questions from 1 (not important) to 5 (very important). If you would expect the generated explanations to answer more/other questions, feel free to add and rank them using the blank lines and/or the text box at the end of this list:

- 1    2    3    4    5    Thresholds
 

☐ ☐ ☐ ☐ ☒ Which threshold was crossed?  
☐ ☐ ☐ ☒ ☐ When was the threshold reached?  
☐ ☒ ☐ ☐ ☐ What was the thresholds value?  
☐ ☐ ☐ ☒ ☐ How fast was the threshold reached / how steep is the increase in requests?  
☐ ☐ ☒ ☐ ☐ Are there more thresholds and will it be reached with the projected growth?  
☐ ☐ ☐ ☐ ☐
- 1    2    3    4    5    Reaction/Scaling
 

☐ ☐ ☐ ☐ ☒ What reaction was caused?  
☐ ☒ ☐ ☐ ☐ When did the reaction end?  
☐ ☐ ☐ ☒ ☐ When was the updated capacity available?  
☐ ☐ ☐ ☐ ☒ What was scaled?  
☐ ☐ ☐ ☐ ☒ Was the reaction / scaling decision enough to satisfy the SLOs again?  
☐ ☐ ☐ ☐ ☐  
☐ ☐ ☐ ☐ ☐

- 1 2 3 4 5 SLOs

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	Which SLO was violated?
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>	How long was the SLO violated and when?
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	What was the agreed upon threshold for each SLO?
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	How likely is it to violate the SLO again (eg how "close" is the resource fit)?
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

- Additional Questions

- User Data

- Are you researching or working in the field of computer science?
- Have you worked with Palladio before?
- If yes, how many years of experience do you have with Palladio?

## Contact

Jan Haas, st103483@stud.uni-stuttgart.de

## References

- [1] Steffen Becker, Heiko Kozirolek, and Ralf Reussner. The palladio component model for model-driven performance prediction. *Journal of Systems and Software*, 82(1):3–22, 2009. Special Issue: Software Performance - Modeling and Analysis.
- [2] Yuriy Brun, Giovanna Di Marzo Serugendo, Cristina Gacek, Holger Giese, Holger Kienle, Marin Litoiu, Hausi Müller, Mauro Pezzè, and Mary Shaw. *Engineering Self-Adaptive Systems through Feedback Loops*, pages 48–70. Springer Berlin Heidelberg, Berlin, Heidelberg, 2009.
- [3] Ralf Bruns and Jürgen Dunkel. *Event-driven architecture: Softwarearchitektur für ereignisgesteuerte Geschäftsprozesse*. Springer-Verlag, 2010.
- [4] Julijan Katić. Event-driven simulator for the palladio component model, 2021.
- [5] Julijan Katić, Floriment Klinaku, and Steffen Becker. The Slingshot Simulator: An Extensible Event-DrivenPCM Simulator. 2021.
- [6] Frank D. Macías-Escrivá, Rodolfo Haber, Raul del Toro, and Vicente Hernandez. Self-adaptive systems: A survey of current approaches, research challenges and applications. *Expert Systems with Applications*, 40(18):7267–7279, 2013.