

(12) United States Design Patent (10) Patent No.:

Bennett

US D844,202 S

(45) **Date of Patent:**

** Mar. 26, 2019

(54) LANTERN

(71) Applicant: Energizer Brands, LLC, St. Louis,

MO (US)

(72) Inventor: **Jason Robert Bennett**, Sydney (AU)

(73) Assignee: Energizer Brands, LLC, St. Louis,

MO (US)

(**) Term: 15 Years

(21) Appl. No.: 29/580,591

Oct. 11, 2016 (22) Filed:

(51) LOC (11) Cl. 26-02

USPC **D26/41**; D26/40

(58) Field of Classification Search

USPC	D26/37–51
CPC	F21L 2003/00; F21L 4/00; F21L 4/005;
	F21L 4/02; F21L 4/025; F21L 4/027;
	F21L 4/04; F21L 4/08; F21L 2005/00;
	F21L 7/00; F21L 11/00; F21L 13/00;
	F21L 13/04; F21L 13/08; F21L 14/02;
	F21L 17/00; F21L 19/00; F21L 25/00

See application file for complete search history.

(56)**References Cited**

U.S. PATENT DOCUMENTS

D518,211 S D520,163 S D541,961 S D542,953 S	* * * * * * * * * * *	11/2004 3/2006 5/2006 5/2007 5/2007 8/2007 11/2007 11/2008	Israel D26/40 Poon D26/40 Krieger D26/40 Krieger D26/40 Tarter D26/40 Lee D26/40 Tremeer D26/40 Brown et al. Brown et al. Crawford et al. Crawford et al.
--	-----------------------	---	---

D693,499	\mathbf{S}		11/2013	Bennett et al.	
D706,968	S	*	6/2014	McDonough	D26/41
D803.443	S	*	11/2017	Burke	D26/40

OTHER PUBLICATIONS

Coleman CPX 6 Easy Hanging 400L LED Lantern, retrieved from http://www.coleman.com/cpx-6-easy-hanging-led-lantern/2000024042. html> on Nov. 15, 2015, 3 pages.

(Continued)

Primary Examiner — Lakiya G Rogers Assistant Examiner — Carissa C Fitts (74) Attorney, Agent, or Firm — Alston & Bird LLP

(57)**CLAIM**

The ornamental design for a lantern, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lantern according to one exemplary embodiment of the present design.

FIG. 2 is a front view the lantern of FIG. 1.

FIG. 3 is a back view of the lantern of FIG. 1.

FIG. 4 is a left side view of the lantern of FIG. 1.

FIG. 5 is a right side view of the lantern of FIG. 1.

FIG. 6 is a top view of the lantern of FIG. 1.

FIG. 7 is a bottom view of the lantern of FIG. 1.

FIG. 8 is a perspective view of a lantern according to a second exemplary embodiment of the present design.

FIG. 9 is a front view the lantern of FIG. 8.

FIG. 10 is a back view of the lantern of FIG. 8.

FIG. 11 is a left side view of the lantern of FIG. 8.

FIG. 12 is a right side view of the lantern of FIG. 8.

FIG. 13 is a top view of the lantern of FIG. 8; and,

FIG. 14 is a bottom view of the lantern of FIG. 8.

The broken lines show portions of the article which form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56) References Cited


OTHER PUBLICATIONS

Energizer Fusion LED Traditional Lantern, retrieve from http://www.energizer.com/flashlights-lighting/outdoor-lantern on Nov. 15, 2016, 3 pages.

Energizer LED Lantern MFAL35YJ P19Ju115, retrieved from http://global.rakuten.com/en/store/arimas/item/9223114/ on Nov. 15, 2016, 8 pages.

Energizer Weathteready 360° LED Area Light, retrieved from http://www.energizer.com/flashlights-lighting/led-area-light on Nov. 15, 2016, 3 pages.

^{*} cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14