



(a) 10,000-step space-time diagram of the 4-state Turing machine given in (b) from the all-0 initial configuration. The machine does not halt from the all-0 configuration.

	0	1
<b>A</b>	1R <b>B</b>	0L <b>D</b>
<b>B</b>	1L <b>C</b>	1R <b>A</b>
<b>C</b>	0R <b>B</b>	0L <b>C</b>
<b>D</b>	- - -	1L <b>A</b>

(b) Transition table.



(c) Detailed space-time diagram of the Turing machine given in (b) from an eventually-halting configuration: the machine halts after 18 steps by reading a 0 in state **D**.



Configuration:


Word-representation:  
(Definition 18)

NFA Scan:

... **00A00** ...

00**A**00

start



**Reject**




**The machine does not halt from configuration**

... **00A001100** ...

00**A**001100

start



**Accept**



**Unconclusive**

(d) Left: Nondeterministic Finite Automaton for the Turing machine given in (b), constructed using FAR direct algorithm, see Section 6.3. By construction, if this NFA rejects a configuration, then we know that the configuration does not eventually halt, see Theorem 20. Right: The NFA rejects the all-0 configuration, the machine does not halt from it. The NFA accepts the starting (or any) configuration shown in (c) hence we cannot conclude that it is non-halting, which is consistent since it eventually halts.