# Math

- 1 Definition of a Ray  $\mathbb{R}$
- 1.1 Definition

$$\mathbb{L} := \{l_i, ...\}$$

$$\exists l_i \in \mathbb{L} \quad \forall i > 0 \in \mathbb{Z}$$

- 2 Definition of a Line  $\mathbb{L}$
- 2.1 Definition

$$\mathbb{L} := \{l_i, \dots\}$$
$$\exists l_i \in \mathbb{L} \quad \forall i \in \mathbb{Z}$$

- 3 Whole Numbers  $\mathbb{W}$
- 3.1 Definition

Define the positive number line W, the set of whole numbers

$$\mathbb{W} := |S_i| \in \mathbb{W} \quad \forall i$$

- 4 Injection (one-to-one)
- 4.1 Definition[1]

$$S_1 = \{a_1, a_2, ..., a_n\}; S_2 = \{b_1, b_2, ..., b_m\} \ m \ge n$$
  
 $injective[S_1, S_2] \to (\forall a_i \in S_1 \ \exists b_j \in S_2 : f[a_i] \to b_j)$   
 $\forall a_i, a_j \in S_1; f[a_i] = f[a_j] \iff a_i = a_j \ [2]$ 

- 5 Surjection (onto)
- 5.1 Definition [2]

$$S_1 = \{a_1, a_2, ..., a_n\}; S_2 = \{b_1, b_2, ..., b_m\} \ m \ge n$$
  
 $surjective[S_1, S_2] \rightarrow (\forall a_i \in S_1 \ \exists b_j \in S_2 : f[a_i] \rightarrow b_j)$ 

# 6 Bijection (One-to-one and onto)

Also known as invertible

# **6.1** Definition [3]

$$S_{1} = \{a_{1}, a_{2}, ..., a_{n}\}; \quad S_{2} = \{b_{1}, b_{2}, ..., b_{n}\}$$

$$Invertible[S_{1}, S_{2}] \rightarrow$$

$$(\forall a_{i} \in S_{1} \ \exists b_{j} \in S_{2} : f[a_{i}] \rightarrow b_{j}) \land (\forall b_{j} \in S_{2} \ \exists a_{i} \in S_{1} : g[b_{j}] \rightarrow a_{i})$$

# 7 Hierarchy of Bijections Surjections and Injections

# 8 Vector

Define vector as a set of more than one cardinalities

### 8.1 Definition

$$\begin{split} \vec{v} := \\ |S_1| &= x_1; |S_2| = x_2; ...; |S_N| = x_N \\ \vec{v} &= \{|S_1|, |S_2|, ..., |S_N|\} = < x_1, x_2, ..., x_N > \end{split}$$

### 8.2 Dimensionality

$$dim[\vec{v}] = |\vec{v}| :=$$
 
$$\vec{v} = \{|S_1|, |S_2|, ..., |S_N|\} = \langle x_1, x_2, ..., x_N \rangle$$
 
$$|\vec{v}| = N$$

# 9 Vector Space

Define Vector Space V as a set of more than one lines

### 9.1 Definition

$$\mathbf{V} := \{\mathbb{L}_1, \mathbb{L}_2, ..., \mathbb{L}_N\}$$

# 10 Spans

A function/system mapping to a vector space

- 10.1 Bijective Span
- 10.2 Injective Span
- 10.3 Surjective Span

## 11 Summation Notation

Define summation  $\Sigma$ ; the notation for successive additions

$$\sum_{i=1}^{N} a :=$$

$$\sum_{i=1}^{N} a = a + \sum_{i=2}^{N} a =$$

$$a + a + \sum_{i=3}^{N} a = \dots = a + a + \dots + a = a * N$$

# 12 Definition of Series

Define series

$$series :=$$

$$\sum_{i=1}^{N} x_i = x_1 + x_2 + \dots + x_N$$

### 12.1 Discrete Derivative

Define Derivative for discrete function f[n]; commonly denoted as a difference function

$$\Delta_n^1 f[n] := f[n+1] - f[n]$$

We will use the above definition for the remainder of this document

### 12.1.1 Left Hand Derivative Definition

$$\Delta_{n_l}^1 f[n] = f[n] - f[n-1]$$

#### 12.2 Zero Order Derivative

$$\Delta_n^0 f[n] := f[n]$$

# 12.3 K<sup>th</sup> Discrete Derivative

Define the  $K^{th}$  derivative of discrete function f[n]

$$\Delta_n^K f[n] := \Delta_n^{K-1} f[n+1] - \Delta_n^{K-1} f[n]$$

# 12.4 K<sup>th</sup> Discrete Derivative as an Alternating Sum

$$\begin{split} \Delta_n^K f[n] &:= \Delta_n^{K-1} f[n+1] - \Delta_n^{K-1} f[n] \\ &= (\Delta_n^{K-2} f[n+2] - \Delta_n^{K-2} f[n+1]) - (\Delta_n^{K-2} f[n+1] - \Delta_n^{K-2} f[n]) \\ &= (\Delta_n^{K-2} f[n+2] - 2\Delta_n^{K-2} f[n+1] - \Delta_n^{K-2} f[n]) \\ &= \sum_{i=0}^K (-1)^j \left({}_K C_j\right) \Delta_n^0 f[n+j] \\ &= \sum_{i=0}^K (-1)^j \left({}_K C_j\right) f[n+j] \end{split}$$

#### 12.5 Z Transform

Define the Z Transform for discrete function f[n]

$$\mathcal{Z}(f[n]) := \sum_{n=0}^{\infty} f[n]z^{-n}$$

# 12.6 Z Transform of 0 Order Derivative

$$\Delta_n^0 f[n] := f[n]$$

$$\mathcal{Z}(\Delta_n^0 f[n]) = \mathcal{Z}(f[n])$$

## 12.7 Z Transform of $1^{st}$ Derivative

$$\Delta_n^1 f[n] := f[n+1] - f[n]$$

$$\mathcal{Z}(\Delta_n^1 f[n]) = \mathcal{Z}(f[n+1] - f[n])$$

$$= \sum_{n=0}^{\infty} (f[n+1] - f[n]) z^{-n}$$

$$= \sum_{n=0}^{\infty} (f[n+1] z^{-n} - f[n] z^{-n})$$

$$= \sum_{n=0}^{\infty} f[n+1] z^{-n} - \sum_{n=0}^{\infty} f[n] z^{-n}$$

$$= \sum_{m=0}^{\infty} f[m+1] z^{-m} - \sum_{n=0}^{\infty} f[n] z^{-n}$$

Let

$$\begin{split} \hat{m} &= m+1; \quad m = \hat{m} - 1 \\ &= \sum_{m=0}^{\infty} f[\hat{m}] z^{-(\hat{m}-1)} - \mathcal{Z}(f[n]) \\ &= z^{1} \sum_{\hat{m}=1}^{\infty} f[\hat{m}] z^{-\hat{m}} - \mathcal{Z}(f[n]) \\ &= z^{1} \sum_{\hat{m}=1}^{\infty} f[\hat{m}] z^{-\hat{m}} + f[0] - f[0] - \mathcal{Z}(f[n]) \\ &= z^{1} \sum_{\hat{m}=0}^{\infty} f[\hat{m}] z^{-\hat{m}} - f[0] - \mathcal{Z}(f[n]) \\ &= z^{1} \mathcal{Z}(f[n]) - f[0] - \mathcal{Z}(f[n]) \\ &= \mathcal{Z}(\Delta_{n}^{1} f[n]) = \mathcal{Z}(f[n])(z^{1} - 1) - f[0] \end{split}$$

# 12.8 Z Transform of $K^{th}$ Derivative

$$\begin{split} \mathcal{Z}(f[n]) &:= \sum_{n=0}^{\infty} f[n] z^{-n} \\ \mathcal{Z}(\Delta_n^K f[n]) &= \sum_{n=0}^{\infty} \Delta_n^K f[n] z^{-n} \\ &= \sum_{n=0}^{\infty} \sum_{i=0}^{K} (-1)^j \left( {_KC_j} \right) f[n+j] z^{-n} \\ &= \sum_{n=0}^{\infty} (f[n+K] - (_KC_1) f[n+K-1] + (_KC_2) f[n+K-2] - \ldots \pm f[n]) z^{-n} \\ &= \sum_{n=0}^{\infty} f[n+K] z^{-n} - (_KC_1) f[n+K-1] z^{-n} + (_KC_2) f[n+K-2] z^{-n} - \ldots \pm f[n] z^{-n} \\ &= z^K \mathcal{Z}(f[n]) + \sum_{i=0}^{K-1} f[i] - (_KC_1) z^{K-1} \mathcal{Z}(f[n]) - \sum_{j=0}^{K-2} f[j] + (_KC_2) z^{K-2} \mathcal{Z}(f[n]) + \sum_{k=0}^{K-3} f[k] - \ldots \pm \mathcal{Z}(f[n]) \end{split}$$

When K is odd

$$\mathcal{Z}(\Delta_n^K f[n]) = (z-1)^K \mathcal{Z}(f[n]) + \sum_{i=0}^{\frac{n+1}{2}} f[2i] \quad K > 0$$

When K is even

$$\mathcal{Z}(\Delta_n^K f[n]) = (z-1)^K \mathcal{Z}(f[n]) + \sum_{i=0}^{\frac{n}{2}} f[2i+1] \quad K > 0$$

# 13 Convergent Functions

## 13.1 Definition of Converges to

$$f[n]\ converges\ to\ C=convergent[f[n],C]=a_o;\ a_o\in\{\mathbb{T},\mathbb{F}\}=$$

$$|C - f[n+1]| < |C - f[n]| \ \forall n$$
 
$$\land$$
 
$$\nexists K : |C - f[\hat{n}]| > K \quad \forall n; K > 0$$

#### 13.1.1 Notation

C is commonly denoted by a limit

$$C = \lim_{n \to \infty} f[n]$$

## 13.2 Definition of General Convergence

$$f[n]$$
 is  $convergent = convergent[f[n]] = a_o; a_o \in \{\mathbb{T}, \mathbb{F}\} =$ 

$$\exists C:$$
 
$$convergent[f[n],C] == \mathbb{T}$$

Alternatively

$$f[n]$$
 is  $convergent = convergent[f[n]] = a_o \in \{\mathbb{T}, \mathbb{F}\} = \exists C:$ 

$$f[n] \ converges \ to \ C$$

### 13.2.1 Notation

$$f[n]$$
 is  $convergent = convergent[f[n]] = a_o; \ a_o \in \{\mathbb{T}, \mathbb{F}\} =$ 

$$\exists lim_{n \to \infty} f[n] :$$

$$f[n] \ converges \ to \ lim_{n \to \infty} f[n]$$

### 13.3 Increasing Convergence

For strictly increasing functions

$$f[n] = \sum_{i=1}^{n} x_i$$

$$\forall f[n] : convergent[f[n]] \to \mathbb{T}$$

$$\lim_{n \to \infty} f[n] = C :=$$

$$C > f[n] \quad \forall n$$

## 13.3.1 Prove Increasing Convergence has General Convergence

### 13.4 Decreasing Convergence

For strictly decreasing functions

$$f[n] = \sum_{i=1}^{n} x_i$$

$$\forall f[n] : convergent[f[n]] \to \mathbb{T}$$

$$\lim_{n \to \infty} f[n] = C :=$$

$$f[n] > C \quad \forall n$$

$$f[n+1] < f[n] \quad \forall n$$

$$\sharp K : \sum_{i=1}^{n} x_i - C > K \quad \forall n; K > 0$$

## 13.4.1 Prove Decreasing Convergence has General Convergence

## 13.5 Transient Convergence

For alternating functions

### 13.5.1 Prove Transient Convergence has General Convergence

# 14 Chaotic Convergence

$$f[n]$$
 is chaotic convergent = chaotic convergent[ $f[n]$ ] =  $\exists C. \hat{n}$ :

$$|C - f[n]| > |C - f[n + \hat{n}]| \ \forall n$$

- 14.1 Prove General Convergence implies Chaotic Convergence
- 14.2 Prove Choatic Convergence does not necessarily imply General Convergence
- 14.3 Definition of Divergent Function
- 15 Divergence
- 15.1 Definition of Divergence

$$diverges[f[n]] = \neg converges[f[n]] = d_o; d_o \in \{\mathbb{T}, \mathbb{F}\}$$
  
:=  $\sharp C : convergent[f[n], C] == \mathbb{T}$ 

15.2 Alternate Definition of Divergence

$$diverges[f[n]] = \neg converges[f[n]] = d_o; \ d_o \in \{\mathbb{T}, \mathbb{F}\}$$
$$= convergent[f[n], C] == \mathbb{F} \quad \forall C$$

### 15.2.1 Proof of Equivalence; Alternate Definition of Divergence

### 15.3 Necessary and Sufficient Criteria 1 For Divergence

Function f[n] diverges if and only if the  $K^{th}$  derivative of f[n] is strictly increasing

$$diverges[f[n]] := \sharp C : convergent[f[n], C] == \mathbb{T}$$
 
$$\Longleftrightarrow$$
 
$$\Delta_n^{K+1} f[n] > \Delta_n^K f[n] \ \ \forall K$$

Alternatively

$$\Delta_n^{K+1} f[n] - \Delta_n^K f[n] > 0 \quad \forall K$$
 
$$\Delta_n^{K+2} > 0 \quad \forall K$$

### 15.3.1 Criteria 1; Proof of Necessity and Sufficiency

$$diverges[f[n]] = d_o; d_o \in \{\mathbb{T}, \mathbb{F}\}$$
  
=  $\sharp C : convergent[f[n], C] == \mathbb{T}$ 

Let

$$f[n]:$$
 
$$\Delta_n^{K+2} > 0 \quad \forall K$$

## 15.4 Necessary and Sufficient Criteria 2 For Divergence

$$f[n]$$
 is  $Divergent = Divergent[f[n]] = a_o \in \{\mathbb{T}, \mathbb{F}\} :=$ 

$$\sharp c : lim_{n \to \infty} \Delta_n^K f[n] = c$$

## 15.4.1 Criteria 2; Proof of Necessity and Sufficiency

$$diverges[f[n]] = d_o; d_o \in \{\mathbb{T}, \mathbb{F}\}$$
  
=  $\sharp C : convergent[f[n], C] == \mathbb{T}$ 

## 15.5 Verbal Expressions

$$f[n] \ diverges = f[n] \ is \ divergent =$$
  $f[n] \ is \ not \ convergent = f[n] \ does \ not \ converge$ 

# Citations

 $[1] \ https://en.wikipedia.org/wiki/Bijection, \_injection\_and\_surjection\#Injection\\ [2] \ https://en.wikipedia.org/wiki/Bijection, \_injection\_and\_surjection\#Surjection\\ [3] \ https://en.wikipedia.org/wiki/Bijection, \_injection\_and\_surjection\#Bijection\\ [4] \ https://www.wolframalpha.com$