NAME

FingerprintsStringUtil

SYNOPSIS

use Fingerprints::FingerprintsStringUtil;

use Fingerprints::FingerprintsStringUtil qw(:all);

DESCRIPTION

FingerprintsStringUtil module provides the following functions:

AreFingerprintsStringValuesValid, GenerateFingerprintsBitVectorString, GenerateFingerprintsString, GenerateFingerprintsVectorString, GetDefaultBitStringFormat, GetDefaultBitsOrder, GetDefaultVectorStringFormat, GetFingeprintsStringDelimiter, GetFingerprintsStringTypeAndDescription, GetFingerprintsStringValues, ParseFingerprintsBitVectorString, ParseFingerprintsString, ParseFingerprintsVectorString

The current release of MayaChemTools supports the following types of fingerprint bit-vector and vector strings:

FingerprintsVector;AtomNeighborhoods:AtomicInvariantsAtomTypes:MinRadius0:MaxRadius2;41;AlphaNumericalValues;ValuesString;NR0-C.X1.BO1.H3-ATC1:NR1-C.X3.BO3.H1-ATC1:NR2-C.X1.BO1.H3-ATC1:NR2-C.X3.BO4-ATC1 NR0-C.X1.BO1.H3-ATC1:NR2-C.X3.BO3.H1-ATC1:NR2-C.X3.BO4-ATC1 NR0-C.X3.BO3.H1-ATC1:NR2-C.X3.BO4-ATC1 NR0-C.X2.BO2.H2-ATC1:NR1-C.X2.BO2.H2-ATC1:NR1-C.X3.BO3.H1-ATC1:NR2-C.X3.BO3.H1-ATC1:N

FingerprintsVector;AtomTypesCount:AtomicInvariantsAtomTypes:ArbitrarySize;10;NumericalValues;IDsAndValuesString;C.X1.B01.H3 C.X2.B02.H2 C.X2.B03.H1 C.X3.B03.H1 C.X3.B04 F.X1.B01 N.X2.B02.H1 N.X3.B03 O.X1.B01.H1 O.X1.B02;2 4 14 3 10 1 1 1 3 2

FingerprintsVector;AtomTypesCount:SLogPAtomTypes:ArbitrarySize;16;NumericalValues;IDsAndValuesString;C1 C10 C11 C14 C18 C20 C21 C22 C5 CS F N11 N4 O10 O2 O9;5 1 1 1 14 4 2 1 2 2 1 1 1 1 3 1

FingerprintsVector;EStateIndicies:ArbitrarySize;11;NumericalValues;IDs AndValuesString;SaaCH SaasC SaasN SdO SdssC SsCH3 SsF SsOH SssCH2 SssN H SsssCH;24.778 4.387 1.993 25.023 -1.435 3.975 14.006 29.759 -0.073 3 .024 -2.270

FingerprintsVector; ExtendedConnectivity: AtomicInvariantsAtomTypes: Radius2;60;AlphaNumericalValues; ValuesString;73555770 333564680 352413391 666191900 1001270906 1371674323 1481469939 1977749791 2006158649 21414 08799 49532520 64643108 79385615 96062769 273726379 564565671 85514103 5 906706094 988546669 1018231313 1032696425 1197507444 1331250018 1338 532734 1455473691 1607485225 1609687129 1631614296 1670251330 17303...

FingerprintsVector; ExtendedConnectivityCount: AtomicInvariantsAtomTypes: Radius2;60; NumericalValues; IDsAndValuesString; 73555770 333564680 3524

FingerprintsVector; ExtendedConnectivity: FunctionalClassAtomTypes: Radiu s2;57; AlphaNumericalValues; ValuesString; 24769214 508787397 850393286 8 62102353 981185303 1231636850 1649386610 1941540674 263599683 32920567 1 571109041 639579325 683993318 723853089 810600886 885767127 90326012 7 958841485 981022393 1126908698 1152248391 1317567065 1421489994 1455 632544 1557272891 1826413669 1983319256 2015750777 2029559552 20404...

FingerprintsVector; ExtendedConnectivity: EStateAtomTypes: Radius2;62;Alp haNumericalValues; ValuesString; 25189973 528584866 662581668 671034184 926543080 1347067490 1738510057 1759600920 2034425745 2097234755 21450 44754 96779665 180364292 341712110 345278822 386540408 387387308 50430 1706 617094135 771528807 957666640 997798220 1158349170 1291258082 134 1138533 1395329837 1420277211 1479584608 1486476397 1487556246 1566...

FingerprintsVector; PathLengthCount: AtomicInvariantsAtomTypes: MinLength

1:MaxLength8;432;NumericalValues;IDsAndValuesPairsString;C.X1.B01.H3 2 C.X2.B02.H2 4 C.X2.B03.H1 14 C.X3.B03.H1 3 C.X3.B04 10 F.X1.B01 1 N.X 2.B02.H1 1 N.X3.B03 1 O.X1.B01.H1 3 O.X1.B02 2 C.X1.B01.H3C.X3.B03.H1 2 C.X2.B02.H2C.X2.B02.H2 1 C.X2.B02.H2C.X3.B03.H1 4 C.X2.B02.H2C.X3.B04 1 C.X2.B02.H2N.X3.B03 1 C.X2.B03.H1:C.X2.B03.H1 10 C.X2.B03.H1:C....

FingerprintsVector; PathLengthCount: MMFF94AtomTypes: MinLength1: MaxLength8; 463; NumericalValues; IDsAndValuesPairsString; C5A 2 C5B 2 C=ON 1 CB 1 8 COO 1 CR 9 F 1 N5 1 NC=O 1 O=CN 1 O=CO 1 OC=O 1 OR 2 C5A: C5B 2 C5A: N 5 2 C5ACB 1 C5ACR 1 C5B: C5B 1 C5BC=ON 1 C5BCB 1 C=ON=O=CN 1 C=ONNC=O 1 CB: CB 18 CBF 1 CBNC=O 1 COO=CO 1 COOCR 1 COOCC=O 1 CRCR 7 CRN5 1 CR OR 2 C5A: C5B: C5B 2 C5A: C5BC=ON 1 C5A: N5: C5A 1 C5A: N5: C5A 1 C5A: N5: C5A 1 C5A: N5: C5A 1 C5A: N5: C5A

FingerprintsVector; TopologicalAtomPairs: AtomicInvariantsAtomTypes: MinD istance1: MaxDistance10; 223; NumericalValues; IDsAndValuesString; C.X1.B01.H3-D1-C.X3.B03.H1 C.X2.B02.H2-D1-C.X2.B02.H2 C.X2.B02.H2-D1-C.X3.B03.H1 C.X2.B02.H2-D1-C.X3.B03.E03.H1 C.X2.B02.H2-D1-C.X3.B04 C.X2.B02.H2-D1-N.X3.B03 C.X2.B03.H1-D1-...; 2 1 4 1 1 10 8 1 2 6 1 2 2 1 2 1 2 1 2 1 2 1 5 1 10 12 2 2 1 2 1 9 1 3 1 1 1 2 2 1 3 6 1 6 14 2 2 2 3 1 3 1 8 2 2 1 3 2 6 1 2 2 5 1 3 1 23 1...

FingerprintsVector; TopologicalAtomPairs: FunctionalClassAtomTypes: MinDistance1: MaxDistance10;144; NumericalValues; IDsAndValuesString; Ar-D1-Ar Ar-D1-Ar. HBA Ar-D1-HBD Ar-D1-Hal Ar-D1-None Ar. HBA-D1-None HBA-D1-NI HBA-D1-None HBA-D1-None NI-D1-None No...; 23 2 1 1 2 1 1 1 1 2 1 1 7 28 3 1 3 2 8 2 1 1 1 5 1 5 24 3 3 4 2 13 4 1 1 4 1 5 22 4 4 3 1 19 1 1 1 1 1 2 2 3 1 1 8 25 4 5 2 3 1 26 1 4 1 ...

FingerprintsVector; TopologicalAtomTorsions: AtomicInvariantsAtomTypes; 3
3; NumericalValues; IDsAndValuesString; C.X1.B01.H3-C.X3.B03.H1-C.X3.B04-C.X3.B04 C.X1.B01.H3-C.X3.B03.H1-C.X3.B04-N.X3.B03 C.X2.B02.H2-C.X2.B02
2.H2-C.X3.B03.H1-C.X2.B02.H2 C.X2.B02.H2-C.X2.B02.H2-C.X3.B03.H1-O...;
2 2 1 1 2 2 1 1 3 4 4 8 4 2 2 6 2 2 1 2 1 1 2 1 1 2 6 2 4 2 1 3 1

FingerprintsVector; TopologicalAtomTriplets: SYBYLAtomTypes: MinDistance1: MaxDistance10;2332; NumericalValues; IDsAndValuesString; C.2-D1-C.2-D9-C.3-D10 C.2-D1-C.2-D9-C.ar-D10 C.2-D1-C.3-D1-C.3-D2 C.2-D1-C.3-D10-C.3-D9 C.2-D1-C.3-D2-C.3-D3 C.2-D1-C.3-D2-C.ar-D3 C.2-D1-C.3-D3-C.3-D4 C.2-D1-C.3-D3-N.ar-D4 C.2-D1-C.3-D3-O.3-D2 C.2-D1-C.3-D4-C.3-D5 C.2-D1-C.3-D5-C.3-D6 C.2-D1-C.3-D5-O.3-D4 C.2-D1-C.3-D6-C.3-D7 C.2-D1-C.3-D7...

FingerprintsVector; TopologicalPharmacophoreAtomPairs: ArbitrarySize: Min Distance1: MaxDistance10; 54; NumericalValues; IDsAndValuesString; H-D1-H H-D1-NI HBA-D1-NI HBD-D1-NI H-D2-H H-D2-HBA H-D2-HBD HBA-D2-HBA HBA-D2-HBD H-D3-HB H-D3-HBA H-D3-HBD H-D3-NI HBD-D3-NI HBD-D3-NI H-D4-H H-D4-H H-D4-H H-D4-HBA H-D4-HBD HBA-D4-HBA HBA-D4-HBD HBD-D4-HBD H-D5-HBA H-D5-...; 18 1 2 1 22 12 8 1 2 18 6 3 1 1 1 22 13 6 5 7 2 28 9 5 1 1 1 36 16 10

3 4 1 37 10 8 1 35 10 9 3 3 1 28 7 7 4 18 16 12 5 1 2 1

FingerprintsVector; TopologicalPharmacophoreAtomTriplets: ArbitrarySize: MinDistancel: MaxDistancel0;696; NumericalValues; IDsAndValuesString; Arl-Arl-Arl Arl-Arl-Hl Arl-Arl-HBAl Arl-Arl-HBDl Arl-Hl-Hl Arl-Hl-HBAl Arl-Hl-HBDl Arl-HBAl-HBAl Hl-HB-HBDl Hl-HBAl-HBDl Hl-HBAl-HBAl Hl-HBAl-HBDl Hl-HBAl-NII Hl-HBAl-NII HBAl-HBDl-NII HBAl-HBDl-NII Arl-...; 46 106 8 3 83 11 4 1 21 5 3 1 2 2 1 1 1 100 101 18 11 145 132 26 14 23 28 3 3 5 4 61 45 10 4 16 20 7 5 1 3 4 5 3 1 1 1 1 5 4 2 1 2 2 2 1 1 1 119 123 24 15 185 202 41 25 22 17 3 5 85 95 18 11 23 17 3 1 1 6 4 ...

FUNCTIONS

AreFingerprintsStringValuesValid

\$Status = AreFingerprintsStringValuesValid(\$FPString);

Returns 0 or 1 based on whether FingerprintsString contains valid values.

GetDefaultBitStringFormat

\$BitStringFormat = GetDefaultBitStringFormat();

Returns default BitStringFormat for fingerprints bit-vector strings.

GetDefaultBitsOrder

```
$BitsOrder = GetDefaultBitsOrder();
```

Returns default BitsOrder for fingerprints bit-vector fingerprints.

GetDefaultVectorStringFormat

```
$StringFormat = GetDefaultVectorStringFormat();
```

Returns default VectorStringFormat for fingerprints vector strings.

GetFingeprintsStringDelimiter

```
$Delimiter = GetFingeprintsStringDelimiter();
```

Returns string Delimiter used to generate fingerprints bit-vector and vector strings.

GenerateFingerprintsBitVectorString

Returns a FingerprintsString generated using FingerprintsBitVectorObject and optionally specified BitStringFormat and BitsOrder values.

Possible BitStringFormat values: BinaryString, Binary, Bin, HexadecimalString, Hexadecimal, or Hex. Default BitStringFormat value: BinaryString.

Possible BitsOrder values: Ascending or Descending. Default BitsOrder value: Ascending.

GenerateFingerprintsVectorString

Returns a FingerprintsString generated using *FingerprintsVectorObject* and optionally specified *VectorStringFormat*.

Possible VectorStringFormat values: IDsAndValuesString, IDsAndValuesPairsString, IDsAndValuesPairs, ValuesAndIDsString, ValuesAndIDsPairsString, ValuesAndIDsPairs, V

Default VectorStringFormat value: for NumericalValues FPVectorType - IDsAndValuesString; for all other FPVectorTypes - ValuesString.

GenerateFingerprintsString

Returns a FingerprintsString generated using FingerprintsBitVectorObject or FingerprintsVectorObject and optionally specified parameters.

GetFingerprintsStringTypeAndDescription

Returns FingerprintsStringType and *FingerprintsStringDescription* strings for FingerprintsString corresponding to FingerprintsBitVectorObject or FingerprintsVectorObject.

GetFingerprintsStringValues

```
@FPStringValues = GetFingerprintsStringValues($FPString);
```

Parses FingerprintsString corresponding to FingerprintsBitVectorObject or FingerprintsVectorObject and returns its individual component values as an array.

ParseFingerprintsBitVectorString

Returns FingerprintsBitVectorObject generated by parsing *FingerprintsBitVectorString* with optional validation of its component values.

ParseFingerprintsString

Returns FingerprintsBitVectorObject or *FingerprintsVectorObject* generated by parsing *FingerprintsBitVectorString* or *FingerprintsVectorString* with optional validation of its component values.

ParseFingerprintsVectorString

Returns FingerprintsVectorObject generated by parsing *FingerprintsVectorString* with optional validation of its component values.

AUTHOR

Manish Sud <msud@san.rr.com>

SEE ALSO

BitVector.pm, FingerprintsBitVector.pm, FingerprintsVector.pm, Vector.pm

COPYRIGHT

Copyright (C) 2022 Manish Sud. All rights reserved.

This file is part of MayaChemTools.

MayaChemTools is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.