

Print date: 04/05/2023

Date of issue: 16/09/2022

le of Issue: 10/09/20

000906 CORIANDER SEED OIL

This datasheet is prepared in accordance with EU regulations 1907/2006 as amended by 2015/830 and 2020/878

Section 1 Identification of the substance/mixture and of the company

1.1 Product Identifier

Name of material: Coriander, ext.

Botanical Name: Coriandrum sativum

1.2 Relevant identified uses of the mixture and uses advised against

Fragrances and flavours

1.3 Details of the supplier of the safety data sheet

Augustus Oils Ltd Augustus House Mill Lane Alton, Hants, GU34 2QG UK

Tel: +44 (0)1420 590 555 essentials@augustus-oils.ltd.uk

1.4 Emergency telephone number

+44 (0)1420 590 555 (office hours only)

Section 2 Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aspiration toxicity 1 Skin irritation 2 Skin sensitization 1B Eye irritation 2

Agautic chronic 2

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 1 of 10

2.2 Label elements

Symbols:







Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

Precaution statements: P264 Wash thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P302+352 IF ON SKIN: Wash with soap and water

P362 Take off contaminated clothing and wash before reuse

P333+313 If skin irritation or a rash occurs: Get medical advice/attention

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove

contact lenses if present and easy to do - continue rinsing

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 Do NOT induce vomiting

P501 Dispose of contents/container in accordance with local regulations

2.3 Other hazards

None known

Section 3 Composition/Information on Ingredients

3.1 Substance Item is a multi-constituent substance

Identifiers:

Name of material: Coriander, ext. Characterisation: Essential oils CAS number: 84775-50-8 EC number: 283-880-0

Information on constituents present contributing to the hazard classification

Name	Percent	CAS	EC no	H phrases	Hazard abbreviations
3,7-dimethylocta-1,6-dien-3-ol	>20%	78-70-6	201-134-4	H317	Sen1B
4,7,7-trimethylbicyclo[3.1.1]hept-3-ene	5-10%	80-56-8	201-291-9	H226, 302, 304, 315, 317, 410	Fla3, AcT4, Asp1, Ski2, Sen1B, ACh1

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 2 of 10

Name	Percent	CAS	EC no	H phrases	Hazard abbreviations
1,7,7-trimethylbicyclo[2.2.1]heptan-2-one	5-10%	76-22-2	244-350-4	H228, 332, 371	FSo2, AcT4, STOT_SE 2
1-methyl-4-propan-2- ylcyclohexa-1,4-diene	5-10%	99-85-4	202-794-6	H226, 304	Fla3, Asp1
1-methyl-4-prop-1-en-2- ylcyclohexene	1-5%	5989-27-5	227-813-5	H226, 315, 317, 411	Fla3, Ski2, Sen1B, ACh2
6,6-dimethyl-5- methylidenebicyclo[2.2.1]heptane	1-5%	79-92-5	201-234-8	H228, 319, 410	FSo2, Eye2, ACh1
1-methyl-4-propan-2- ylbenzene	1-5%	99-87-6	202-796-7	H226, 304, 315, 319, 335	Fla3, Asp1, Ski2, Eye2, STOT_SE3
7-methyl-3- methylideneocta-1,6- diene	1-5%	123-35-3	204-622-5	H226, 304, 315, 319, 410	Fla3, Asp1, Ski2, Eye2, ACh1
1-methyl-4-propan-2- ylidenecyclohexene	0.1-1%	586-62-9	209-578-0	H304, 317, 410	Asp1, Sen1B, ACh1
[(2E)-3,7-dimethylocta- 2,6-dienyl] acetate	0.1-1%	105-87-3	203-341-5	H315, 317, 412	Ski2, Sen1B, ACh3
7,7-dimethyl-4- methylidenebicyclo[3.1.1]heptane	0.1-1%	127-91-3	204-872-5	H226, 304, 317, 410	Fla3, Asp1, Sen1B, ACh1

For full text of H phrases and hazard abbreviations see section 16

3.2 Mixtures - not applicable

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 3 of 10

Section 4 First Aid Measures

4.1 Description of first aid measures

4.1.1 General information

In case of accident or if you feel unwell, seek medical advice immediately (show label or SDS if possible).

In the case of excessive inhalation move the exposed person to fresh air and keep

at rest in a comfortable position. If symptoms persist get prompt medical attention.

Skin contact: Avoid prolonged contact with skin. Remove/take off and wash all contaminated

clothing. Wash off skin immediately with plenty of water, using soap if available. If there is any sign of tissue damage or persistent irritation, get medical advice.

Eye contact: Rinse the eyes immediately with plenty of water. Remove any contact lenses.

Rinse eyes holding eye lids open. Get medical attention.

Ingestion: This substance may cause lung damage if swallowed, do not induce vomiting.

Rinse mouth with water. If they are conscious, have exposed person drink 200 ml

of water. Obtain immediate medical advice.

4.1.2 Extra information

Refer to section 4.1.1 to determine if any immediate medical attention is required; whether remove of the person to fresh air; or removal of shoes and clothing is recommended.

Delayed effects after exposure - Unknown

First aid responders should refer to section 2.2 for details of recommended personal protective equipment

4.2 Most important symptoms and effects, both acute and delayed

The most important symptoms and effects are described in section 2.2 (and on the label). Toxicological effects are described in section 11 of this data sheet.

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically

Section 5 Firefighting measures

5.1 Extinguishing media

Extinguish with carbon dioxide, dry powder or foam Do not use direct water jet

5.2 Special hazards arising from the substance or mixture

As a result of combustion or thermal decomposition dangerous products (CO, CO2, NOx) and toxic gases can be formed.

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 4 of 10

5.3 Advice for fire fighters

Wear self-contained breathing apparatus and full body protection

Cool containers exposed to fire with water spray

Collect contaminated fire extinguishing water separately, do not discharge into drains.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Follow precautions for the safe handling of this material as described by this safety data sheet. Provide adequate ventilation. Avoid flames or other sources of ignition. Avoid inhalation of vapours. Avoid contact with skin and eyes.

6.2 Environmental precautions

Contain the spillage as far as possible. Do not allow any spillage to enter drains or local water courses. Notify the relevant authority if material contaminates either of these.

6.3 Methods and material for containment and cleaning up

Remove all sources of ignition, provide effective ventilation. Absorb material with inert, non-combustible material (sand, earth, vermiculite). Transfer to a suitable container for disposal. Dispose according to local/national regulation (see section 13). Clean spill site after material disposal is complete.

6.4 Reference to other sections

See sections 8 and 13

Section 7 Handling and storage

7.1 Precautions for safe handling

Ensure that the working area is well ventilated. Maintain order and cleanliness. Fully control sources of ignition. Avoid contact with eyes and skin. Wear protective clothing and glasses. Do not breathe vapours. Clean all spillages immediately (see section 6).

Observe good hygiene practices. Do not eat, drink or smoke in work areas. Wash hands after use and before breaks. Remove any contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including an incompatibilities

Store in full, dry, airtight containers between 5 - 25°C, away from sources of heat and light

7.3 Specific end uses

Data not available.

Section 8 Exposure controls/personal protection

8.1 Control parameters

No specific exposure limits found

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 5 of 10

8.2 Exposure controls

General work place measures

Wear protective work clothing and footwear. Do not eat, drink or smoke whilst working. Ensure the working area is well ventilated. Provide access to emergency showers and eye wash stations.

Eye/face protection

Wear tightly fitting goggles.

Skin protection

Wear protective gloves of butyl-rubber composition >= 0.5 mm thickness.

Respiratory protection

If the working area is well ventilated, no specific respiratory protective equipment is required.

Environmental exposure controls

Do not allow material to enter drains or local water courses. Avoid subsoil penetration. If materials contaminate the local environment, contact the relevant authorities.

Section 9 Physical/chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Colourless to pale yellow liquid.
Odour: Sweet, warm, woody, spicy

Odour threshold: Data not available pH: Data not available Melting point: Data not available Boiling point: 193°C @ 760 mm/Hg

Flash point: 79°C

Evaporation rate: Data not available Data not available Flammability: Upper flammability limit: Data not available Lower flammability limit: Data not available Upper explosive limit: Data not available Lower explosive limit: Data not available Data not available Vapour pressure: Vapour density: Data not available Vapour density: Data not available Relative density: 0.870 @ 20°C Solubility: Data not available Partition coefficient n-o: Data not available Auto ignition temperature: Data not available Decomposition temperature: Data not available Viscosity: Data not available Data not available Explosive properties: Oxidising properties: Data not available

9.2 Other information

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 6 of 10

No relevent information available

Section 10 Stability and reactivity

10.1 Reactivity

This material is non-reactive under normal conditions of use and storage, see section 7

10.2 Chemical stability

This material is stable under normal conditions of use and storage, see section 7.

10.3 Possibility of hazardous reactions

When handled and stored under the conditions set out in section 7 it is not expected that will be any hazardous reactions leading to excessive temperatures or pressures.

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature. Direct sunlight

10.5 Incompatible materials

Oxidising agents, reducing agents, acids, bases, Nitric acid

10.6 Hazardous decomposition products

No specific products known. In the event of fire refer to section 5 for products of combustion.

Section 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity: Data not available
Skin corrosion/irritation: Data not available
Serious eye Data not available
damage/irritation:

Respiratory or skin

Reproductive toxicity:

sensitisation:

Data not available

Data not available

Germ cell mutagenicity: Data not available

Carcingenicity: Data not available

STOT - single exposure: Data not available

STOT - repeat exposure: Data not available

Aspiration hazard: Data not available

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 7 of 10

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties:

11.2.2 Information on other hazards:

Section 12 Ecological information

12.1 Toxicity

Data not available

12.2 Persistance and degradability

Data not available

12.3 Bioaccumulative potential:

Data not available

12.4 Mobility in soil

Data not available

12.5 Results of PTB and vPvB assessment:

Data not available

12.6 Endocrine disrupting properties:

12.7 Other adverse effects:

Data not available

Section 13 Disposal conditions

13.1 Waste treatment methods

Product - Treat any unused product as hazardous waste. Do not let product enter drains. Contact waste disposal services and dispose of material in accordance with local regulations.

Contaminated packaging

- Treat packaging in the same manner as the product.

Section 14 Transport information

14.1 UN number: 3082

14.2 Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.

14.3 Transport hazard class(es): 9

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 8 of 10

14.4 Packing group: Ш

14.5 Yes **Environmental hazards:**

14.6 Special precautions for user: Tunnel Code (ADR) Ε

14.7 Transport in bulk according to IMO instruments: Not applicable

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory instrument SI 2009 No 716 The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009

Regulation 2037/2000 Substances that deplete the ozone layer: Not applicable

Regulation EC 689/2008 Concerning the import and export of dangerous chemicals: Not listed

Regulation EC 1907/2006 REACH: Not a candidate for authorisation

15.2 **Chemical safety assessment**

No data available

Section 16 Other information

Changes since the last update:

List of abbreviations used in section 2 to 15:

: Flammable liquid and vapour H226

H228 : Flammable solid H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation

H332 : Harmful if inhaled

H335 : May cause respiratory irritation : May cause damage to organs H371

: Very toxic to aquatic life with long lasting effects H410 H411 : Toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

ACh1 : Aquatic chronic 1 ACh2 : Aquatic chronic 2 ACh3 : Aquatic chronic 3 AcT4 : Acute toxicity 4 Asp1 : Aspiration toxicity 1

Eye2 : Eye irritation 2

> pp 9_{of} 10 10 **Augustus Oils Ltd** Issue: Date of issue: 16/09/2022

FSo2 : Flammable solid 2 Fla3 : Flammable liquid 3

STOT_SE2 : Specific target organ toxicity single exposure 2 STOT_SE3 : Specific target organ toxicity single exposure 3

Sen1B: Skin sensitization 1B Ski2: Skin irritation 2

The information in this Safety Data Sheet is, to the best of our knowledge, information and belief, correct and consistent with the state of technical information available at the date of its publication. However, data is supplied without warranty and Augustus Oils Ltd.does not accept liability for any loss, injury and/or damage that results from use or misuse of the information herein. This document does not constitute a contract to supply to or for any specification or application.

This document is valid for 12 months from the print date above. After this time period has elapsed please contact Augustus Oils Ltd to ensure technical information is correct. If there are material changes to the content of the document within this 12 month period Augustus Oils Ltd will provide a new issue.

Augustus Oils Ltd Issue: 10 Date of issue: 16/09/2022 pp 1 of 10