

# TRAINER'S MANUAL

---

## Implementing Scalable Bioinformatic Workflows in Snakemake and Nextflow

Nathan S. Watson-Haigh  
Radosław Suchecki

---

Across Australia

Aug/Sep 2019

---

TRAINER'S MANUAL



---

# Licensing

This work is licensed under a Creative Commons Attribution 3.0 Unported License and the below text is a summary of the main terms of the full Legal Code (the full licence) available at <http://creativecommons.org/licenses/by/3.0/legalcode>.

## You are free:

- to copy, distribute, display, and perform the work
- to make derivative works
- to make commercial use of the work

## Under the following conditions:

**Attribution** - You must give the original author credit.

## With the understanding that:

**Waiver** - Any of the above conditions can be waived if you get permission from the copyright holder.

**Public Domain** - Where the work or any of its elements is in the public domain under applicable law, that status is in no way affected by the license.

**Other Rights** - In no way are any of the following rights affected by the license:

- Your fair dealing or fair use rights, or other applicable copyright exceptions and limitations;
- The author's moral rights;
- Rights other persons may have either in the work itself or in how the work is used, such as publicity or privacy rights.

**Notice** - For any reuse or distribution, you must make clear to others the licence terms of this work.



---

# Contents

<b>Licensing</b>	<b>3</b>
<b>Contents</b>	<b>4</b>
<b>Workshop Information</b>	<b>5</b>
The Trainers . . . . .	6
Providing Feedback . . . . .	7
Document Structure . . . . .	7
<b>Data Quality</b>	<b>9</b>
Key Learning Outcomes . . . . .	10
Resources You'll be Using . . . . .	10
Useful Links . . . . .	10
Introduction . . . . .	11
<b>Data Quality</b>	<b>15</b>
Key Learning Outcomes . . . . .	16
Resources You'll be Using . . . . .	16
Useful Links . . . . .	16
Introduction . . . . .	17
<b>Space for Personal Notes or Feedback</b>	<b>21</b>

---

## Workshop Information

## The Trainers



**Dr. Nathan S. Watson-Haigh**

Senior Bioinformatician

Bioinformatics Hub, University of Adelaide

[nathan.watson-haigh@adelaide.edu.au](mailto:nathan.watson-haigh@adelaide.edu.au)



**Dr. Radosław Suchecki**

Research Scientist

Agriculture and Food, CSIRO

[rad.suchecki@csiro.au](mailto:rad.suchecki@csiro.au)

## Providing Feedback

While we endeavour to deliver a workshop with quality content and documentation in a venue conducive to an exciting, well run hands-on workshop with a bunch of knowledgeable and likable trainers, we know there are things we could do better.

Whilst we want to know what didn't quite hit the mark for you, what would be most helpful and least depressing, would be for you to provide ways to improve the workshop. i.e. constructive feedback. After all, if we knew something wasn't going to work, we wouldn't have done it or put it into the workshop in the first place!

Clearly, we also want to know what we did well! This gives us that "feel good" factor which will see us through those long days and nights in the lead up to such hands-on workshops!

With that in mind, we'll provide three really high tech mechanism through which you can provide anonymous feedback during the workshop:

1. A sheet of paper, from a flip-chart, sporting a "happy" face and a "not so happy" face. Armed with a stack of colourful post-it notes, your mission is to see how many comments you can stick on the "happy" side!
2. Some empty ruled pages at the back of this handout. Use them for your own personal notes or for writing specific comments/feedback about the workshop as it progresses.
3. An online post-workshop evaluation survey. We'll ask you to complete this before you leave. If you've used the blank pages at the back of this handout to make feedback notes, you'll be able to provide more specific and helpful feedback with the least amount of brain-drain!

## Document Structure

We have provided you with an electronic copy of the workshop's hands-on tutorial documents. We have done this for two reasons: 1) you will have something to take away with you at the end of the workshop, and 2) you can save time (mis)typing commands on the command line by using copy-and-paste.

*We advise you to use Acrobat Reader to view the PDF. This is because it properly supports some features we have implemented to ensure that copy-and-paste of commands works as expected. This includes the appropriate copy-and-paste of special characters like tilde and hyphens as well as skipping line numbers for easy copy-and-paste of whole code blocks.*



While you could fly through the hands-on sessions doing copy-and-paste, you will learn more if you use the time saved from not having to type all those commands, to understand what each command is doing!

The commands to enter at a terminal look something like this:

# TRAINER'S MANUAL

```
1 tophat --solexa-quals -g 2 --library-type fr-unstranded -j \  
  annotation/Danio_rerio.Zv9.66.spliceSites -o tophat/ZV9_2cells \  
  genome/ZV9 data/2cells_1.fastq data/2cells_2.fastq
```

The following styled code is not to be entered at a terminal, it is simply to show you the syntax of the command. You must use your own judgement to substitute in the correct arguments, options, filenames etc

```
1 tophat [options]* <index_base> <reads_1> <reads_2>
```

The following is an example of how R commands are styled:

```
1 R --no-save  
2 library(plotrix)  
3 data <- read.table("run_25/stats.txt", header=TRUE)  
4 weighted.hist(data$short1_cov+data$short2_cov, data$lgth, breaks=0:70)  
5 q()
```

The following icons are used in the margin, throughout the documentation to help you navigate around the document more easily:



Important



For reference



Follow these steps



Questions to answer



Warning - STOP and read



Bonus exercise for fast learners



Advanced exercise for super-fast learners



---

# Data Quality

Primary Author(s):

Jane Bloggs [jane.bloggs@example.com](mailto:jane.bloggs@example.com)

Joe Bloggs ([joe.bloggs@example.com](mailto:joe.bloggs@example.com))

Contributor(s):

John Doe [john.dow@example.com](mailto:john.dow@example.com)

## Key Learning Outcomes

After completing this module the trainee should be able to:

- Assess the overall quality of NGS sequence reads
- Visualise the quality, and other associated matrices, of reads to decide on filters and cutoffs for cleaning up data ready for downstream analysis
- Clean up and pre-process the sequences data for further analysis

## Resources You'll be Using

### Tools Used

#### FastQC

<http://www.bioinformatics.babraham.ac.uk/projects/fastqc/>

#### FASTX-Toolkit

[http://hammonlab.cshl.edu/fastx\\_toolkit/](http://hammonlab.cshl.edu/fastx_toolkit/)

#### Picard

<http://picard.sourceforge.net/>

## Useful Links

### FASTQ Encoding

[http://en.wikipedia.org/wiki/FASTQ\\_format#Encoding](http://en.wikipedia.org/wiki/FASTQ_format#Encoding)

## Introduction



This is an important note to the reader. The paragraph gets its own margin icon and formatting to ensure it stands out.

There are 10 characters which have special meaning in  $\text{\LaTeX}$  and to have them displayed as literal characters we need to do something special. The first seven can simply be prepended by a backslash; for the other three, we must use the macros `\textasciitilde`, `\textasciicircum`, `\textbackslash`.

`& % $ # - { }`

`~`

`^`

`\`

Highly redundant coverage ( $>15\times$ ) of the genome can be used to correct sequencing errors in the reads before assembly and errors. Various k-mer based error correction methods exist but are beyond the scope of this tutorial.

In order to use a single character to encode Phred qualities, ASCII characters are used (<http://shop.alterlinks.com/ascii-table/ascii-table-us.php>). All ASCII characters have a decimal number associated with them but the first 32 characters are non-printable (e.g.

Because ASCII characters  $< 33$  are non-printable, using the Phred+33 encoding was not possible. Therefore, they simply moved the offset from 33 to 64 thus

schema it is not always possible to identify what encoding is in use. For example, if the only characters seen in the quality string are (@ABCDEFGHI), then it is impossible to know if you have really good Phred+33 encoded qualities or really bad Phred+64 encoded qualities.

## Tables

Writing tables in  $\text{\LaTeX}$  is HARD! Rather than write them from scratch, I'd head over to [http://www.tablesgenerator.com/latex\\_tables](http://www.tablesgenerator.com/latex_tables), generate the table you want using the interactive page and copy the resulting  $\text{\LaTeX}$  into your source file.

Item		
Animal	Description	Price (\$)
Gnat	per gram	13.65
	each	0.01
Gnu	stuffed	92.50
Emu	stuffed	33.33
Armadillo	frozen	8.99

## Figures

No handout is complete without figures, screenshots or similar.




Figure 1: Per base sequence quality plot for `bad_example.fastq`.

## Maths Environment

I won't pretend to be an expert in  $\text{\LaTeX}$  but I do know that one of the strengths of  $\text{\LaTeX}$  is its ability to allow mathematical formulas to be constructed and typeset very easily. Firstly, you have to tell  $\text{\LaTeX}$  what text is going to contain mathematical symbols.

For inline display, simply surround the relevant text by dollar signs:  $Q(A) = -10 \log_{10}(P(\sim A))$

For more complex mathematical formulas which need to be displayed separately, use the `\begin{displaymath} ... \end{displaymath}` environment to wrap around your formulas.

$$Q(A) = -10 \log_{10}(P(\sim A))$$

## Questions and Answers

It is useful to maintain the answers to questions together in the same L<sup>A</sup>T<sub>E</sub>X source. By using the `\begin{answer} ... \end{answer}` environment we can have the enclosed answers excluded from the trainee's version of the handout while including it in the trainer's version of the handout.



We can ask a simply question to test if the trainee is understanding what they are doing. **We can maintain the answer along side the questions.**

## Code For Trainees to Copy/Type

Different people have different opinions on whether it is a good idea to provide the commands for trainees to copy-and-paste. In our experience, there is a huge amount of time wasted by novices typing commands incorrectly or changing filenames which affects commands you might run later on. We also think that it's a good idea to pose regular questions or ask the trainees to modify a previous command. This way you can catch out those who are just trying to get ahead by blindly copying-and-pasting.

To provide a nicely formatted, copy-and-pastable command, simply wrap it in the `\begin{lstlisting} ... \end{lstlisting}` environment. Long commands will be wrapped automatically and bash line continuation characters (`\`) inserted where required.



```
1 cd ~/QC
2 fastx_clipper -h
3 fastx_clipper -v -Q 33 -l 20 -M 15 -a GATCGGAAGAGCGGTTCAGCAGGAATGCCGAG \
  -i bad_example.fastq -o bad_example_clipped.fastq
```



---

# Data Quality

Primary Author(s):

Jane Bloggs [jane.bloggs@example.com](mailto:jane.bloggs@example.com)

Joe Bloggs ( [joe.bloggs@example.com](mailto:joe.bloggs@example.com) )

Contributor(s):

John Doe [john.dow@example.com](mailto:john.dow@example.com)

## Key Learning Outcomes

After completing this module the trainee should be able to:

- Assess the overall quality of NGS sequence reads
- Visualise the quality, and other associated matrices, of reads to decide on filters and cutoffs for cleaning up data ready for downstream analysis
- Clean up and pre-process the sequences data for further analysis

## Resources You'll be Using

### Tools Used

#### FastQC

<http://www.bioinformatics.babraham.ac.uk/projects/fastqc/>

#### FASTX-Toolkit

[http://hammonlab.cshl.edu/fastx\\_toolkit/](http://hammonlab.cshl.edu/fastx_toolkit/)

#### Picard

<http://picard.sourceforge.net/>

## Useful Links

### FASTQ Encoding

[http://en.wikipedia.org/wiki/FASTQ\\_format#Encoding](http://en.wikipedia.org/wiki/FASTQ_format#Encoding)



## Introduction



This is an important note to the reader. The paragraph gets its own margin icon and formatting to ensure it stands out.

There are 10 characters which have special meaning in  $\text{\LaTeX}$  and to have them displayed as literal characters we need to do something special. The first seven can simply be prepended by a backslash; for the other three, we must use the macros `\textasciitilde`, `\textasciicircum`, `\textbackslash`.

`& % $ # - { }`

`~`

`^`

`\`

Highly redundant coverage ( $>15\times$ ) of the genome can be used to correct sequencing errors in the reads before assembly and errors. Various k-mer based error correction methods exist but are beyond the scope of this tutorial.

In order to use a single character to encode Phred qualities, ASCII characters are used (<http://shop.alterlinks.com/ascii-table/ascii-table-us.php>). All ASCII characters have a decimal number associated with them but the first 32 characters are non-printable (e.g.

Because ASCII characters  $< 33$  are non-printable, using the Phred+33 encoding was not possible. Therefore, they simply moved the offset from 33 to 64 thus

schema it is not always possible to identify what encoding is in use. For example, if the only characters seen in the quality string are (@ABCDEFGHI), then it is impossible to know if you have really good Phred+33 encoded qualities or really bad Phred+64 encoded qualities.

## Tables

Writing tables in  $\text{\LaTeX}$  is HARD! Rather than write them from scratch, I'd head over to [http://www.tablesgenerator.com/latex\\_tables](http://www.tablesgenerator.com/latex_tables), generate the table you want using the interactive page and copy the resulting  $\text{\LaTeX}$  into your source file.

Item		
Animal	Description	Price (\$)
Gnat	per gram	13.65
	each	0.01
Gnu	stuffed	92.50
Emu	stuffed	33.33
Armadillo	frozen	8.99

## Figures

No handout is complete without figures, screenshots or similar.




Figure 2: Per base sequence quality plot for `bad_example.fastq`.

## Maths Environment

I won't pretend to be an expert in  $\text{\LaTeX}$  but I do know that one of the strengths of  $\text{\LaTeX}$  is its ability to allow mathematical formulas to be constructed and typeset very easily. Firstly, you have to tell  $\text{\LaTeX}$  what text is going to contain mathematical symbols.

For inline display, simply surround the relevant text by dollar signs:  $Q(A) = -10 \log_{10}(P(\sim A))$

For more complex mathematical formulas which need to be displayed separately, use the `\begin{displaymath} ... \end{displaymath}` environment to wrap around your formulas.

$$Q(A) = -10 \log_{10}(P(\sim A))$$

## Questions and Answers

It is useful to maintain the answers to questions together in the same L<sup>A</sup>T<sub>E</sub>X source. By using the `\begin{answer} ... \end{answer}` environment we can have the enclosed answers excluded from the trainee's version of the handout while including it in the trainer's version of the handout.



We can ask a simply question to test if the trainee is understanding what they are doing. **We can maintain the answer along side the questions.**

## Code For Trainees to Copy/Type

Different people have different opinions on whether it is a good idea to provide the commands for trainees to copy-and-paste. In our experience, there is a huge amount of time wasted by novices typing commands incorrectly or changing filenames which affects commands you might run later on. We also think that it's a good idea to pose regular questions or ask the trainees to modify a previous command. This way you can catch out those who are just trying to get ahead by blindly copying-and-pasting.

To provide a nicely formatted, copy-and-pastable command, simply wrap it in the `\begin{lstlisting} ... \end{lstlisting}` environment. Long commands will be wrapped automatically and bash line continuation characters (`\`) inserted where required.



```
1 cd ~/QC
2 fastx_clipper -h
3 fastx_clipper -v -Q 33 -l 20 -M 15 -a GATCGGAAGAGCGGTTCAGCAGGAATGCCGAG \
  -i bad_example.fastq -o bad_example_clipped.fastq
```



---

Space for Personal Notes or Feedback

[illegible]

[illegible]

[illegible]



[illegible]