Types of attributes and methods of the SpectralAnalyzer class

Notation

- *I* denotes the number of items.
- *C* denotes the number of separate categories associated with the items.
- V_c denotes the number of separate values in the category c.
- *N* denotes the number of nodes.
- *P* denotes the number of patterns.
- Y denotes the number of years for which observations exist.

Attributes

observations: list

CODE	vector(character) or vector(numeric)	YEAR	numeric	
CODE	vector(character) or vector(numeric)	YEAR	numeric	
•••				
CODE	vector(character) or vector(numeric)	YEAR	numeric	

items: named vector(character)
items_categories: data.frame

	category 1	category 2		category C
item 1	factor	factor		factor
item 2	factor	factor		factor
			•••	
item I	factor	factor		factor

categories_colors: list(named vector(character))

\$category1

value 1	character
value 2	character
•••	
value ${\it V}_1$	character

\$category2

value 1	character
value 2	character
•••	
value V_2	character

\$categoryC

value 1	character
value 2	character
•••	
value $V_{\mathcal{C}}$	character

target: character count: numeric min_length: numeric max_length: numeric status_limit: numeric

nodes: data.frame

node	length	weight
vector(character)	numeric	numeric

nodes_per_year: matrix

	year 1	year 2	•••	year Y
node 1	numeric	numeric		numeric
node 2	numeric	numeric		numeric
node N	numeric	numeric		numeric

n_links: matrix

	node 1	node 2		node N
node 1	numeric	numeric	•••	numeric
node 2	numeric	numeric		numeric
node N	numeric	numeric		numeric

nodes_links: data.frame

endpoint.1	endpoint.2	items	weight
numeric	numeric	character	numeric

obs_patterns: matrix

	pattern 1	pattern 2	 pattern P
node 1	logical	logical	 logical
node 2	logical	logical	 logical
•••			
node N	logical	logical	 logical

patterns: data.frame

pattern	year	frequency	weight	order	specificity	status
vector(character)	numeric	numeric	numeric	numeric	numeric	character

patterns_per_year: matrix

	year 1	year 2	 year Y
pattern 1	numeric	numeric	 numeric
pattern 2	numeric	numeric	 numeric
pattern P	numeric	numeric	 numeric

p_links: matrix

	pattern 1	pattern 2	•••	pattern P
pattern 1	numeric	numeric		numeric
pattern 2	numeric	numeric		numeric
•••				•••
pattern P	numeric	numeric		numeric

patterns_links: data.frame

endpoint.1	endpoint.2	items	weight	year
numeric	numeric	character	numeric	numeric

Methods

spectral.analyzer(observations: see attribute observations, items: see data.frame below,

target: character, count: numeric, min_length: numeric, max_length: numeric,

status_limit: numeric): SpectralAnalyzer

item	name	category 1	category 2	 category C
character	character	factor	factor	 factor

reset(object: SpectralAnalyzer, from: numeric)

list_obs_per_year(): see attribute nodes_per_year

list_separate_obs(): see attribute nodes

count_links(entities: character): see attributes n_links and p_links

search_links(entities: character): see attributes nodes_links and patterns_links

list_separate_patterns(target: character, count: numeric, min_length: numeric,

max_length: numeric): data.frame

pattern	weight
vector(character)	numeric

list_patterns_by_obs(): see attribute obs_patterns

list_patterns_per_year(): see attribute patterns_per_year
compute_patterns_characteristics(): see attribute patterns

compute_specificity(patterns: list(vector(numeric)), frequencies: vector(numeric),

weights: vector(numeric)): vector(numeric)

compute_ksi_threshold(reporting_indexes: vector(numeric)): numeric

compute_ri_threshold(reporting_indexes: vector(numeric), ksi: numeric): numeric

pattern	ri
vector(character)	numeric

check_params_for_RI(t: numeric, period: numeric): list

t	numeric
period	numeric

pattern	ri_2	ri_period
vector(character)	numeric	numeric

define_dynamic_status(patterns: list(vector(numeric)), status_limit: numeric, t: numeric,

period: numeric): data.frame

pattern	Status
vector(character)	character

spectrum_chart(patterns_characteristics: see attribute patterns, identifiers: character,

title: character, path: character, name: character): data.frame

ID	pattern	frequency	weight	order	specificity	status
numeric	vector(character)	numeric	numeric	numeric	numeric	character

plot_spectrum_chart(patterns_characteristics: see attribute patterns,

weights_by_node_type: see data.frame below, title: character)

complex_nodes	simple_node
numeric	numeric

compute_pattern_distribution_in_nodes(patterns: list(vector(numeric))): list

[["weight distribution"]]:

	•
1	vector(numeric)
2	vector(numeric)
•••	
Р	vector(numeric)

[["length_distribution"]]:

1	vector(numeric)
2	vector(numeric)
•••	
Р	vector(numeric)

spectrosome_chart(entities: character, characteristics: see attribute nodes or patterns,

identifiers: character, nb_graphs: numeric, min_link_weight: numeric,
size_range: vector(numeric), vertex_size: character, vertex_col: character,
clusters: numeric, highlight: numeric, use_names: logical, n.cutoff: numeric,
c.cutoff: numeric, display_mixt: logical, title: character, path: character,

name: character, ...): list

[["vertices"]]:

ID	node	length	weight	degree
numeric	vector(character)	numeric	numeric	numeric

or (depends on the value of **entities**)

ID	pattern	frequency	weight	order	specificity	status	degree
numeric	vector(character)	numeric	numeric	numeric	numeric	character	numeric

[["edges"]]:

ID	endpoint.1 endpoint		items	weight	
numeric	numeric	numeric	character	numeric	

or (depends on the value of entities)

ID	endpoint.1	endpoint.2	items	weight	year
numeric	numeric	numeric	character	numeric	numeric

[["coords"]]: list(matrix)

	Х	У
vertex 1	numeric	numeric
vertex 2	numeric	numeric
vertex P	numeric	numeric

	Х	У
vertex 1	numeric	numeric
vertex 2	numeric	numeric
vertex P	numeric	numeric

[["vertices"]]:

ID	node	length	weight	degree
numeric	vector(character)	numeric	numeric	numeric

or (depends on the value of entities)

ID	pattern	frequency	weight	order	specificity	status	degree
numeric	vector(character)	numeric	numeric	numeric	numeric	character	numeric

[["edges"]]:

numeric numeric numeric	character	numeric

or (depends on the value of **entities**)

ID	endpoint.1	endpoint.2	items	weight	year
numeric	numeric	numeric	character	numeric	numeric

[["coords"]]: matrix

	х	У
vertex 1	numeric	numeric
vertex 2	numeric	numeric
•••		
vertex P	numeric	numeric

network_density(links: see attribute nodes_links or patterns_links): numeric
degree(ID: numeric, links: see attribute nodes_links or patterns_links): numeric

tree_chart(patterns_characteristics: see attribute patterns, identifiers: character,

use_names: logical, n.cutoff: numeric, display_status: logical, display_text: character,
c.cutoff: numeric, title: character, path: character, name: character): data.frame

ID	pattern	frequency	weight	order	specificity	status
numeric	vector(character)	numeric	numeric	numeric	numeric	character

plot_tree_chart(patterns_characteristics: see attribute patterns,

items_category: see data.frame below , category: character, c.cutoff: numeric,

use_names: logical, n.cutoff: numeric, display_status: logical,

display_text: character, title: character)

item	category
character	character

extract_rules(from: character or list, pruning: logical, as_sets: logical, ...): data.frame

antecedent		consequent	support	confidence	lift	count
vector(character)	=>	character	numeric	numeric	numeric	numeric

or (antecedent and consequent types depend on the value of as_sets. Presence of count or itemset depends on the value of from)

antecedent		consequent	support	confidence	lift	itemset
factor	=>	factor	numeric	numeric	numeric	numeric

```
check_access_for_category(category: character or numeric, value: character, stop: logical): logical
get_nodes(nodes_characteristics: see attribute nodes, element: character or numeric,
           value: numeric or vector(numeric) or character or vector(character),
           condition: character): see attribute nodes
get nodes from items(nodes characteristics: see attribute nodes, items: vector(numeric),
                        condition: character): see attribute nodes
get_nodes_from_characteristic(nodes_characteristics: see attribute nodes,
                                characteristic: character, value: numeric,
                                condition: character): see attribute nodes
get_nodes_from_category(nodes_characteristics: see attribute nodes,
                           category: character or numeric, value: character,
                           condition: character): see attribute nodes
get_patterns(patterns_characteristics: see attribute patterns, element: character or numeric,
             value: numeric or vector(numeric) or character or vector(character),
             condition: character): see attribute patterns
get patterns from items(patterns characteristics: see attribute patterns, items: vector(numeric),
                          condition: character): see attribute patterns
get_patterns_from_characteristic(patterns_characteristics: see attribute patterns,
                                  characteristic: character, value: numeric, condition: character):
                                  see attribute patterns
get_patterns_from_status(patterns_characteristics: see attribute patterns, value: vector(character),
                           condition: character): see attribute patterns
get_patterns_from_category(patterns_characteristics: see attribute patterns,
                              category: character or numeric, value: character,
                              condition: character): see attribute patterns
get_links(entities: character, characteristics: see attribute nodes or patterns): see attribute
          nodes_links or patterns_links
get_isolates(entities: character, characteristics: see attribute nodes or patterns): see attribute
             nodes or patterns
get_non_isolates(entities: character, characteristics: see attribute nodes or patterns): see attribute
                  nodes or patterns
```

get_complexes(entities: character, characteristics: see attribute nodes or patterns,

attribute nodes or patterns

category: character or numeric, condition: character, min_nb_values: numeric): see