# Attribute and method types of the SpectralAnalyzer class

#### Notation:

- *I* designates the number of items.
- *C* designates the number of separate categories associated with the items.
- *N* designates the number of nodes.
- P designates the number of patterns.
- *Y* designates the number of years for which observations exist.

## **Attributes**

observations: list

CODE	vector(character)	YEAR	numeric	•••	
CODE	vector(character)	YEAR	numeric		
•••	•••			•••	
CODE	vector(character)	YEAR	numeric		

items: vector(character)
items\_categories: data.frame

	category 1	category 2	 category C
item 1	factor	factor	 factor
item 2	factor	factor	 factor
	•••	•••	 •••
item I	factor	factor	 factor

target: character count: numeric min\_length: numeric max\_length: numeric status\_limit: numeric

nodes\_per\_year: matrix

	year 1	year 2	•••	year Y
node 1	numeric	numeric	•••	numeric
node 2	numeric	numeric		numeric
node N	numeric	numeric		numeric

#### nodes: data.frame

node	length	weigth
vector(character)	numeric	numeric

### **n\_links**: matrix

	node 1	node 2	•••	node N
node 1	numeric	numeric		numeric
node 2	numeric	numeric		numeric
node N	numeric	numeric		numeric

### nodes\_links: data.frame

Source	Target	ID	items	weight
numeric	numeric	numeric	character	numeric

#### obs\_patterns: matrix

	pattern 1	pattern 2	 pattern P
node 1	logical	logical	 logical
node 2	logical	logical	 logical
node N	logical	logical	 logical

#### patterns\_per\_year: matrix

	year 1	year 2	 year Y
pattern 1	numeric	numeric	 numeric
pattern 2	numeric	numeric	 numeric
pattern P	numeric	numeric	 numeric

#### patterns: data.frame

pattern	year	frequency	weight	order	specificity	status
vector(character)	numeric	numeric	numeric	numeric	numeric	character

#### **p\_links**: matrix

	pattern 1	pattern 2	•••	pattern P
pattern 1	numeric	numeric		numeric
pattern 2	numeric	numeric		numeric
pattern P	numeric	numeric	•••	numeric

#### patterns\_links: data.frame

	Source	Target	ID	items	weight	year
Ī	numeric	numeric	numeric	character	numeric	numeric

## Methods

spectral.analyzer(observations: see attribute observations, items: see data.frame below,

target: character, count: numeric, min\_length: numeric, max\_length: numeric,

status\_limit: numeric)

item	category 1	category 2	 category C
character	factor	factor	 factor

list\_obs\_per\_year(): see attribute nodes\_per\_year

list\_separate\_obs(): see attribute nodes

count\_links(entities: character): see attributes n\_links and p\_links

search\_links(entities: character): see attributes nodes\_links and patterns\_links

list\_separate\_patterns(target: character, count: numeric, min\_length: numeric,

max\_length: numeric): data.frame

pattern	weight
vector(character)	numeric

list\_patterns\_by\_obs(): see attribute obs\_patterns

list\_patterns\_per\_year(): see attribute patterns\_per\_year
compute\_patterns\_characteristics(): see attribute patterns

compute\_specificity(patterns: list(vector(numeric)), frequencies: vector(numeric),

weights: vector(numeric)): vector(numeric)

compute\_ksi\_threshold(reporting\_indexes: vector(numeric)): numeric

compute\_ri\_threshold(reporting\_indexes: vector(numeric), ksi: numeric): numeric

pattern	ri	
vector(character)	numeric	

check\_params\_for\_RI(t: numeric, period: numeric): list

t	numeric
period	numeric

pattern	ri_2	ri_period
vector(character)	numeric	numeric

define\_dynamic\_status(patterns: list(vector(numeric)), status\_limit: numeric, t: numeric,

period: numeric): data.frame

pattern	Status	
vector(character)	character	

spectrum\_chart(patterns\_characteristics: see attribute patterns, path: character, name: character,

title: character): data.frame

ID	pattern	frequency	weight	order	specificity	status
numeric	vector(character)	numeric	numeric	numeric	numeric	character

create\_spectrum\_chart(patterns\_characteristics: see attribute patterns,

weights\_by\_node\_type: see data.frame below, title: character)

complex_nodes	simple_node
numeric	numeric

compute\_pattern\_distribution\_in\_nodes(patterns: list(vector(numeric))): list

[["weight\_distribution"]]:

1	vector(numeric)
2	vector(numeric)
	•••
Р	vector(numeric)

[["length\_distribution"]]:

1	vector(numeric)			
2	vector(numeric)			
	•••			
Р	vector(numeric)			

spectrosome\_chart(entities : character, characteristics: see attribute nodes or patterns,

nb\_graph: numeric, vertex\_size: character, path: character, name: character,

title: character, ...): list

[["vertices"]]:

ID	node	length	weight	degree
numeric	vector(character)	numeric	numeric	numeric

or

ID	pattern	frequency	weight	order	specificity	status	degree
numeric	vector(character)	numeric	numeric	numeric	numeric	character	numeric

[["edges"]]: see attribute **nodes\_links** or **patterns\_links** 

cluster\_text(graph: see matrix below, links: see attribute patterns\_links)

	Х	У
vertex 1	numeric	numeric
vertex 2	numeric	numeric
•••		
vertex P	numeric	numeric

cluster\_chart(entities: character, item: numeric, vertex\_size: character, path: character,

name: character, title: character, ...): list

[["vertices"]]:

ID	node	length	weight	degree	
numeric	vector(character)	numeric	numeric	numeric	

or

ID	pattern	frequency	weight	order	specificity	status	degree
numeric	vector(character)	numeric	numeric	numeric	numeric	character	numeric

[["edges"]]: see attribute nodes\_links or patterns\_links

network\_density(links: see attribute nodes\_links or patterns\_links): numeric
degree(ID: numeric, links: see attribute nodes\_links or patterns\_links): numeric

tree\_chart(patterns\_characteristics: see attribute patterns, display\_text: character, cutoff: numeric, path: character, name: character, title: character): data.frame

ID	pattern	frequency	weight	order	specificity	status
numeric	vector(character)	numeric	numeric	numeric	numeric	character

create\_tree\_chart(patterns\_characteristics: see attribute patterns,

**items\_category:** see data.frame below , **category:** character, **cutoff:** numeric,

display\_text: character, title: character)

item	category		
character	character		

save\_characteristics(entities: character, characteristics: see attribute nodes or patterns, ...)

extract\_nodes\_from\_items(nodes\_characteristics: see attribute nodes, items: vector(numeric),

target: character): see attribute nodes

extract\_nodes\_from\_characteristic(nodes\_characteristics: see attribute nodes,

characteristic: character, value: numeric,

condition: character): see attribute nodes

extract\_nodes\_from\_category(nodes\_characteristics: see attribute nodes,

**category**: character | numeric, **value**: character,

target: character): see attribute nodes

check\_access\_for\_category(category: character | numeric, value: character)

extract\_patterns\_from\_items(patterns\_characteristics: see attribute patterns,

items: vector(numeric), target: character): see attribute patterns

extract\_patterns\_from\_characteristic(patterns\_characteristics: see attribute patterns,

characteristic: character, value: numeric,
condition: character): see attribute patterns

 $\textbf{extract\_patterns\_from\_status(patterns\_characteristics}: see \ attribute \ \textbf{patterns},$ 

value: vector(character), condition: character): see attribute patterns

extract\_patterns\_from\_category(patterns\_characteristics: see attribute patterns,

category: character | numeric, value: character,

target: character): see attribute patterns

extract\_links(entities : character, characteristics: see attribute nodes or patterns): see attribute
nodes\_links or patterns\_links