

565 mid-term

model

$y_{ij} = \mu + \tau_i + \varepsilon_{ij}$ , for  $\varepsilon_{ij} \sim iidN(0, \sigma^2)$ ,  $i = 1, 2, \dots, a, j = 1, 2, \dots, n$ ,  $\sum_{i=1}^a \tau_i = 0$

Random effects:  $\tau_i \sim iidN(0, \sigma_\tau^2)$ ,  $\tau_i$  and  $\varepsilon_{ij}$  indep

$y_{ij} = (\mu + \tau_i + \beta_j) + \varepsilon_{ij}$ , for  $\varepsilon_{ij} \sim iidN(0, \sigma^2)$ ,  $i = 1, 2, \dots, a, j = 1, 2, \dots, b$

Fixed effects:  $\sum_{i=1}^a \tau_i = 0, \sum_{j=1}^b \beta_j = 0$  Random effects:  $\beta_j \sim iidN(0, \sigma_\beta^2)$

Graeco-Latin square:  $y_{ijkl} = \mu + \theta_i + \tau_j + \omega_k + \psi_l + \varepsilon_{ijkl}; i, j, k, l = 1, 2, \dots, p$

BIBD:  $y_{ij} = (\mu + \tau_i + \beta_j) + \varepsilon_{ij}; i = 1, 2, \dots, a, j = 1, 2, \dots, b; N = kb = ra, \lambda = \frac{r(k-1)}{a-1}$

least square and normal equation

CRD:  $SSE = \sum_{i=1}^a \sum_{j=1}^n (y_{ij} - \mu - \tau_i)^2$

$$\frac{\partial SSE}{\partial \mu} \Big|_{\hat{\mu}, \hat{\tau}_i} = 2 \sum_{i=1}^a \sum_{j=1}^n (y_{ij} - \hat{\mu} - \hat{\tau}_i)(-1) = 0 \quad y_{..} = an\hat{\mu} + n \sum_{i=1}^a \hat{\tau}_i$$

$$\frac{\partial SSE}{\partial \tau_i} \Big|_{\hat{\mu}, \hat{\tau}_i} = 2 \sum_{j=1}^n (y_{ij} - \hat{\mu} - \hat{\tau}_i)(-1) = 0 \quad y_{i.} = n\hat{\mu} + n\hat{\tau}_i$$

RCBD:  $SSE = \sum_{i=1}^a \sum_{j=1}^b (y_{ij} - \mu - \tau_i - \beta_j)^2$

$$\frac{\partial SSE}{\partial \mu} \Big|_{\hat{\mu}, \hat{\tau}_i, \hat{\beta}_j} = 2 \sum_{i=1}^a \sum_{j=1}^b (y_{ij} - \hat{\mu} - \hat{\tau}_i - \hat{\beta}_j)(-1) = 0$$

$$\frac{\partial SSE}{\partial \tau_i} \Big|_{\hat{\mu}, \hat{\tau}_i, \hat{\beta}_j} = 2 \sum_{j=1}^b (y_{ij} - \hat{\mu} - \hat{\tau}_i - \hat{\beta}_j)(-1) = 0$$

$$\frac{\partial SSE}{\partial \beta_j} \Big|_{\hat{\mu}, \hat{\tau}_i, \hat{\beta}_j} = 2 \sum_{i=1}^a (y_{ij} - \hat{\mu} - \hat{\tau}_i - \hat{\beta}_j)(-1) = 0$$

$$y_{..} = ab\hat{\mu} + b \sum_{i=1}^a \hat{\tau}_i + a \sum_{j=1}^b \hat{\beta}_j$$

$$y_{i.} = b\hat{\mu} + b\hat{\tau}_i + \sum_{j=1}^b \hat{\beta}_j$$

$$y_{.j} = a\hat{\mu} + \sum_{i=1}^a \hat{\tau}_i + a\hat{\beta}_j$$

hypothesis test

model	H0	H1
FT-CRD	$\mu_1 = \mu_2 = \dots = \mu_a$	at least two of $\mu_a$ are different
RT-CRD	$\sigma_\tau^2 = 0$	$\sigma_\tau^2 > 0$
FB-RCBD	$\mu_1 = \mu_2 = \dots = \mu_a$	at least two of $\mu_a$ are different
-Block	$\beta_1 = \beta_2 = \dots = \beta_j = 0$	at least one of $\beta_j \neq 0$
RB-RCBD	$\sigma_\beta^2 = 0$	$\sigma_\beta^2 > 0$
Contrast	$\Gamma = \sum_{i=1}^a c_i \mu_i = 0$	$\Gamma = \sum_{i=1}^a c_i \mu_i \neq 0$
LSD	$\mu_1 = \mu_2 = \dots = \mu_p$	at least two of $\mu_p$ are different
BIBD	$\mu_1 = \mu_2 = \dots = \mu_a$	at least two of $\mu_a$ are different

ANOVA

	SS	df	MS	F
$SS_{Trt}$	$n \sum_{i=1}^a (\bar{y}_{i.} - \bar{y}_{..})^2$	$a - 1$	$\frac{SS_{Trt}}{\frac{a-1}{N}}$	$\frac{MS_{Trt}}{MS_E}$
$SS_E$	$\sum_{i=1}^a \sum_{j=1}^n (y_{ij} - \bar{y}_{i.})^2$	$a(n - 1)$	$\frac{SS_E}{N-a}$	
$SS_T$	$\sum_{i=1}^a \sum_{j=1}^n (y_{ij} - \bar{y}_{..})^2$	$an - 1$		
$SS_{Trt}$	$b \sum_{i=1}^a (\bar{y}_{i.} - \bar{y}_{..})^2$	$a - 1$	$\frac{SS_{Trt}}{\frac{a-1}{b}}$	$\frac{MS_{Trt}}{\frac{MS_E}{b}}$
$SS_{Blk}$	$a \sum_{j=1}^b (\bar{y}_{.j} - \bar{y}_{..})^2$	$b - 1$	$\frac{SS_{Blk}}{\frac{b-1}{a}}$	$\frac{MS_{Blk}}{MS_E}$
$SS_E$	$SS_T - SS_{Trt} - SS_{Blk}$	$(a - 1)(b - 1)$	$\frac{SS_E}{df_E}$	
$SS_T$	$\sum_{i=1}^a \sum_{j=1}^b (y_{ij} - \bar{y}_{..})^2$	$ab - 1$		

$$[f.]SS_{Trt} = \frac{1}{n} \sum_{i=1}^a y_{i.}^2 - \frac{y_{..}^2}{N}$$

$$[r.]SS_{Trt} = \frac{1}{b} \sum_{i=1}^a y_{i.}^2 - \frac{y_{..}^2}{N} \quad SS_{Blk} = \frac{1}{a} \sum_{j=1}^b y_{.j}^2 - \frac{y_{..}^2}{N}$$

$$SSE = \sum_{i=1}^a \sum_{j=1}^b (y_{ij} - \bar{y}_{i.} - \bar{y}_{.j} + \bar{y}_{..})^2$$

$$SS_T = \sum_{i=1}^a \sum_{j=1}^b y_{ij}^2 - \frac{y_{..}^2}{N}, S_i^2 = \frac{\sum_{j=1}^b (y_{ij} - \bar{y}_{i.})^2}{n-1}$$

LSD	SS	df
$SS_{Trt1}$	$p \sum_{i=1}^p (\bar{y}_{i..} - \bar{y}_{...})^2$	$p - 1$
$SS_{Row}$	$p \sum_{j=1}^b (\bar{y}_{.j.} - \bar{y}_{...})^2$	$p - 1$
$SS_{Col}$	$p \sum_{k=1}^p (\bar{y}_{..k} - \bar{y}_{...})^2$	$p - 1$
$SS_E$	$SS_T - SS_{Trt1} - SS_{Row} - SS_{Col}$	$(p - 1)(p - 2)$
$SS_T$	$\sum_{i=1}^p \sum_{j=1}^p \sum_{k=1}^p (y_{ijk} - \bar{y}_{...})^2$	$p^2 - 1$

df	Case1	Case2	Case3
$SS_{Trt}$	$p - 1$	$p - 1$	$p - 1$
$SS_{Row}$	$p - 1$	$n(p - 1)$	$n(p - 1)$
$SS_{Col}$	$p - 1$	$p - 1$	$n(p - 1)$
$SS_{Rep}$	$n - 1$	$n - 1$	$n - 1$
$SS_E$	$(p - 1)(np + n - 3)$	$(p - 1)(np - 2)$	$(p - 1)(np - n - 1)$
$SS_T$	$np^2 - 1$	$np^2 - 1$	$np^2 - 1$

Graeco-LSD	SS	df
$SS_{Trt1}$	$b \sum_{i=1}^a (\bar{y}_{i..} - \bar{y}_{...})^2$	$p - 1$
$SS_{Trt2}$	$b \sum_{i=1}^a (\bar{y}_{i.} - \bar{y}_{..})^2$	$p - 1$
$SS_{Row}$	$a \sum_{j=1}^b (\bar{y}_{.j} - \bar{y}_{..})^2$	$p - 1$
$SS_{Col}$	$a \sum_{j=1}^b (\bar{y}_{.j} - \bar{y}_{..})^2$	$p - 1$
$SS_E$	$SS_T - SS_{Trt1} - SS_{Trt2} - SS_{Row} - SS_{Col}$	$(p - 1)(p - 3)$
$SS_T$	$\sum_{i=1}^p \sum_{j=1}^p (y_{ijkl} - \bar{y}_{...})^2$	$p^2 - 1$

BIBD	SS	df
$SS_{Trt}$	$\frac{k}{\lambda a} \sum_{i=1}^a Q_i^2 = \frac{k}{\lambda a} \sum_{i=1}^a (y_{i.} - \sum_{j=1}^b n_{ij} \bar{y}_{.j})^2$	$a - 1$
$SS_{Blk}$	$a \sum_{j=1}^b (\bar{y}_{.j} - \bar{y}_{..})^2$	$b - 1$
$SS_E$	$SS_T - SS_{Trt(adj)} - SS_{Blk}$	$N - a - b + 1$
$SS_T$	$\sum_{i=1}^a \sum_{j=1}^b (y_{ij} - \bar{y}_{..})^2$	$N - 1$

distribution

	$y_{ij}$	$\bar{y}_{i.}$	$\frac{y_{i.} - \mu_i}{\sqrt{n}}$	$\bar{y}_{i.} - \bar{y}_{j.}$	$\frac{\bar{y}_{i.} - \bar{y}_{j.} - (\mu_i - \mu_j)}{\frac{2\sigma}{\sqrt{n}}}$
N	$(\mu + \tau_i, \sigma^2)$	$(\mu + \tau_i, \frac{\sigma^2}{n})$	$(0, 1)$	$(\mu_i - \mu_j, \frac{2\sigma^2}{n})$	$(0, 1)$

$$t_{df_E} \left| \frac{\frac{y_{i.} - \mu_i}{\sqrt{n}}}{\sqrt{\frac{SS_E}{\sigma^2(N-a)}}} = \frac{y_{i.} - \mu_i}{\sqrt{\frac{SS_E}{n(df_E)}}} = \frac{y_{i.} - \mu_i}{\sqrt{\frac{MS_E}{n}}} \right| \frac{\bar{y}_{i.} - \bar{y}_{j.} - (\mu_i - \mu_j)}{\sqrt{\frac{2MS_E}{n}}} \left| \frac{C}{\sqrt{Var(C)}} \right|$$

$$\chi^2 \left| \frac{SS_E}{E^2} \right| \frac{SS_{Trt}}{Trt^2} \left| \frac{SS_{Blk}}{Blk^2} \right| SS_C$$

$$F \left| \frac{MS_{Trt}}{MS_E} \right| \left( \frac{MS_{Blk}}{MS_E} \right) \left| \frac{(\sum_{i=1}^a c_i \bar{y}_{i.})^2}{\frac{MS_E}{n} \sum_{i=1}^a c_i^2} \right|$$

$$df \left| (Trt, E) \right| (Blk, E) \left| (C = 1, E) \right|$$

contrast

$$\Gamma = \sum_{i=1}^a c_i \mu_i, C = \sum_{i=1}^a c_i \bar{y}_{i.}; \sum_{i=1}^a c_i = 0; \text{Orthogonal } \sum_{i=1}^a c_i d_i = 0$$

$$SS_C = \frac{(\sum_{i=1}^a c_i \bar{y}_{i.})^2}{\frac{1}{n} \sum_{i=1}^a c_i^2}, \sum_1^{a-1} SS_C = SS_{Trt}$$

CI

CI	balanced	unbalanced
$\mu_i$	$\bar{y}_{i.} \pm t_{\frac{\alpha}{2}} \sqrt{\frac{MS_E}{n}}$	$\bar{y}_{i.} \pm t_{\frac{\alpha}{2}} \sqrt{\frac{MS_E}{n_i}}$
$\mu_i - \mu_j$	$\bar{y}_{i.} - \bar{y}_{j.} \pm t_{\frac{\alpha}{2}} \sqrt{\frac{2MS_E}{n}}$	$\bar{y}_{i.} - \bar{y}_{j.} \pm t_{\frac{\alpha}{2}} \sqrt{MS_E (\frac{1}{n_i} + \frac{1}{n_j})}$
$\Gamma$	$\sum_{i=1}^a c_i \bar{y}_{i.} \pm t_{\frac{\alpha}{2}} \sqrt{\frac{MS_E}{n} \sum_{i=1}^a c_i^2}$	

expectation and variance

$$y_{..} = \sum_{i=1}^a (y_{i.} = \sum_{j=1}^n y_{ij}), \mu = \frac{\sum_{i=1}^a \mu_i}{a}$$

$$\bar{y}_{..} = \frac{1}{N} \left[ y_{..} = \sum_{i=1}^a (y_{i.} = \sum_{j=1}^n y_{ij}) \right] = \frac{1}{a} \sum_{i=1}^a \left[ \bar{y}_{i.} = \frac{1}{n} (y_{i.} = \sum_{j=1}^n y_{ij}) \right]$$

	$y_{ij}$	$\bar{y}_{i.}$	$\sum_{i=1}^n \sum_{j=1}^n y_{ij}$	$\sum_{j=1}^n \frac{y_{ij}}{n}$	$\sum_{i=1}^a \frac{y_{ij}}{a}$	$C$
E[f.]	$\mu + \tau_i + \beta_j$	$\mu$	$\mu$	$\mu + \tau_i$	$\mu + \beta_j$	$\sum_{i=1}^a c_i \bar{y}_{i.}$
V[f.]	$\sigma^2$	$\frac{\sigma^2}{na}$	$\frac{\sigma^2}{na}$	$\frac{\sigma^2}{n}$	$\frac{\sigma^2}{a}$	$\frac{\sigma^2}{n} \sum_{i=1}^a c_i^2$
E[r.]	$\mu$	$\mu$	$\mu$	$\mu$	$\mu$	
V[r.]	$\sigma^2 + \sigma_\tau^2$	$\frac{\sigma_\tau^2}{a} + \frac{\sigma^2}{na}$	$\frac{\sigma_\tau^2}{n} + \sigma_\tau^2$	$\frac{\sigma_\tau^2}{a} + \sigma_\beta^2$	$\frac{\sigma_\tau^2}{a} + \sigma_\beta^2$	

E[f.]	$MS_E$	$MS_{Trt}$	$MS_{Trt}$	$MS_{Blk}$
E[r.]	$\sigma^2$	$\sigma^2 + \frac{n-1}{a} \sum_{i=1}^a \tau_i^2$	$\sigma^2 + \frac{b-1}{a-1} \sum_{i=1}^a \tau_i^2$	$\sigma^2 + \frac{a-1}{b-1} \sum_{j=1}^b \beta_j^2$

f.	$\hat{\sigma}^2$	$\hat{\sigma}_{Trt}^2$	$\hat{\sigma}_{Blk}^2$	$\widehat{Var}(\bar{y}_{i.})$	$\widehat{Var}(\bar{y}_{.j})$
r.	$MSE$	$\frac{MS_{Trt} - MSE}{n}$	$\frac{MS_{Blk} - MSE}{a}$	$\frac{MS_E}{n}$	$\frac{MS_E}{a}$

$\hat{\mu}$	$\hat{\mu}_i$	$\hat{\tau}_i$	$\hat{\beta}_j$	$\hat{y}_{ij}$	$\hat{\varepsilon}_{ij}$
$\frac{1}{an} y_{..}$	$\bar{y}_{i.}$	$\bar{y}_{i.} - \bar{y}_{..}$	$\bar{y}_{.j} - \bar{y}_{..}$	$\bar{y}_{i.} + \bar{y}_{.j} - \bar{y}_{..}$	$\bar{y}_{ij} - \bar{y}_{..}$

FT-	CRD	E	Var[]	
$y_{ij} - \bar{y}_i.$	$\varepsilon_{ij} - \frac{\sum_{j=1}^n \varepsilon_{ij}}{n}$	0	$\frac{n-1}{n} \sigma^2$	$y_{ij} - \bar{y}_i. - \bar{y}_{..j} + \bar{y}_{..} = \varepsilon_{ij} - \frac{\sum_{i=1}^a \varepsilon_{ij}}{a} - \frac{\sum_{j=1}^b \varepsilon_{ij}}{b} + \frac{\sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}}{ab}$
$\bar{y}_i. - \bar{y}_{..}$	$\tau_i + \frac{\sum_{j=1}^n \varepsilon_{ij}}{n} - \frac{\sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}}{an}$	$\tau_i$	$\frac{(a-1)\sigma^2}{an}$	$E[] = 0, Var = \frac{(a-1)(b-1)\sigma^2}{ab}$
RT-	CRD	E	Var[]	<b>covariance</b>
$y_{ij} - \bar{y}_i.$	$\varepsilon_{ij} - \frac{\sum_{j=1}^n \varepsilon_{ij}}{n}$	0	$\frac{n-1}{n} \sigma^2$	R-CRD: $Cov(y_{ij}, y_{kl}) = \{ 0, i \neq k; \sigma_\tau^2, i = k, j \neq l; \sigma^2 + \sigma_\tau^2, i = k, j = l$
$\bar{y}_i. - \bar{y}_{..}$	$\tau_i - \frac{\sum_{i=1}^a \tau_i}{a} + \frac{\sum_{j=1}^n \varepsilon_{ij}}{n} - \frac{\sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}}{an}$	0	$\frac{(a-1)(n\sigma_\tau^2 + \sigma^2)}{an}$	$\left  \begin{array}{c} \varepsilon_{ij} \\ \sigma^2 \end{array} \right  \left  \begin{array}{c} \sum_{i=1}^a \varepsilon_{ij} \\ \sigma^2 \end{array} \right  \left  \begin{array}{c} \sum_{j=1}^b \varepsilon_{ij} \\ \sigma^2 \end{array} \right  \left  \begin{array}{c} \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij} \\ \sigma^2 \end{array} \right $
F-	RCBD	E	Var[]	$\left  \begin{array}{c} \sum_{j=1}^b \varepsilon_{ij} \\ \sum_{j=1}^b \varepsilon_{ij} \\ \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij} \end{array} \right  \left  \begin{array}{c} a\sigma^2 \\ \sigma^2 \\ b\sigma^2 \end{array} \right  \left  \begin{array}{c} a\sigma^2 \\ \sigma^2 \\ ab\sigma^2 \end{array} \right $
$y_{ij} - \bar{y}_i.$	$\beta_j + \varepsilon_{ij} - \frac{\sum_{j=1}^b \varepsilon_{ij}}{b}$	$\beta_j$	$\frac{(b-1)\sigma^2}{b}$	
$\bar{y}_i. - \bar{y}_{..}$	$\tau_i + \frac{\sum_{j=1}^b \varepsilon_{ij}}{b} - \frac{\sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}}{ab}$	$\tau_i$	$\frac{(a-1)\sigma^2}{ab}$	
$y_{ij} - \bar{y}_{.j}$	$\tau_i + \varepsilon_{ij} - \frac{\sum_{i=1}^a \varepsilon_{ij}}{a}$	$\tau_i$	$\frac{(a-1)\sigma^2}{a}$	
$\bar{y}_{.j} - \bar{y}_{..}$	$\beta_j + \frac{\sum_{i=1}^a \varepsilon_{ij}}{a} - \frac{\sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}}{ab}$	$\beta_j$	$\frac{(b-1)\sigma^2}{ab}$	
R-	RCBD	E	Var[]	
$y_{ij} - \bar{y}_i.$	$\beta_j - \frac{\sum_{j=1}^b \beta_j}{b} + \varepsilon_{ij} - \frac{\sum_{j=1}^b \varepsilon_{ij}}{b}$	0	$\frac{(b-1)(\sigma_\beta^2 + \sigma^2)}{b}$	
$\bar{y}_i. - \bar{y}_{..}$	$\tau_i + \frac{\sum_{j=1}^b \varepsilon_{ij}}{b} - \frac{\sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}}{ab}$	$\tau_i$	$\frac{(a-1)\sigma^2}{ab}$	
$y_{ij} - \bar{y}_{.j}$	$\tau_i + \varepsilon_{ij} - \frac{\sum_{i=1}^a \varepsilon_{ij}}{a}$	$\tau_i$	$\frac{(a-1)\sigma^2}{a}$	
$\bar{y}_{.j} - \bar{y}_{..}$	$\beta_j - \frac{\sum_{j=1}^b \beta_j}{b} + \frac{\sum_{i=1}^a \varepsilon_{ij}}{a} - \frac{\sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}}{ab}$	0	$\frac{(b-1)(a\sigma_\beta^2 + \sigma^2)}{ab}$	

$$\begin{aligned}
Cov[\varepsilon_{ij}, \varepsilon_{ij}] &= Cov[\sum_{i=1}^a \varepsilon_{ij}, \sum_{j=1}^b \varepsilon_{ij}] = \sigma^2, Cov[\tau_i, \tau_i] = \frac{2}{\tau}, Cov[\beta_j, \beta_j] = \frac{2}{\beta} \\
Cov[\varepsilon_{ij}, \tau_i] &= Cov[\varepsilon_{ij}, \beta_j] = Cov[\tau_i, \beta_j] = Cov[\varepsilon_{ij}, \varepsilon_{ik}] = 0, k \neq j \\
Cov[\varepsilon_{ij}, \sum_{j=1}^n \varepsilon_{ij}] &= Cov[\varepsilon_{ij}, (\varepsilon_{i1} + .. + \varepsilon_{ij}.. + \varepsilon_{in})] = Cov[\varepsilon_{ij}, \varepsilon_{i1}] + .. + Cov[\varepsilon_{ij}, \varepsilon_{ij}].. + Cov[\varepsilon_{ij}, \varepsilon_{in}] = \sigma^2 \\
Cov[\sum_{j=1}^n \varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}] &= Cov[(\varepsilon_{i1} + \varepsilon_{i2}.. + \varepsilon_{in}), (\varepsilon_{i1} + \varepsilon_{i2}.. + \varepsilon_{in})] = Cov[\varepsilon_{i1}, \varepsilon_{i1}] + Cov[\varepsilon_{i2}, \varepsilon_{i2}].. + Cov[\varepsilon_{in}, \varepsilon_{in}] = n\sigma^2 \\
Var[y_{ij} - \bar{y}_i.] &= \\
\text{FT-CRD; RT-CRD} \\
Var[\varepsilon_{ij} - \frac{\sum_{j=1}^n \varepsilon_{ij}}{n}] &=, Var[\varepsilon_{ij}] + \frac{\sum_{j=1}^n Var[\varepsilon_{ij}]}{n^2} - \frac{2Cov[\varepsilon_{ij}, \sum_{j=1}^n \varepsilon_{ij}]}{n}, = \sigma^2 + \frac{\sigma^2}{n} - \frac{2}{n} \sigma^2 = \frac{n-1}{n} \sigma^2 \\
\text{FB-RCBD} \\
Var[\beta_j + \varepsilon_{ij} - \frac{\sum_{j=1}^b \varepsilon_{ij}}{b}] &=, Var[\beta_j] + Var[\varepsilon_{ij}] + \frac{\sum_{j=1}^b Var[\varepsilon_{ij}]}{b^2} - 2Cov[\beta_j, \varepsilon_{ij}] - \frac{2Cov[\beta_j, \sum_{j=1}^b \varepsilon_{ij}]}{b} - \frac{2Cov[\varepsilon_{ij}, \sum_{j=1}^b \varepsilon_{ij}]}{b}, = 0 + \sigma^2 + \frac{\sigma^2}{b} - 0 - 0 - \frac{2\sigma^2}{b} = \frac{(b-1)\sigma^2}{b} \\
\text{RB-RCBD} \\
Var[\beta_j - \frac{\sum_{j=1}^b \beta_j}{b} + \varepsilon_{ij} - \frac{\sum_{j=1}^b \varepsilon_{ij}}{b}] &= \\
Var[\beta_j] + \frac{\sum_{j=1}^b Var[\beta_j]}{b^2} + Var[\varepsilon_{ij}] + \frac{\sum_{j=1}^b Var[\varepsilon_{ij}]}{b^2} - \frac{2Cov[\beta_j, \sum_{j=1}^b \beta_j]}{b} + 2Cov[\beta_j, \varepsilon_{ij}] - \frac{2Cov[\beta_j, \sum_{j=1}^b \varepsilon_{ij}]}{b} - \frac{2Cov[\sum_{j=1}^b \beta_j, \varepsilon_{ij}]}{b} \\
+ \frac{2Cov[\sum_{j=1}^b \beta_j, \sum_{j=1}^b \varepsilon_{ij}]}{b^2} - \frac{2Cov[\varepsilon_{ij}, \sum_{j=1}^b \varepsilon_{ij}]}{b} &= \sigma_\beta^2 + \frac{\sigma_\beta^2}{b} - \frac{2\sigma_\beta^2}{b} + \sigma^2 + \frac{\sigma^2}{b} - \frac{2\sigma^2}{b} = \frac{(\sigma_\beta^2 + \sigma^2)(b-1)}{b} \\
= \\
Var[\bar{y}_i. - \bar{y}_{..}] &= \\
\text{FT-CRD} \\
Var[\tau_i + \frac{\sum_{j=1}^n \varepsilon_{ij}}{n} - \frac{\sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}}{an}] &= \\
Var[\tau_i] + \frac{\sum_{j=1}^n Var[\varepsilon_{ij}]}{n^2} + \frac{\sum_{i=1}^a \sum_{j=1}^n Var[\varepsilon_{ij}]}{a^2 n^2} + \frac{2Cov[\tau_i, \sum_{j=1}^n \varepsilon_{ij}]}{n} - \frac{2Cov[\tau_i, \sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}]}{an} - \frac{2Cov[\sum_{j=1}^n \varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}]}{an^2}, \\
= 0 + \frac{\sigma^2}{n} + \frac{\sigma^2}{an} - \frac{2\sigma^2}{an} &= \frac{(a-1)\sigma^2}{an} \\
\text{RT-CRD} \\
Var[\tau_i - \frac{\sum_{i=1}^a \tau_i}{a} + \frac{\sum_{j=1}^n \varepsilon_{ij}}{n} - \frac{\sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}}{an}] &= \\
Var[\tau_i] + \frac{\sum_{i=1}^a Var[\tau_i]}{a^2} + \frac{\sum_{j=1}^n Var[\varepsilon_{ij}]}{n^2} + \frac{\sum_{i=1}^a \sum_{j=1}^n Var[\varepsilon_{ij}]}{a^2 n^2} - \frac{2Cov[\tau_i, \sum_{i=1}^a \tau_i]}{a} + \frac{2Cov[\tau_i, \sum_{j=1}^n \varepsilon_{ij}]}{n} - \frac{2Cov[\tau_i, \sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}]}{an} - \frac{2Cov[\sum_{i=1}^a \tau_i, \sum_{j=1}^n \varepsilon_{ij}]}{an} \\
+ \frac{2Cov[\sum_{i=1}^a \tau_i, \sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}]}{a^2 n} - \frac{2Cov[\sum_{j=1}^n \varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^n \varepsilon_{ij}]}{an^2} &= \sigma_\tau^2 + \frac{\sigma_\tau^2}{a} - \frac{2\sigma_\tau^2}{a} + \frac{\sigma^2}{n} + \frac{\sigma^2}{an} - \frac{2\sigma^2}{an} = \frac{(n\sigma_\tau^2 + \sigma^2)(a-1)}{an} \\
\text{FB-RCBD; RB-RCBD} \\
Var[\tau_i + \frac{\sum_{j=1}^b \varepsilon_{ij}}{b} - \frac{\sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}}{ab}] &= \\
Var[\tau_i] + \frac{\sum_{j=1}^b Var[\varepsilon_{ij}]}{b^2} + \frac{\sum_{i=1}^a \sum_{j=1}^b Var[\varepsilon_{ij}]}{a^2 b^2} + \frac{2Cov[\tau_i, \sum_{j=1}^b \varepsilon_{ij}]}{b} - \frac{2Cov[\tau_i, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{ab} - \frac{2Cov[\sum_{j=1}^b \varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{ab^2} = 0 + \frac{\sigma^2}{b} + \frac{\sigma^2}{ab} - \frac{2\sigma^2}{ab} = \frac{(a-1)\sigma^2}{ab} \\
= \\
Var[y_{ij} - \bar{y}_{.j}] &= \\
\text{FB-RCBD; RB-RCBD} \\
Var[\tau_i + \varepsilon_{ij} - \frac{\sum_{i=1}^a \varepsilon_{ij}}{a}] &= Var[\tau_i] + Var[\varepsilon_{ij}] + \frac{\sum_{i=1}^a Var[\varepsilon_{ij}]}{a^2} - \frac{2Cov[\tau_i, \varepsilon_{ij}]}{a} - \frac{2Cov[\tau_i, \sum_{i=1}^a \varepsilon_{ij}]}{a} - \frac{2Cov[\varepsilon_{ij}, \sum_{i=1}^a \varepsilon_{ij}]}{a} = 0 + \sigma^2 + \frac{\sigma^2}{a} - \frac{2\sigma^2}{a} = \frac{(a-1)\sigma^2}{a} \\
= \\
Var[\bar{y}_{.j} - \bar{y}_{..}] &= \\
\text{FB-RCBD} \\
Var[\beta_j + \frac{\sum_{i=1}^a \varepsilon_{ij}}{a} - \frac{\sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}}{ab}] &= \\
Var[\beta_j] + \frac{\sum_{i=1}^a Var[\varepsilon_{ij}]}{a^2} + \frac{\sum_{i=1}^a \sum_{j=1}^b Var[\varepsilon_{ij}]}{a^2 b^2} + \frac{2Cov[\beta_j, \sum_{i=1}^a \varepsilon_{ij}]}{a} - \frac{2Cov[\beta_j, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{ab} - \frac{2Cov[\sum_{i=1}^a \varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{a^2 b} \\
= 0 + \frac{\sigma^2}{a} + \frac{\sigma^2}{ab} - \frac{2\sigma^2}{ab} &= \frac{(b-1)\sigma^2}{ab} \\
\text{RB-RCBD} \\
Var[\beta_j - \frac{\sum_{j=1}^b \beta_j}{b} + \frac{\sum_{i=1}^a \varepsilon_{ij}}{a} - \frac{\sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}}{ab}] &=,
\end{aligned}$$

$$\begin{aligned}
& Var[\beta_j] + \frac{\sum_{j=1}^b Var[\beta_j]}{b^2} + \frac{\sum_{i=1}^a Var[\varepsilon_{ij}]}{a^2} + \frac{\sum_{i=1}^a \sum_{j=1}^b Var[\varepsilon_{ij}]}{a^2 b^2} - \frac{2Cov[\beta_j, \sum_{j=1}^b \beta_j]}{b} + \frac{2Cov[\beta_j, \sum_{i=1}^a \varepsilon_{ij}]}{a} - \frac{2Cov[\beta_j, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{ab} - \frac{2Cov[\sum_{j=1}^b \beta_j, \sum_{i=1}^a \varepsilon_{ij}]}{ab} \\
& + \frac{2Cov[\sum_{j=1}^b \beta_j, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{ab^2} - \frac{2Cov[\sum_{i=1}^a \varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{a^2 b} = \sigma_\beta^2 + \frac{\sigma_\beta^2}{b} - \frac{2\sigma_\beta^2}{b} + \frac{\sigma_a^2}{a} + \frac{\sigma_a^2}{ab} - \frac{2\sigma_a^2}{ab} = \frac{(a\sigma_\beta^2 + \sigma_a^2)(b-1)}{ab}
\end{aligned}$$

$$Var[y_{ij} - \bar{y}_{i.} - \bar{y}_{.j} + \bar{y}_{..}] = \text{FB-RCBD}$$

$$Var[\varepsilon_{ij} - \frac{1}{a} \sum_{i=1}^a \varepsilon_{ij} - \frac{1}{b} \sum_{j=1}^b \varepsilon_{ij} + \frac{1}{ab} \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}] =$$

$$\begin{aligned}
& Var[\varepsilon_{ij}] + \frac{\sum_{i=1}^a Var[\varepsilon_{ij}]}{a^2} + \frac{\sum_{j=1}^b Var[\varepsilon_{ij}]}{b^2} + \frac{\sum_{i=1}^a \sum_{j=1}^b Var[\varepsilon_{ij}]}{a^2 b^2} - \frac{2Cov[\varepsilon_{ij}, \sum_{i=1}^a \varepsilon_{ij}]}{a} - \frac{2Cov[\varepsilon_{ij}, \sum_{j=1}^b \varepsilon_{ij}]}{b} + \frac{2Cov[\varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{ab} + \frac{2Cov[\sum_{i=1}^a \varepsilon_{ij}, \sum_{j=1}^b \varepsilon_{ij}]}{ab} \\
& - \frac{2Cov[\sum_{i=1}^a \varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{a^2 b} - \frac{2Cov[\sum_{j=1}^b \varepsilon_{ij}, \sum_{i=1}^a \sum_{j=1}^b \varepsilon_{ij}]}{ab^2} = \sigma^2 + \frac{\sigma^2}{a} + \frac{\sigma^2}{b} + \frac{\sigma^2}{ab} - \frac{2\sigma^2}{a} - \frac{2\sigma^2}{b} + \frac{2\sigma^2}{ab} + \frac{2\sigma^2}{ab} - \frac{2\sigma^2}{ab} - \frac{2\sigma^2}{ab} = \frac{(ab-a-b+1)\sigma^2}{ab}
\end{aligned}$$