

---

**Started on** Wednesday, 13 August 2025, 10:18 AM

---

**State** Finished

---

**Completed on** Wednesday, 13 August 2025, 10:33 AM

---

**Time taken** 15 mins 33 secs

---

**Marks** 1.00/1.00

---

**Grade** **10.00** out of 10.00 (**100%**)

---

**Question 1** | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1; i<=n; i++)
        {
            for(int j=1; j<=n; j++)
            {
                printf("*");
                printf("*");
                break;
            }
        }
    }
}
```

**Note:** No need of counter increment for declarations and scanf() and count variable printf() statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:** (penalty regime: 0 %)

```
1  #include <stdio.h>
2  int c=0;
3  void func(int n)
4  {
5      c++;
6      if(n==1)
7
8      {
9
10         c++;
11
12     }
13     else
14     {
15         c++;
16         for(int i=1; i<=n; i++)
17         {
18             c++;
19             for(int j=1; j<=n; j++)
20             {
21                 c++;
22                 c++;
23                 c++;
24                 c++;
25                 break;
26             }
27         }
28     }
29 }
30 int main(){
31     int a;
32     scanf("%d\n",&a);
33     c=0;
34     func(a);
35     printf("%d\n",c);
36     return 0;
37 }
```

	Input	Expected	Got	
✓	2	12	12	✓
✓	1000	5002	5002	✓
✓	143	717	717	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

