

---

**Started on** Sunday, 16 November 2025, 8:43 PM

---

**State** Finished

---

**Completed on** Sunday, 16 November 2025, 8:44 PM

---

**Time taken** 51 secs

---

**Marks** 1.00/1.00

---

**Grade** **30.00** out of 30.00 (**100%**)

**Question 1** | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

**Input Format**

- The first line contains T, the number of test cases. Following T lines contain:
  1. Line 1 contains N1, followed by N1 integers of the first array
  2. Line 2 contains N2, followed by N2 integers of the second array

**Output Format**

The intersection of the arrays in a single line

**Example**

**Input:**

1

3 10 17 57

6 2 7 10 15 57 246

**Output:**

10 57

**Input:**

1

6 1 2 3 4 5 6

2 1 6

**Output:**

**For example:**

Input	Result
1	10 57
3 10 17 57	
6	
2 7 10 15 57 246	

**Answer:** (penalty regime: 0 %)

```

1 #include <stdio.h>
2
3 int main() {
4     int T;
5     scanf("%d", &T);
6
7     while (T--) {
8         int n1, n2;
9         scanf("%d", &n1);
10        int a[n1];
11        for (int i = 0; i < n1; i++) scanf("%d", &a[i]);
12
13        scanf("%d", &n2);
14        int b[n2];
15        for (int i = 0; i < n2; i++) scanf("%d", &b[i]);
16
17        int i = 0, j = 0;
18        while (i < n1 && j < n2) {
19            if (a[i] == b[j]) {
20                printf("%d ", a[i]);
21                i++;
22                j++;
23            } else if (a[i] < b[j]) {
24                i++;
25            }
26        }
27    }
28}
```

```
25 } else {
26     j++;
27 }
28 }
29 printf("\n");
30 }
31 return 0;
32 }
33 }
```

	<b>Input</b>	<b>Expected</b>	<b>Got</b>	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

